


BID TECHNICAL DOCUMENTS
Master Management

- Org Hierarchy Master
- View Internal Documents

User Management

- Debar User
- My Organisation Hierarchy
- My Accounts

Tender Management

- Create Tender / Tender List
- Publish Tender
- Published Tenders
- Seek Clarifications
- Pre-bid Meeting
- Downloaded Tenders
- Tender Status
- Archived Tenders
- Archived Clarification
- Stage 2 Create Tender / Tender List
- Stage 2 Publish Tender
- NDA Documents History
- NDA Documents
- Stage 2 Published Tender
- Validate GeMARPTS ID

Corrigendum

- Create Corrigendum
- Publish Corrigendum
- Published Corrigendum

Bid Opening

- Tenders to be Opened

Bid Evaluation

- Technical Evaluation
- Financial Evaluation
- Short fall Documents
- Forfeit Tenders
- AOC/Empanelment
- Short Fall Documents History

Auction Management

- Tender cum Auction
- Publish Auction
- Published Auction
- Create Auction Corrigendum
- Publish Auction Corrigendum
- Published Auction Corrigendum
- Freeze Auction
- View Live Auction
- View Auction History

Bid Technical Documents

Organisation Chain : Airports Authority of India||Western Region - AAI||RHQ-WR - AAI||GENERAL-WR - AAI
 Tender Reference Number : AAIRHQWRMMFURAUTOMATION201945
 Tender ID : 2020_AAI_45000_1
 Tender Title : Supply of Furnitures for Automation Unit under Western Region Hqrs
 Bidder Name : Brilliant Electro Systems Pvt Ltd
 Document Submission Start Date : 06-Aug-2020 03:00 PM
 Document Submission End Date : 13-Aug-2020 10:00 AM
 Bidder Document Submitted Date : 10-Aug-2020 04:24 PM

Please select check boxes for required short fall technical documents.
 Allowed special characters in Description - .(),-_/

Bidder Document List

S.No	Description	Type	Filename	Select Doc	Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	TECHNICAL.pdf	☒	Please submit all the documents duly signed and stamped as per
2	Proof of Tender Fees Submitted for Rs.1120/- in form of DD in favour of AAI payable at Mumbai	.pdf	EMD.pdf	☐	
3	Proof of EMD Submitted for Rs.57,347/- in form of DD in favour of AAI payable at Mumbai	.pdf	COPY.pdf	☐	
4	Proof of MSME/NSIC submitted if claiming exemption from tender fees and EMD	.pdf	MSMECOPY.pdf	☐	
5	Proof of Submission of Undertaking as per Annexure-A	.pdf	UCD.pdf	☐	

Bidder Uploaded Document List

S.No	Description	Type	File Name	File Size (KB)	Uploaded Date	Bidder Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	tenderdocument.pdf	16343	10-Aug-2020 04:24 PM	NIT DOCUMENT FULL SET - ALL PAGE TENDE COCUMENT - GARRANTEE CERTIFICATE

[Back](#)

Min 13/8/20
 J. M. (HMM)
 Am (Faulmm)
 13/8/2020
 R. M. (CNS)
 13/8/2020


BID TECHNICAL DOCUMENTS
Master Management

- Org Hierarchy Master
- View Internal Documents

User Management

- Debar User
- My Organisation Hierarchy
- My Accounts

Tender Management

- Create Tender / Tender List
- Publish Tender
- Published Tenders
- Seek Clarifications
- Pre-bid Meeting
- Downloaded Tenders
- Tender Status
- Archived Tenders
- Archived Clarification
- Stage 2 Create Tender / Tender List
- Stage 2 Publish Tender
- NDA Documents History
- NDA Documents
- Stage 2 Published Tender
- Validate GeMARPTS ID

Corrigendum

- Create Corrigendum
- Publish Corrigendum
- Published Corrigendum

Bid Opening

- Tenders to be Opened

Bid Evaluation

- Technical Evaluation
- Financial Evaluation
- Short fall Documents
- Forfeit Tenders
- AOC/Empariement
- Short Fall Documents History

Auction Management

- Tender cum Auction
- Publish Auction
- Published Auction
- Create Auction Corrigendum
- Publish Auction Corrigendum
- Published Auction Corrigendum
- Freeze Auction
- View Live Auction
- View Auction History

Bid Technical Documents

Organisation Chain : Airports Authority of India|Western Region - AAI|RHQ-WR - AAI|GENERAL-WR - AAI
 Tender Reference Number : AAIRHQWRMMFURAUTOMATION201945
 Tender ID : 2020_AAI_45000_1
 Tender Title : Supply of Furnitures for Automation Unit under Western Region Hqrs
 Bidder Name : SEATECH MODULAR SYSTEMS
 Document Submission Start Date : 06-Aug-2020 03:00 PM
 Document Submission End Date : 13-Aug-2020 10:00 AM
 Bidder Document Submitted Date : 12-Aug-2020 11:09 AM

Please select check boxes for required short fall technical documents.
 Allowed special characters in Description - .(),-/_

Bidder Document List

S.No	Description	Type	Filename	Select Doc	Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	Technical_compressed.pdf	☒	Please submit undertaking in your companys letter head or eor
2	Proof of Tender Fees Submitted for Rs.1120/- in form of DD in favour of AAI payable at Mumbai	.pdf	nsic.pdf	☐	
3	Proof of EMD Submitted for Rs.57,347/- in form of DD in favour of AAI payable at Mumbai	.pdf	foremdexemption.pdf	☐	
4	Proof of MSME/NSIC submitted if claiming exemption from tender fees and EMD	.pdf	msme.pdf	☐	
5	Proof of Submission of Undertaking as per Annexure-A	.pdf	technicaldetails.pdf	☐	

Bidder Uploaded Document List

S.No	Description	Type	File Name	File Size (KB)	Uploaded Date	Bidder Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	SeatechUndertakingasPerclauseNITparasigned.pdf	369	12-Aug-2020 11:08 AM	undertaking

[Back](#)

Min 13/8/20
 Sr. Up (K1 M)
 13/8/2020.
 C.R.R (Kadam)
 AGM (CNS)
 Am (Faulmm)
 13/8/2020



Government
eProcurement
System



Welcome : spsingshodhi@aai.aero
Last login : 11-Aug-2020 05:14 PM

Server Time

13-Aug-2020 10:32:21

Home

Logout

Government eProcurement System

BID TECHNICAL DOCUMENTS

Master Management

- Org Hierarchy Master
- View Internal Documents

User Management

- Debit User
- My Organisation Hierarchy
- My Accounts

Tender Management

- Create Tender / Tender List
- Publish Tender
- Published Tenders
- Seek Clarifications
- Pre-bid Meeting
- Downloaded Tenders
- Tender Status
- Archived Tenders
- Archived Clarification
- Stage 2 Create Tender / Tender List
- Stage 2 Publish Tender
- NDA Documents History
- NDA Documents
- Stage 2 Published Tender
- Validate GeMARPTS ID

Corrigendum

- Create Corrigendum
- Publish Corrigendum
- Published Corrigendum

Bid Opening

- Tenders to be Opened

Bid Evaluation

- Technical Evaluation
- Financial Evaluation
- Short fall Documents
- Forfeit Tenders
- AOC/Empanelment
- Short Fall Documents History

Auction Management

- Tender cum Auction
- Publish Auction
- Published Auction
- Create Auction Corrigendum
- Publish Auction Corrigendum
- Published Auction Corrigendum
- Freeze Auction
- View Live Auction
- View Auction History

Bid Technical Documents

Organisation Chain : Airports Authority of India || Western Region - AAI || RHQ-WR - AAI || GENERAL-WR - AAI

Tender Reference Number : AAIRHQWRMMFURAUTOMATION201945

Tender ID : 2020_AAI_45000_1

Tender Title : Supply of Furnitures for Automation Unit under Western Region Hqrs

Bidder Name : M/s Shubh Enterprises

Document Submission Start Date : 06-Aug-2020 03:00 PM

Document Submission End Date : 13-Aug-2020 10:00 AM

Bidder Document Submitted Date : 07-Aug-2020 05:54 PM

Please select check boxes for required short fall technical documents.
Allowed special characters in Description - .(),-/_

Bidder Document List

S.No	Description	Type	Filename	Select Doc	Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	finalTBid.pdf	☒	Please submit 1) the guarantee certificate 2) AOC/NIT Doc
2	Proof of Tender Fees Submitted for Rs.1120/- in form of DD in favour of AAI payable at Mumbai	.pdf	DD.pdf	☐	
3	Proof of EMD Submitted for Rs.57,347/- in form of DD in favour of AAI payable at Mumbai	.pdf	NSICNEW.pdf	☐	
4	Proof of MSME/NSIC submitted if claiming exemption from tender fees and EMD	.pdf	SENMRLRegistration.pdf	☐	
5	Proof of Submission of Undertaking as per Annexure-A	.pdf	UndertakingCumDeclaration.pdf	☐	

Bidder Uploaded Document List

S.No	Description	Type	File Name	File Size (KB)	Uploaded Date	Bidder Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	Shortfalldocuments.pdf	2646	07-Aug-2020 05:54 PM	Short fall documents

Back

13/8/20
Sr. Mgr (IT)
13/8/2020
CR. Kikadas
Agmccn



BID TECHNICAL DOCUMENTS

Master Management

- Org Hierarchy Master
- View Internal Documents

User Management

- Debar User
- My Organisation Hierarchy
- My Accounts

Tender Management

- Create Tender / Tender List
- Publish Tender
- Publisher Tenders
- Seek Clarifications
- Pre-bid Meeting
- Downloaded Tenders
- Tender Status
- Archived Tenders
- Archived Clarification
- Stage 2 Create Tender / Tender List
- Stage 2 Publish Tender
- NDA Documents History
- NDA Documents
- Stage 2 Published Tender
- Validate GeMARPTS ID

Corrigendum

- Create Corrigendum
- Publish Corrigendum
- Published Corrigendum

Bid Opening

- Tenders to be Opened

Bid Evaluation

- Technical Evaluation
- Financial Evaluation
- Short Fall Documents
- Forfeit Tenders
- AOC/Empanelment
- Short Fall Documents History

Auction Management

- Tender cum Auction
- Publish Auction
- Published Auction
- Create Auction Corrigendum
- Publish Auction Corrigendum
- Published Auction Corrigendum
- Freeze Auction
- View Live Auction
- View Auction History

Bid Technical Documents

Organisation Chain : Airports Authority of India||Western Region - AAI||RHQ-WR - AAI||GENERAL-WR - AAI

Tender Reference Number : AAIRHQWRMMFURAUTOMATION201945

Tender ID : 2020_AAI_45000_1

Tender Title : Supply of Furnitures for Automation Unit under Western Region Hqrs

Bidder Name : VITRONICS (INDIA)

Document Submission Start Date : 06-Aug-2020 03:00 PM

Document Submission End Date : 13-Aug-2020 10:00 AM

Bidder Document Submitted Date : 06-Aug-2020 04:47 PM

Please select check boxes for required short fall technical documents.
Allowed special characters in Description - .(),-/_/

Bidder Document List

S.No	Description	Type	Filename	Select Doc	Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	TechnicalBid....pdf	☒	Please Submit the guarantee certificate as per NIT Para 6.10.8
2	Proof of Tender Fees Submitted for Rs.1120/- in form of DD in favour of AAI payable at Mumbai	.pdf	TenderFee.pdf	☐	
3	Proof of EMD Submitted for Rs.57,347/- in form of DD in favour of AAI payable at Mumbai	.pdf	BG.pdf	☐	
4	Proof of MSME/NSIC submitted if claiming exemption from tender fees and EMD	.pdf	MSME Cert.pdf	☐	
5	Proof of Submission of Undertaking as per Annexure-A	.pdf	UndertakingCumDeclaration.pdf	☐	

Bidder Uploaded Document List

S.No	Description	Type	File Name	File Size (KB)	Uploaded Date	Bidder Description
1	All the documents as required in the NIT clause no.13.2.1(i to x)	.pdf	GuaranteeCertificateasperNITPara6.10.8.pdf	319	06-Aug-2020 04:46 PM	Guarantee Certificate as per NIT Para 6.10.8

Back


13/8/20
S. M. (Hqrs)

13/8/2020
Ch. R. Kadam
AGM(CEN)

Am (Fac/Imm)
13/8/2020

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
1	Work Bench Specification 1; Quantity =3					
	Parameter	Required Specification				
1.1	Workbench dimension 	Note: All dimension tolerances are $\pm 10\%$ 1. Workstations for electrical application with storage cabinet of Overall dim mm 1900x1300x1700 mm (LxDxH) 2. Upright based workstation with perforated panel height adjustable shelves and electrical panels. 3. ESD worktop of overall dimension mm: 1800x1200x780 Load cap:200 Kg UDL 4. Workbench should meet the following Standard o ANSI/ESD S20.20-2014 or IEC 61340- ESD Standards o DIN EN 13150, EN 60335-1 or DIN VDE 0789- Standard for Safety requirements for laboratory and classroom workstations. o DIN EN 312- Standard for High Pressure Laminated Worktop o DIN EN ISO 9001:2008 o Chemical & Fire Resistance Standards DIN 438 or DIN312 5. The raw material used in production of the unit should be	Complied	Not Submitted	Yes Complied	Complied

13/8/2020
Ms. Smita Jande
Asth.Manager(Facilities)

13/8/20
(S P Singh Sodhi)
Manager(MM)

12/8/20
Rajesh Kadam
Assth. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
1.2	Base Frame	1. Load capacity of 600 Kg UDL Min 2. Volume conductive Resistance should be 1x104 -1X 108 ohm. 3. Workbench should have the capability for provision of holding	Complied		Yes Complied	Complied
1.3	Bench Top/ Worktop	• Load capacity of 200 Kg UDL • Thickness of chipboard 30 mm min • Worktop should be electrostatically dissipative as per ANSI /ESD S20.20-2014 OR IEC 61340 ESD Standards giving lifelong ESD protection. • The mounting support should be fixed to frame by bolt free arrangement .All attachment except floor bolting should be boltless and clip-on. • Earth resistivity should be less	Complied		Yes Complied	Complied
1.4	Perforated Panel:	• Aluminium perforated sheet with 10x10 mm square perforations mounted between rear legs.	Complied		Yes Complied	Complied
1.5	Drawer Cabinet/ Pedestal	• Detachable drawer cabinet with central locking of outer dim mm 400x450x650 mm (LxDxH) with min.	Complied		Yes Complied	Complied

13/8/2020
 Ms. Smita Jande
 Asstt. Manager(Facilities)

13/8/20
 (S.P. Singh Sodhi)
 Manager(MM)

13/8/2020
 Rajesh Kadam
 Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
1.6	Filing Board	• 20 mm thick wooden clipboard 1800 mm X 500 depth length mm: Qty 2 Load capacity 100 Kg. • Filing board should be electrostatically dissipative as per ANSI /ESD S20.20-2014 OR IEC 61340 ESD Standards giving lifelong ESD protection • Earth resistivity should be less than or 108 ohm cm as per ESD standards.	Complied		Yes Complied	Complied
1.7	Overhead light	• Should be equipped in filing bard with functional profile top light • LED Light can be Swivelled in its holder with 3000 lux intensities • Switching & dimming by means of contact free sensor • Steady illumination of the working surface without forming shades • Contact free sensor for regulating the light intensity	Complied		Yes Complied	Complied
1.8	Cables/Power supply/Electrical Panel	• Aluminum profile for mounting Sockets, Switch & safety unit to route the cables invisibly. Installation height of 113 mm & also have chamber for media guidance. • Mounted in 45-degree slant for ergonomic integration of devices on front side • 2 Pole MCB • 4 X15A/230 V Legrand / branded	Complied		Yes Complied	Complied
1.9	Monitor holding frame/ Arm	It shall be attached to rear leg with 180- degree rotation for Mounting	Complied		Yes Complied	Complied

Ms. Smita Jande
Asstt. Manager(Facilities)

(S.P. Singh Sodhi)
Manager(MM)

Rajesh Kadam
Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
1.10	CPU Tray	It Shall attached under the table to k	Complied		Yes Complied	Complied
1.11	Keyboard Tray	• It shall attached under the table to keep keyboard and Mouse.	Complied		Yes Complied	Complied
1.12	ESD Bins	• It shall attached to the perforated sheet connected between Rear legs of the table 1st filing board.	Complied		Yes Complied	Complied
2	Work Bench Specification 2; Quantity =1			Not Submitted		
	Parameter	Required Specification				


Ms. Smita Jande
 Asstt.Manager(Facilities)

(S P Singh Sodhi)
 Manager(MM)

Rajesh Kadam
 Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
2.1	Workbench dimension 	Note: All dimension tolerances are $\pm 10\%$ 1. Workstations for electrical application with storage cabinet of Overall dim mm 2100x2100x780 mm (LxDxH) 2. Upright based workstation with perforated panel height adjustable shelves and electrical panels. 3. ESD worktop of overall dimension mm: 2000x2000X780 Load cap:200 Kg UDL 4. Workbench should meet the following Standard o ANSI/ESD S20.20-2014 or IEC 61340- ESD Standards o DIN EN 13150, EN 60335-1 and DIN VDE 0789- Standard for Safety requirements for laboratory and classroom workstations. o DIN EN 312- Standard for High Pressure Laminated Worktop o DIN EN ISO 9001:2008 o Chemical & Fire Resistance Standards DIN 438 & DIN312 5 The raw material used in production of the unit should be	Complied		Yes Complied	Complied

Ms. Smita Jande
 Asstt. Manager(Facilities)

(S. P. Singh Sodhi)
 Manager(MM)

Rajesh Kadam
 Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
2.2	Base Frame	1. Load capacity of 500 Kg UDL Min. 2. Volume conductive Resistance should be 1x10 ⁴ -1X 10 ⁸ ohm. 3. Workbench should have the capability for provision of holding electronic test equipment. 4. Workbench should have the	Complied		Yes Complied	Complied
2.3	Bench Top/ Worktop	• Load capacity of 200 Kg UDL • Thickness of chipboard 28 mm Min. • Worktop should be electrostatically dissipative as per ANSI /ESD S20.20-2014 OR IEC 61340 ESD Standards giving lifelong ESD protection. • The mounting support should be fixed to frame by bolt free arrangement .All attachment except floor bolting should be boltless and clip-on. • Earth resistivity should be less	Complied		Yes Complied	Complied
2.4	Drawer Cabinet/ Pedestal	• Detachable drawer cabinet with central locking of outer dim mm 400x450x650 mm (LxDxH) with min.	Complied		Yes Complied	Complied
3	ESD Chair SPECS ;Quantity 8 nos. All dimension tolerances are ±10%			Not Submitted		
	Parameter	Required Specification				
3.1	Seat Size	W back/front x D: 415/470 x	Complied		Yes Complied	Complied
3.2	Seat Tilt	-8° to +1°	Complied		Yes Complied	Complied
3.3	Seat Lock	Continuous	Complied		Yes Complied	Complied
3.4	Thickness of Seat/Backrest	50mm / 50mm	Complied		Yes Complied	Complied

Ms. Smita Jande
 Asstt Manager(Facilities)

(S P Singh Sodhi)
 Manager(MM)

Rajesh Kadam
 13/8/2020
 Rajesh Kadam
 Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
3.5	Back Rest Size	W top/bottom x H: 325/400 x	Complied		Yes Complied	Complied
3.6	Back Rest Tilt	-18° to +11°	Complied		Yes Complied	Complied
3.7	Backrest bow	high-precision steel bar, Ø20 x	Complied		Yes Complied	Complied
3.8	Material	Conductive PUR Standards - EN 61340-5-1	Complied		Yes Complied	Complied
3.9	Material Type	Washable ESD material with perforated cushions that can be	Complied		Yes Complied	Complied
3.10	Height Adjustment	Should be able to adjust height between 430 to 560 mm min	Complied		Yes Complied	Complied
3.11	Backrest Type	Should have adjustable backrest	Complied		Yes Complied	Complied
3.12	Base	Should be Polished Aluminum	Complied		Yes Complied	Complied
3.13	Wheels	Should have 5 movable conductive dual wheels with Dia	Complied		Yes Complied	Complied
3.14	ESD	conductive chair for discharging static electricity which comply with ANSI/ESD-S 10.10-2014 or IEC 61340-5-1 Norms and provide standard ESD resistance between 10 ⁴ to 10 ⁶ Ohms Standards - EN 61340-5-1	Complied		Yes Complied	Complied
3.15	Weight Carrying Capacity	Upto 120 KG	Complied		Yes Complied	Complied
3.16	Installation	To be done by supplier	Complied		Yes Complied	Complied
3.17	Warranty	1-year warranty	Complied		Yes Complied	Complied
4	ESD STOOL SPECS ;Quantity 4 Nos			Not Submitted		
	Parameter	Required Specification				
4.1	Seat Size	Dia: 360mm	Complied		Yes Complied	Complied
4.2	Density of PU Foam	1 g/cm ³	Complied		Yes Complied	Complied
4.3	Seat Lock	Continuous	Complied		Yes Complied	Complied
4.4	Thickness of Seat/Backrest	25mm / 25mm	Complied		Yes Complied	Complied

Ms. Smita Jande
 Asstt. Manager(Facilities)

(S P Singh Sodhi)
 Manager(MM)

Rajesh Kadam
 Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
4.5	Material	Conductive PUR Standards - EN 61340-5-1	Complied		Yes Complied	Complied
4.6	Material Type	perforated cushions that can be removed	Complied		Yes Complied	Complied
4.7	Height Adjustment	Should be able to adjust height betw	Complied		Yes Complied	Complied
4.8	Base	Should be Aluminum die-cast five-star base with Dia 610mm	Complied		Yes Complied	Complied
4.9	Wheels	Should have 5 movable conductive dual wheels with Dia 65mm	Complied		Yes Complied	Complied
4.1	ESD	static electricity which comply with ANSI/ESD-S 10.10-2014 or IEC 61340-5-1 Norms and provide standard ESD resistance between 10^4 to 10^6 Ohms Standards - EN 61340-5-1	Complied		Yes Complied	Complied
4.11	Weight Carrying Capacity	Up to 120 KG	Complied		Yes Complied	Complied
4.12	Installation	To be done by supplier	Complied		Yes Complied	Complied
4.13	Warranty	1-year warranty	Complied		Yes Complied	Complied
4.14	AMC	Free AMC for 4 years	Complied		Yes Complied	Complied
5	Specification of Big Almirah; Quantity 2 Nos.			Not Submitted		
5.1	Material:	MS sheet Standards - conforming to quality Grade D of IS :513/2008	Complied		Yes Complied	Complied
5.2	Material of Almirah Doors	M S Sheet	Complied		Yes Complied	Complied
5.3	Sheet Thickness of door in mm:	0.8mm (Minimum)	Complied		Yes Complied	Complied
5.4	Sheet Thickness of sides, back, Top and Bottom	0.8mm (Minimum)	Complied		Yes Complied	Complied
5.5	Sheet Thickness of Shelves:	0.9mm(Minimum)	Complied		Yes Complied	Complied
5.6	Sheet Thickness of pedestal in mm:	0.8mm (Minimum)	Complied		Yes Complied	Complied
5.7	Material of Lock :	Steel	Complied		Yes Complied	Complied
5.8	Material of Keys	Steel	Complied		Yes Complied	Complied
5.9	Conformity to Indian Standard IS:3312 latest	Yes	Complied		Yes Complied	Complied
5.1	No of Shelves :	4	Complied		Yes Complied	Complied
5.11	Type of Shelves	Adjustable	Complied		Yes Complied	Complied

Ms. Smita Jande
 Asstt. Manager(Facilities)

(S.P. Singh Sodhi)
 Manager(MM)

Rajesh Kadam
 Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
5.12	Locker Provided	No	Complied		Yes Complied	Complied
5.13	Number of Door (Nos)	2	Complied		Yes Complied	Complied
5.14	Door stiffener upto full door height Provided with the Almirah Door	No	Complied		Yes Complied	Complied
5.15	Number of Hinges with each door (nos)	4	Complied		Yes Complied	Complied
5.16	Construction	Welded	Complied		Yes Complied	Complied
5.17	Height (Without Pedestal) (in mm) (+/- 10mm) :	1800	Complied		Yes Complied	Complied
5.18	Depth in mm (+/- 5 mm) :	486 Milimeter	Complied		Yes Complied	Complied
5.19	Width in mm (+/- 7 mm) :	910 Milimeter	Complied		Yes Complied	Complied
5.20	Size (Dimension in MM)	W D H 916 486 1981	Complied		Yes Complied	Complied
5.21	Stiffened Pedestal height in mm (+/- 2mm):	130	Complied		Yes Complied	Complied
5.22	Pedestal Width in mm (+/- 2 mm)	80	Complied		Yes Complied	Complied
5.23	Finish	powder coated	Complied		Yes Complied	Complied
5.24	Warrantee period in Number of Years	1-year warranty	Complied		Yes Complied	Complied
5.25	Installation	To be done by supplier	Complied		Yes Complied	Complied
6	Specification of Book Shelf: Glass Door Storwel; Quantity 2 Nos.			Not Submitted		
6.1.	Size Glass Door Storwel (Dimension in MM)	W D H 916 486 1981	Complied		Yes Complied	Complied
6.2.	Material:	MS sheet and glass Standards - conforming to quality Grade D of IS :513/2008	Complied		Yes Complied	Complied
6.3	Top, bottom and Sheet material thickness of sides (LH and RH side)	0.9mm (Minimum)	Complied		Yes Complied	Complied
6.4	Back material thickness	0.8mm	Complied		Yes Complied	Complied
6.5	Removable RH & LH see through glass main door material thickness	0.9 mm(Minimum)	Complied		Yes Complied	Complied
6.6	Storwel glass door comes with 4 plain adjustable shelf of thickness	0.8mm (Minimum)	Complied		Yes Complied	Complied
6.7	Thickness of see through glass	3 mm	Complied		Yes Complied	Complied
6.8.	Sheet Thickness of Shelves:	0.8mm	Complied		Yes Complied	Complied
6.9.	Material of Lock :	Steel	Complied		Yes Complied	Complied
6.10.	Material of Keys	Steel	Complied		Yes Complied	Complied

Ms. Smita Jande
 13/8/2020
 Astdt.Manager(Facilities)


(S.P Singh Sodhi)
 13/8/20
 Manager(MM)


Rajesh Kadam
 13/8/2020
 Asstdt. GM (CNS)


TECHNICAL EVALUATION REPORT- II (TEC-II)
COMMITTEE REPORT OF EVALUATION SHEET TECHNICAL(ON LINE BIDS SUBMITTED ON FOR PROCUREMENT OF
FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

Annexure-B

Sr. No	Description of Item	Required Specification	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISS	M/s.VITRONICS (INDIA)
6.11.	Conformity to Indian Standard IS:3312 latest	Yes	Complied		Yes Complied	Complied
6.12	No of Shelves :	4	Complied		Yes Complied	Complied
6.13	Type of Shelves	Adjustable	Complied		Yes Complied	Complied
6.14.	Locker Provided	No	Complied		Yes Complied	Complied
6.15.	Number of Door (Nos)	2			Yes Complied	
		Standards - Two way bolting	Complied			Complied
6.16.	Door stiffner upto full door height Provided with the Almirah Door	No	Complied		Yes Complied	Complied
6.17.	Number of Hinges with each door (nos)		4 Complied		Yes Complied	Complied
6.18.	Construction	Welded	Complied		Yes Complied	Complied
6.19.	Finish	Standards - Anti-corrosion treated components and oven-baked powder coating process.	Complied		Yes Complied	Complied
6.20.	Warrantee period in Number of Years:1	1-year warranty	Complied		Yes Complied	Complied
6.21.	Installation	To be done by supplier	Complied		Yes Complied	Complied
	Recommendation		The agency has submitted technical compliance as per the quality required therefore eligible for price - bid opening	The agency has not submitted the technical compliance agreed in the required document inspite of requesting thorough shortfall of documents , hence they are not eligible for price bid opening	The agency has submitted technical compliance as per the quality required therefore eligible for price - bid opening	The agency has submitted technical compliance as per the quality required therefore eligible for price - bid opening


Ms. Smrita Jande
Asstt. Manager(Facilities)


(S.P. Singh Sodhi)
Manager(MM)


Rajesh Kadam
Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)

TECHNICAL EVALUATION SHEET(DOCUMENTS SUBMITTED) FOR PROCUREMENT OF FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

File No. AAI/RHQ/WR/MM/FUR-AUTOMATION/2019/45

Following documents were Submitted OnLine in Cover-II

Dt. Of opening

16.07.2020

Dt. Of opening of shortfall of documents

13.8.2020

Annexure -A

Sr. No	Description of Item	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISES	M/s.VITRONICS (INDIA)
		1/4	2/4	3/4	4/4
1	Should be Original Fabricator/ Manufacturer (OEM) or its authorized representative/ Dealer / Distributor or Supplier.	Submitted Registration of firms certificate of Govt of Telangana as Partnership firm and MSME/NSIC certificate as manufacturer of furniture	Not Submitted	Submitted Authorization letter of M/s. Messung Global Connect Pvt Ltd dt. 10.1.2020	Submitted Authorization letter of M/s. Messung Global Connect Pvt Ltd dt. 5.1.2020
2	Should have GST Registration.	36ADHFS029F1ZZ SUBMITTED	27AABCB6550A1Z5 SUBMITTED	27ABLFS4087R1Z3 Submitted	27ALDPS3833K1ZR Submitted
3	Should have Permanent Account Number (PAN).	ADHFS0295F SUBMITTED	AABCB6550A Submitted	ABLFS4087R Submitted	ALDPS3833K Submitted
4	Experience: The manufacturing firm / Authorize Representative should have successfully executed the Purchase Order during the last seven years ending 30th November, 2019 for supply of Office Furniture. The agency should have satisfactorily completed (Phase/part completion of the scope of work in a contract shall not be considered, however pre-determined phasing of the work will be accepted) three works, each of INR 11.47 Lacs or Two works each of INR 14.34 Lacs or One work of INR 22.94 Lacs in a single contract of similar nature of works.	Submitted Moschip Semiconductor , Hyderabad Purchase Order dt. 13.5.2018 for Rs.81,89,200=00 and completion certificate for the same	Not Submitted	NSIC registered firm hence exempted from submission of proof of suppllies but the party has Submitted Purchase order for Adapter and cables of Weapon Equipment Depot, Naval Dockyard, Mumbai	MSME hence exempted from submission of proof of supplies but the party has submitted Order copy of Department of Atomic Energy, Mumbai for total value of Rs.42,92,400=00 for supply and installation of Work Bench with Laboratory chairs

Ms. Smita Jande
Asstt.Manager(Facilities)

(S.P Singh Sodhi)
Manager(MM)

Rajesh Kadam
Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)

TECHNICAL EVALUATION SHEET(DOCUMENTS SUBMITTED) FOR PROCUREMENT OF FURNITURE FOR AUTOMATION UNIT UNDER WESTERN REGION HQRS

File No. AAI/RHQ/WR/MM/FUR-AUTOMATION/2019/45

Following documents were Submitted OnLine in Cover-II

Dt. Of opening

16.07.2020

Dt. Of opening of shortfall of documents

13.8.2020

Annexure -A

Sr. No	Description of Item	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISES	M/s.VITRONICS (INDIA)
		1/4	2/4	3/4	4/4
5	Satisfactory Performance Certificate: The firm should submit satisfactory performance certificate from any one end user for the supply and performance of Office furnitures w.e.f. 01.12.2012 to 30.11.2019.	Submitted Moschip Semiconductor completion certificate	Not Submitted	NSIC registered firm hence exempted	MSME hence exempted from submission of proof of supplies, but the party has submitted the Minutes of meeting between stating successful completion of supplies
6	Should have annualized average financial turnover of Rs.8.60 Lacs (30% of the annual estimated cost) during last three financial years ending on March-2019.	MSME hence exempted from submission of turnover but party has submitted the same	Not Submitted	NSIC registered firm hence exempted from submission of proof of turnover but the party has submitted the same	MSME hence exempted from submission of turnover but the party has submitted the same
7	Should fill and sign Technical Compliance Annexures - B, C & D for conformity of AAI Technical Specifications. Should read Annexures - B, C & D for AAI 's Specification and the certificates required as mentioned in the specification .	Submitted compliance for all the items	Not Submitted	Submitted compliance for all the items	Submitted compliance for all the items
8	The Agency should submit the guarantee certificate as per NIT Para 6.10.8 on the letter head of the firm.	Submitted	Submitted	Submitted	Submitted
9	Acceptance of DIPP Order 2017 as per Annexure-V	Submitted	Submitted	Submitted	Submitted
10	Duly signed tender Document	Submitted	Submitted	Submitted	Submitted

Ms. Smita Jande
Asstt.Manager(Facilities)

G P Singh Sodhi
Manager(MM)

Rajesh Kadam
Asstt. GM (CNS)

TECHNICAL EVALUATION REPORT- II (TEC-II)
TECHNICAL EVALUATION SHEET(DOCUMENTS SUBMITTED) FOR PROCUREMENT OF FURNITURE FOR AUTOMATION
UNIT UNDER WESTERN REGION HQRS

File No. AAI/RHQ/WR/MM/FUR-AUTOMATION/2019/45

Following documents were Submitted OnLine in Cover-II

Dt. Of opening

16.07.2020

Dt. Of opening of shortfall of documents

13.8.2020

Annexure -A

Sr. No	Description of Item	M/s. SEATECH MODULAR SYSTEMS	M/s. BRILLIANT ELECTRO SYSTEMS PVT LTD	M/s.SHUBH ENTERPRISES	M/s.VITRONICS (INDIA)
		1/4	2/4	3/4	4/4
	Recommendation	The agency has submitted all the documents as per Technical requirements and are eligible for price bid opening	The agency has not submitted Original Fabricator/ Manufacturer (OEM) or its authorized representative/ Dealer / Distributor or Supplier inspite of calling for documents through etender portal. Hence this agency is not eligible for price bid opening	The agency has submitted all the documents as per Technical requirements and are eligible for price bid opening	The agency has submitted all the documents as per Technical requirements and are eligible for price bid opening

Ms. Smita Jande
Asstt.Manager(Facilities)

Signature Not Verified

Digitally signed by SAVINDER PAL SINGH SODHI
 Date: 2020.08.13 17:49:51 IST
 Location: eProcurement System for Central PSUs

(S P Singh Sodhi)
Manager(MM)

Rajesh Kadam
Asstt. GM (CNS)