

Summaries of Technical Evaluation

Envelope I of the E-Tender (ID : 2020_AAI_45766_1) for the work “Annual Maintenance Contract of Fire Detection & Auto Dialer system at various locations in Operational Area, IGI Airport, for the Year 2020-21 and 2021-22.” was opened on 08.05.2020. The Technical Evaluation Committee has scrutinised submissions of documents in Packet-1, (PQQ), hard copies of required documents and uploaded shortfall documents by the bidders and found the following:

Sl. No.	Name of the Agency	Eligible/Not Eligible & Reason
01.	M/s Manish Electricals	<u>Eligible</u> Submitted documents meets NIT criteria.
02.	M/s Freaquer corporation private limited	<u>Not Eligible</u> Submitted documents do not meet NIT criteria. (Clarification sought for work experience of agency, which was not submitted.)
03.	M/s LAMBDA Technologies LLP	<u>Not Eligible</u> Submitted documents do not meet NIT criteria. (Work experience did not meet the NIT Criteria.)
04.	M/s Impact fire and safety appliances pvt. Ltd.	<u>Not Eligible</u> Submitted documents do not meet NIT criteria. (Clarification sought which was not submitted.)
05.	M/s Ba Pan Engineering Co.	<u>Eligible</u> Submitted documents meets NIT criteria.
06.	M/s Brilliant control and engineers	<u>Not Eligible</u> Submitted documents do not meet NIT criteria. (The agency did not submit Unconditional Acceptance of AAI Tender's conditions as per clarification requested.)
07.	M/s Care Systems	<u>Eligible</u> Submitted documents meets NIT criteria.
08.	M/s ARC Services	<u>Not Eligible</u> Blacklisted by AAI for 03 years as per letter dated 02.07.2019

(Mahesh Kumar Swami)
 15.05.2020
 (Mahesh Kumar Swami)
 Manager (E-E)
 AAI, NATS Complex

(K. Santhosh Kumar)
 15/05/2020
 (K. Santhosh Kumar)
 Asstt. Gen. Mgr. (E-E)
 AAI, NATS Complex