



सं.: भाविप्रा/मुंबई/समप्र-अभि-वि/दीव/एनआईटी-03/शु.पत्र-1/2020-21/
No. AAI/MUM/AGM-EE/DIU/NIT-03//Cor-1/2020-21/

दिनांक:15.09.2020
Date:15.09.2020

शुद्धिपत्र / CORRIGENDUM - 4

कार्य का नाम / Name of Work : "RE-INSTALLATION OF NDB AT DIU AIRPORT.
SH: ELECTRICAL WORKS (SH(A)- Procurement of trolley
mounted 15KVA Mobile DG set at Diu Airport.)."

1. संदर्भ : टेंडर आइ डी : **2020_AAI_51761_1**
Ref :- Tender ID : **2020_AAI_51761_1**
2. एन.आई.टी/NIT NO. AAI/RHQ/MUM/AGM(EE)/DIU-NDB-DG/NIT/03/2020/ Date: 01.07.2020
3. शुद्धिपत्र/CORRIGENDUM-1 Vide No. AAI/MUM/AGM-EE/DIU/NIT-03//Cor-1/2020-21/ Date :
17/07/2020
4. शुद्धिपत्र/CORRIGENDUM-2 Vide No. AAI/MUM/AGM-EE/DIU/NIT-03//Cor-1/2020-21/ Date :
07/07/2020
5. शुद्धिपत्र/CORRIGENDUM-3 Vide No. AAI/MUM/AGM-EE/DIU/NIT-03//Cor-1/2020-21/ Date :
07/08/2020
6. With reference to notice inviting E-tender No. as above, the tender has been
cancelled due to non receipt of physical envelope of tender fee, EMD and
Unconditional Acceptance of AAI's Tender Conditions letter.

सहा. महाप्रबंधक (अभि.वि.)
भा.वि.प्रा., क्षे.मु.-प.क्षे., मुंबई।