



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA
श्रीनगर अंतराष्ट्रीय हवाई अड्डा श्रीनगर
SRINAGAR INT'L AIRPORT, SRINAGAR.

Ref No: AAI/SNR/ENGG-E/ E-88475/ Spares/W-09/2020-21/ 307

Dated: 24.12.2020.

M/s Yash Energy Pvt Ltd,
Fatehpura, Paldi, Ahmedabad,
Gujrat-380007.

Name of Work: Supply of Electrical Spares at Srinagar Airport.

Ref : 1. Tender Id No: 2020_AAI_60561_1
2. Your price bid opened on dt. 03.12.2020.

Sir,

1. Your tender for the above mentioned work is hereby accepted on behalf of Chairman, Airports Authority of India at the item rates quoted by you, totaling to **Rs. 25,86,376/- (Rupees Twenty Five Lakhs Eighty Six Thousand Three Hundred & Seventy Six Only)** excluding GST which is 22.58% below of the estimated cost put to the tender of **Rs. 33,40,869/-**. The GST shall be paid extra, as applicable.
2. Jt.GM Engg- (E), AAI, Srinagar Int'l. Airport, Srinagar, shall be the Engineer-in-Charge of the work. You are requested to attend the office of the Jt.GM Engg- (E) AAI, Srinagar Int'l. Airport, Srinagar within **15 days from the issue of this letter i.e. by 07.01.2021 to sign and complete the contract agreement**. The contract agreement shall be executed on a non-judicial stamp paper of value **Rs.100/-** and the cost of stamp paper shall be borne by you.
3. The earnest money amount of **Rs. Nil** received along with your tender will be treated and converted as part of security deposit as per General terms & conditions clause 1.6 on page GCC-3 of tender document. Please deposit **Rs. 2,58,638/- (Two Lakh Fifty Eight Thousand Six Hundred & Thirty Eight Only)** towards security deposit within 10 days from the issue of this letter, failing which the same will be deducted from your running bills as per General terms & conditions clause 1.7 on page GCC-3 of tender document.
4. You are requested to comply with the provision of Contract Labour (Regulation and Abolition) Act of 1970 and Contract Labour (Regulation and Abolition) Central rules 1971, child labour (Prohibition & Regulation) Act 1986, Construction workers (Regulation of Employment & Condition of Service) Act 1996, Building and other Construction Workers Welfare Cess Act 1996.
5. You are also directed to contact Asstt. General Manager Engg. (E), AAI, Srinagar Int'l Airport, Srinagar immediately who will arrange to hand over the site to you. Please note that the time allowed for carrying out the work shall be **02 (Two) Months** and same shall be reckoned from the 10th day after the date of issue of this letter.
6. Any further correspondence in connection with the contract should normally be addressed to the Jt.GM (Engg-E), AAI, Srinagar Int'l Airport, Srinagar-190007.

Contd...


(Signature)
24/12/2020

भारतीय विमानपत्तन प्राधिकरण, श्रीनगर अंतराष्ट्रीय हवाई अड्डा, श्रीनगर & 190007] दूरभाष & 0194-2303756
AIRPORTS AUTHORITY OF INDIA, SRINAGAR INT'L AIRPORT-190007. TELE:- 0194-2303756
Joint General Manager Engg. (E),
आ.वि.प्र., श्रीनगर अंतराष्ट्रीय हवाई अड्डा,
A.A.I, Srinagar International Airport, Srinagar

7. The GST no of Airports Authority of India, Srinagar International Airport, Srinagar, J&K is 01AAACA6412D1ZM.
8. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Thanking you,

Yours Faithfully,


(Mukesh Yadav)

Jt. General Manager (Engg-E.),
For and on behalf of Chairman, AAI,
Srinagar Int'l Airport, Srinagar.

मुकेश यादव / Mukesh Yadav
संयुक्त महाप्रबंधक अभियांत्रिकी (विद्युत)
Joint General Manager Engg. (Elect.)
भा.वि.प्रा., श्रीनगर अंतराष्ट्रीय हवाई अड्डा, श्रीनगर
A.A.I, Srinagar International Airport, Srinagar

Schedule of Quantity (SOQ)

Name of Work: Supply of Electrical spares at Srinagar Airport.

S. No.	Description of Item	Qty	Unit	Rate	Amount
1	Supply of Ding dong type bell suitable for operation on 230 Volt AC supply.	20	Each	115.00	2300.00
2	Supply of Cordless type Bell suitable for operation on 230 Volt AC supply.	2	Each	478.00	956.00
3	Supply of 20A & 10A Uni Socket with box suitable for operation on 240 volt AC supply.	75	Each	83.00	6225.00
4	Supply of Ceiling rose suitable for operation on 240 volt AC supply.	5	Each	24.00	120.00
5	Supply of step type electronic Fan regulator (for 1M) suitable for operation on 230V AC supply.	60	Each	147.00	8820.00
6	Supply of PVC gang box, 2 way (suitable for 1 number 6A switch + 6A 3 pin socket)	90	Each	20.00	1800.00
7	Supply of PVC gang box, 1 way (suitable for 1 number 6A switch)	20	Each	16.00	320.00
8	Supply of PVC gang box, 4 way (suitable for 3 number 6A switch + 6A 3 pin socket)	10	Each	31.00	310.00
9	Supply of Bekalite Pendant Holder for GLS lamp suitable for operation on 240 volt AC supply .	50	Each	49.00	2450.00
10	Supply of Bekalite Angle Holder for GLS lamp suitable for operation on 240 volt AC supply	50	Each	49.00	2450.00
11	Supply of 20 A Industrial Plug & socket board enclosure with 2 pole & Earth Metal suitable for operation on 240 volt AC supply.	50	Each	617.00	30850.00
12	Supply of 32 A Industrial connector suitable for operation on 240 volt AC supply.	20	Each	450.00	9000.00
13	Supply of 32 A Industrial plug top suitable for operation on 240 volt AC supply.	60	Each	555.00	33300.00
14	Supply of 10A multi plug adapter suitable for operation on 240 volt AC supply.	50	Each	84.00	4200.00
15	Supply of Extension board, 4 nos 6/10 Amp sockets with single 6/10Amp switch control provided with provision of surge & spike guard complete as required.	50	Each	807.00	40350.00
16	Supply of MCB SP 6-32 Amp, 10 KA, C-Series suitable for operation on 240 Volt AC supply	50	Each	99.00	4950.00
17	Supply of MCB SPN 40 Amp, 10 KA, C-Series suitable for operation on 240 Volt AC supply	20	Each	465.00	9300.00
18	Supply of MCB SPN 63 Amp, 10 KA, C-Series suitable for operation on 240 Volt AC supply	15	Each	525.00	7875.00
19	Supply of MCB TP 63 Amp, 10 KA, C-Series suitable for operation on 415 Volt AC supply	20	Each	805.00	16100.00
20	Supply of MCB TPN 63 Amp, 10 KA C-Series suitable for operation on 415 Volt AC supply. (Make: Schineider/ L & T/ Havells or equivalent model of any approved make) suitable for existing panels.	40	Each	942.00	37680.00


24/11/2020
Mukesh Yadav / Mukesh Yadav
संयुक्त महाप्रबंधक अभियान्तरी (विद्युत)
Joint General Manager Engg. (Elect.)
भा.वि.प्र., श्रीनगर अंतर्राष्ट्रीय हवाई अड्डा, श्रीनगर
Srinagar International Airport, Srinagar

S. No.	Description of Item	Qty	Unit	Rate	Amount
21	Supply of MCCB 4 pole 100 Amp 35 KA suitable for operation on 415 Volt AC supply. (Make: Siemens. Model No. VT100N or equivalent model of any approved make) suitable for existing panels.	10	Each	4506.00	45060.00
22	Supply of MCCB 4 pole 160 Amp 35 KA suitable for operation on 415 Volt AC supply. (Make: Schneider/ L & T/Havells or equivalent model of any approved make) suitable for existing panels.	5	Each	7188.00	35940.00
23	Supply of Plug top, 3pin, 6 Amp with indicator suitable for operation on 240 Volt AC supply .	2	Each	54.00	108.00
24	Supply of Plug top, 3 pin, 16 Amp with indicator suitable for operation on 240 Volt AC supply .	70	Each	54.00	3780.00
25	Supply of 16 Amp, 3 pin SS combine .	30	Each	93.00	2790.00
26	Supply of 10A Modular Switch suitable for operation on 240 volt AC supply	60	Each	51.00	3060.00
27	Supply of 20A double modular Switch suitable for operation on 240 volt AC supply	75	Each	86.00	6450.00
28	Supply of 6A modular 2pin socket suitable for operation on 240 volt AC supply	20	Each	24.00	480.00
29	Supply of 16 Amp, 5 Pin Shuttered modular Socket with ISI marking suitable for operation on 240 volt AC supply	20	Each	91.00	1820.00
30	Supply of 16 Amp, 3 Pin Socket with ISI marking suitable for operation on 240 volt AC supply	100	Each	132.00	13200.00
31	Supply of 25 ltr capacity storage type geyser with 5 star BEE rating, suitable for operation on 230 volt $\pm$ 10%, 50Hz single phase AC power supply etc Geyser complete as required. (Model-Monza DX of Havells Make or equivalent model of any approved make)	15	Each	7843.00	117645.00
32	Supply of 35 ltr capacity storage type geyser with 5 star BEE rating, suitable for operation on 230 volt $\pm$ 10%, 50Hz single phase AC power supply etc Geyser complete as required. (Model-Monza DX of Havells Make or equivalent model of any approved make)	20	Each	9650.00	193000.00
33	Supply of 300 mm 1300 RPM Metallic Exhaust Fan suitable for operation on 240 volt AC supply.	20	Each	1305.00	26100.00
34	Supply of 250 mm 1250 RPM Ventilating Fan suitable for operation on 240 volt AC supply.	20	Each	1131.00	22620.00
35	Supply of 300 mm wall Fan suitable for operation on 240 volt AC supply	20	Each	1730.00	34600.00
36	Supply of 3 blade, 1400 mm Ceiling Fan suitable for operation on 240 volt AC supply along with all Accessories like canopy, standard down rod, clamp etc.	15	Each	1457.00	21855.00
37	Supply of 450 mm 1400 RPM Heavy duty Exhaust Fan suitable for operation on 240 volt AC supply	15	Each	4257.00	63855.00

S. No.	Description of Item	Qty	Unit	Rate	Amount
38	Supply of Enclosure for MCB DP, Sheet Steel, Phosphatised, Powder Painted with Din Rail (In ACcordance with IS 13032, IS 8623, IEC/BS EN 60439-3)	10	Each	455.00	4550.00
39	Supply of Enclosure for MCB FP, Sheet Steel, Phosphatised, Powder Painted with Din Rail (In ACcordance with IS 13032, IS 8623, IEC/BS EN 60439-3)	10	Each	543.00	5430.00
40	Supply of following size Modular Cover Plate With base frame				
40.1	01 Way, Similar to Anchor Make, Cat NO-30216WH	4	Each	44.00	176.00
40.2	02 Way, Similar to Anchor Make, Cat No 30227WH	10	Each	44.00	440.00
40.3	03 Way, Similar to Anchor Make, Cat No -30238WH	50	Each	58.00	2900.00
40.4	04 Way , Similar to Anchor Make, Cat No -30249	25	Each	68.00	1700.00
40.5	06 Way , Similar to Anchor Make, Cat No -30250WH	20	Each	95.00	1900.00
41	Supply of following size Aluminium lugs Thimble type Long barrel				
41.01	16 Sq mm	30	Each	2.00	60.00
41.02	25 Sq mm	30	Each	2.00	60.00
41.03	35 Sq mm	30	Each	3.00	90.00
41.04	50 Sq mm	30	Each	5.00	150.00
41.05	70 Sq mm	30	Each	7.00	210.00
41.06	95 Sq mm	15	Each	8.00	120.00
41.07	120 Sq mm	15	Each	12.00	180.00
41.08	150 Sq mm	15	Each	14.00	210.00
41.09	185 Sq mm	15	Each	19.00	285.00
41.10	240 Sq mm	15	Each	30.00	450.00
41.11	400 Sq mm	15	Each	62.00	930.00
42	Supply of following size Aluminium Connectors Ferrurel type				
42.01	16 Sq mm	30	Each	1.00	30.00
42.02	25 Sq mm	30	Each	1.00	30.00
42.03	35 Sq mm	20	Each	2.00	40.00
42.04	50 Sq mm	20	Each	3.00	60.00
42.05	70 Sq mm	20	Each	5.00	100.00
42.06	95 Sq mm	20	Each	6.00	120.00
42.07	120 Sq mm	20	Each	8.00	160.00
42.08	185 Sq mm	20	Each	13.00	260.00
42.09	300 Sq mm	20	Each	31.00	620.00
43	Supply of 3.7 V, 3000mah, 5 W LED Rechargable torch with high intensity focused beam with twin switching mode. (Model Cat No LHEXAOPFUN1G005 of Havells Make or equivalent model of any approved make)	10	Each	815.00	8150.00
44	Supply of 2.5 μ F Fan Capacitor.	70	Each	17.00	1190.00

S. No.	Description of Item	Qty	Unit	Rate	Amount
45	Supply of 2900 watt, 11 fins oil filled radiator heater with fan suitable for operation on 230 volt $\pm$ 10%, 50Hz single phase AC power supply (Make: Havells Cat No. GHROFADK290/ Morphy Richards OFR 11F/ Bajaj majesty or equivalent model of any approved make)	20	Each	9364.00	187280.00
46	Supply of 1500 watt auto revolving heat pillar with 2 nos heat setting suitable for operation on 230 volt $\pm$ 10%, 50Hz single phase AC power supply complete as required. (Make: Belco/ Gopi/ Clearline or equivalent model of any approved make).	15	Each	3198.00	47970.00
47	Supply of 12 Volt, 160 AH sealed maintenance free lead acid battery (SMF). (Make : Cummins- Model No. Pulse Ultra lite or equivalent model of any approved make suitable for cummins make DG set). Note:- 02 Nos. 160AH Supplied Battery should be capable/ suitable for start of 750 KVA cummins make DG set.	6	Each	13464.00	80784.00
48	Supply of 3 way switch for Heater pillar suitable for existing pillar heaters	30	Each	181.00	5430.00
49	Supply of pillar heater rod (750watt) suitable for operation on 230 Volt AC supply and suitable for existing pillar heaters. Make- Kamson, Generic or equivalent model of any approved make).	100	Each	170.00	17000.00
50	Supply of 4 KVA Voltage Stabilizer suitable to operate on input voltage 130 Volt to 280 Volt & giving output from 230 volt $\pm$ 10% at 50 Hz single phase power supply with intelligent time delay system, low and high cut of protection and built in overload protection complete as required. (Make: Vguard- Model No. VWI 400 or equivalent model of any approved make)	10	Each	4567.00	45670.00
51	Supply of PVC Casing Capping (25mm x 16mm)	100	Mtr	20.00	2000.00
52	Supply of PVC Casing Capping (16mm x 16mm)	100	Mtr	14.00	1400.00
53	Supply of Thermostat for existing make (Bajaj/ Recold) geysers.	100	Each	561.00	56100.00
54	Supply of ISI marked self adhesive PVC Insulating Tape (confirming to IS : 7809 part 3 / section-I having 7.5 meter length and 17/19 mm width.	250	Each	7.00	1750.00
55	Supply of Self Adhesive (HT) Tape suitable for Cable Joints of size 1" x 10 mtr. (Permacel-P-966)	50	Each	842.00	42100.00
56	Supply of Geyser Element suitable for operation of 230V AC supply & suitable for installation in existing geysers (Big Triangle type) Make: Recold , Bajaj, crompton greaves or equivalent model of any approved make).	100	Each	1122.00	112200.00

S. No.	Description of Item	Qty	Unit	Rate	Amount
57	Supply of Automatic Stainless Steel hand dryer with touch free infra red activation suitable for operation on 230 volt, 50 Hz, single phase AC supply with automatic operation along with sensor, timer control, over load protection etc. complete as required. Make:- Technocrat - Model No. T-888-SS-HD or equivalent model of any approved make)	10	Each	11994.00	119940.00
58	Supply of following copper conductor FR-LSH PVC insulated single core flexible cable of 1.1 KV conforming to IS 694				
58.01	Single core 1.5 sqmm (90 mtr Coil)	10	Coil	1020.00	10200.00
58.02	Single core 2.5 sqmm (90 mtr Coil)	10	Coil	1622.00	16220.00
58.03	Single core 4.0 sqmm (90 mtr Coil)	10	Coil	2399.00	23990.00
59	Supply of following PVC insulated and FR PVC round sheathed, copper conductor flexible cable of 1.1 KV grade conforming to IS 694.				
59.01	2.0 core 1.5 sqmm (100 mtr Coil)	10	Coil	2539.00	25390.00
59.02	2.0 core 2.5 sqmm (100 mtr Coil)	10	Coil	4115.00	41150.00
59.03	3.0 core 1.5 sqmm (100 mtr Coil)	10	Coil	3542.00	35420.00
59.04	3.0 core 2.5 sqmm (100 mtr Coil).	10	Coil	5689.00	56890.00
59.05	3.0 core 4 sqmm (100 mtr Coil).	5	Coil	8912.00	44560.00
60	Supply of 3.0 core 6 sqmm PVC insulated, PVC sheathed copper conductor flexible flat submersible cable of 1.1 KV grade conforming to IS 694 (100 mtr Coil)	3	Coil	13266.00	39798.00
61	Supply of 7.5 HP Submersible pump set having stainless steel impeller suitable for operation on 415V 3 PHASE AC supply, Discharge range (LPM) 60-420, head range 20-107 mtr, borewell size-100 mm, No. of stage-20. Make- KSB- Model No. KS4H8020 or equivalent model of any approved make.)	2	Each	24123.00	48246.00
62	Supply of 1HP Mono block Pump set having discharge range (LPH) 400-3200, head range 10-50 mtrs suitable for operation on 230 V AC supply. Make- KSB- Model No. MINI50S or equivalent model of any approved make.)	2	Each	6283.00	12566.00
63	Supply of 10 HP Submersible pump set having stainless steel impeller suitable for operation on 415V 3 PHASE AC supply, Discharge range (LPM) 200-600, head range 38-103 mtr, borewell size-150 mm, No. of stage-08 Make- KSB- Model No. KS6D-1008 or equivalent model of any approved make.)	2	Each	33436.00	66872.00
64	Supply of 15/20 Amp piano type switch suitable for operation 230 V AC supply	50	Each	65.00	3250.00


 24/11/2020
 मुकेश यादव / Mukesh Yadav
 संयुक्त महाप्रबंधक अभियांत्रिकी (विद्युत)
 Joint General Manager Engg. (Elect.)
 मा.वि.पा., श्रीनगर अंतर्राष्ट्रीय हवाई अड्डा, श्रीनगर
 A.A.I, Srinagar International Airport, Srinagar

S. No.	Description of Item	Qty	Unit	Rate	Amount
65	Supply of following sizes of 1.1 KV grade, XLPE insulated, PVC Sheathed Aluminium Conductor armoured cable as per IS:7098 (Part-I) with upto date amendments.				
65.01	3.5 core x 25 Sq.mm	500	Mtr	114.00	57000.00
65.02	3.5 core x 35 Sq.mm	200	Mtr	140.00	28000.00
65.03	3.5 core x 70 Sq.mm	200	Mtr	245.00	49000.00
65.04	3.5 core x 120 Sq.mm	500	Mtr	374.00	187000.00
66	Supply of 450 mm Pedestal fan suitable for operation 230 V AC supply	5	Nos.	4015.00	20075.00
67	5W Emergency Light LED. (Make- Bajaj- Model No ELX16 or equivalent model of any approved make.)	5	Nos.	1313.00	6565.00
68	Supply of 4 feet long, T8, 18/20 Watt LED Tube light with alminium heat sink for existing LED Fittings suitable for operation on 230 Volt AC supply complete as per technical specification.	100	Each	269.00	26900.00
69	Supply of surface & wall mounted 4 feet LED batten type fitting with extruded aluminum housing & integrated electronic driver along with 18/20 Watt T5/T8 LED tube suitable for operation on 230 Volt AC supply complete as per technical specification.	300	Each	555.00	166500.00
70	Supply of 7 Watt LED Lamp (cool day white light) retrofit type complete with inbuilt driver & B22 cap suitable for operation on 230V AC supply (Pin type) complete as per technical specification.	100	Each	74.00	7400.00
71	Supply of 15 Watt LED Lamp (cool day white light) retrofit type complete with inbuilt driver & B22 cap suitable for operation on 230V AC supply (Pin type).complete as per technical specification.	50	Each	164.00	8200.00
72	Supply of LED Fitting with inbuilt tube 9 Watt (Mirror light)suitable for operation on 230V AC supply.complete as per technical specification.	40	Each	147.00	5880.00
73	Supply of LED Fitting with inbuilt tube 18 Watt (Mirror light) suitable for operation on 230V AC supply complete as per technical specification.	25	Each	226.00	5650.00
74	Supply of square shape recess type Down lights 15 Watt for Existing toilets fitting suitable for operation on 230V AC supply and similar to existing fitting in terms of shape and size. (Make . Halonix - CAT No. HDLR-S06-15CW or similar) complete as required	35	Each	453.00	15855.00



 24/11/2020

मुकेश यादव / Mukesh Yadav
 संयुक्त महाप्रबंधक अभियंत्रिकी (विद्युत)
 Joint General Manager Engg. (Elect.)
 आ.वि.प्र., श्रीनगर अंतर्राष्ट्रीय हवाई अड्डा, श्रीनगर
 A.A.I, Srinagar International Airport, Srinagar

S. No.	Description of Item	Qty	Unit	Rate	Amount
75	Supply of round shape recess type Down lights 15 Watt for Existing toilets fitting suitable for operation on 230V AC supply. As per technical specification and similar to existing fitting in terms of shape and size. (Make . Halonix - CAT No. HDLR-R06-06-12CW or similar) complete as required.	35	Each	453.00	15855.00
Total Amount Rs.					2586376.00

(Rupees Twenty Five Lakhs Eighty Six Thousand Three Hundred & Seventy Six Only)

Note: GST shall be paid extra, as applicable.


 24/XII/2020
 Jt. GM (Engg-E)
 AAI, Srinagar Int'l Airport, Srinagar

मुकेश यादव / Mukesh Yadav
 संयुक्त महाप्रबंधक अभियांत्रिकी (विद्युत)
 Joint General Manager Engg. (Elect.)
 आ.वि.प्रा., श्रीनगर अंतर्राष्ट्रीय हवाई अड्डा, श्रीनगर
 A.A.I, Srinagar International Airport, Srinagar