

दूरभाष कार्यालय : 2511-9600
भारतीय विमानपत्तन प्राधिकरण
पूर्वी क्षेत्र, ने.सुच.ब.अ. विमानपत्तन., कोलकाता


भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Tel. Office : - 2511-9600
AIRPORTS AUTHORITY OF INDIA
Eastern Region, N.S.C.B.I. Airport, Kolkata - 52

संदर्भ सं /Ref. No:- AAI/KOL/ENGG(C)/W.O. - 01 /2021-22/02

दिनांक /Date :- 01.04.2021

सेवा में/To

मे. बी. बी. एंटरप्राइज़

M/s B.B. Enterprise

2, मोतीलाल कॉलोनी,

2, Motilal Colony,

पोस्ट ऑफिस - राजबारी,

P.O. - Rajbari,

कोलकाता / KOLKATA - 700 081.

विषय/Sub :- प्रोविसीओन फॉर मिसकेललनेऔस अनफोरसीन वर्क्स (एसएच:
अललीड वर्क्स फॉर बैडमिंटन कोर्ट एट न्यू रेज़िडेन्शियल कॉम्प्लेक्स
एट एनएससीबीआई एयरपोर्ट, कोलकाता।
Provision for Misc. Unforeseen works (SH: Allied works for
Badminton Court at New Residential Complex at NSCBI
Airport, Kolkata).

संदर्भ/Ref. : (i) आपकी इ निविदा खोला गया 25-02-2021

Your E-Bid opened on 25-02-2021.

खुली निविदा आईडी: 2021_AAI_69336_1

[Open Tender ID : 2021_AAI_69336_1]

महोदय /Dear Sir (s),

- उपरोक्त कार्य की रुपया 2781225.00 (सताईस लाख एकयासी हजार दो सौ पचीस रुपये मात्र) की मद दर निविदा, जो कि कार्य कि अनुमानित लागत रुपया 4665020.00 (छियालीस लाख पैसंठ हजार बीस रुपये मात्र) से 40.38% (चार जीरो दशमलव तीन आठ) कम है, आपके द्वारा निविदा प्रपत्र मे दर्शायी गयी मद दरों पर भरी गई है, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत की जाती है।

Your tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India, at the item rates quoted by you totalling to **Rs. 2781225.00 (Rupees Twenty Seven Lakhs Eighty One Thousand Two Hundred Twenty Five Only)** which is **40.38% (Four Zero Point Three Eight Percent)** below the estimated cost put to tender of **Rs. 4665020.00 (Rupees Forty Six Lakhs Sixty Five Thousand Twenty Only)**.

Contd./-2

2. उप महाप्रबन्धक (अभि- सिविल), क्षेत्रीय कार्यपालक निदेशक (पूर्वी क्षेत्र) का कार्यालय, ए ए आइ, एन एस सी बी आइ एयरपोर्ट, कोलकाता -52 इस कार्य के कार्य प्रभारी अभियन्ता होंगे। आपसे अनुरोध है कि दिनांक 10 अप्रैल 2021 तक उप महाप्रबन्धक (अभि- सिविल), ए ए आइ, एनएससीबीआई एयरपोर्ट कोलकाता-52 के कार्यालय में उपस्थित होकर संविदा अनुबंध को हस्ताक्षरित कर पूर्ण करें। अनुबंध 100/- रुपये के गैर न्यायिक स्टाम्प पेपर पर सम्पादित किया जाएगा, स्टाम्प पेपर की कीमत आपके द्वारा वहन की जाएगी।

Dy. Gen. Manager (E-C), O/o The Regional Executive Director (E/R), Airports Authority of India, N.S.C.B.I. Airport, Kolkata - 52 shall be the Engineer-in-charge of the work. You are requested to attend the office of Dy. Gen. Manager (E-C), O/o The Regional Executive Director (E/R), Airports Authority of India, NSCBI Airport, Kolkata - 52 by **10-04-2021** to sign and complete the agreement. The contract agreement shall be executed on a **non-judicial stamp paper of value of Rs.100/- (Rupees One Hundred only)** and the cost of the stamp paper shall be borne by you.

3. कृपया प्रतिभूति निक्षेप राशि रुपये 278123.00 (दो लाख अठत्तर हजार एक सौ तेईस रुपये मात्र) इस पत्र के जारी होने की तारीख से 10 (दस) दिनों के भीतर सिक्योरिटी डिपॉजिट की दिशा में, असफल होना जो अनुबंध की सामान्य शर्तों के पृष्ठ 37 पर खंड 1 ए के अनुसार घटाया जाएगा।

Please deposit **Rs. 278123.00 (Rupees Two Lakhs Seventy Eight Thousand One Hundred Twenty Three Only)** towards security deposit within **10 (Ten) days** from the date of issue of this letter, failing which the same will be deducted as per **clause 1A on page 38 of General Conditions of Contract.**

4. आपसे अनुरोध है कि संविदा श्रमिक प्रावधान (विनियम एवं उन्मूलन) एक्ट 1970, श्रमिक प्रावधान (विनियम एवं उन्मूलन) - केन्द्रीय नियम 1971 बाल श्रम (निषेध और विनियमन) अधिनियम 1986, निर्माण श्रमिकों (रोजगार और सेवा की शर्तों का विनियमन) अधिनियम 1996, भवन और अन्य निर्माण श्रमिक कल्याण उपकर अधिनियम 1996 आदि में समय-समय पर या किसी अन्य कानून से संबंधित संशोधन और नियमों से संबंधित नियम बनाए गए केंद्र और राज्य सरकारों के समय-समय पर नियमों का पालन करना सुनिश्चित करें।

You are requested to comply with the provision of contract labour (Regulation & Abolition) Act of 1970 and contract labour (Regulation & Abolition) Central Rules, 1971, Child Labour (Prohibition & Regulation) Act 1986, Construction workers (Regulation of Employment and Conditions of Service) Act 1996, Building and other Construction workers Welfare Cess Act 1996 etc. amended from time to time or any other laws relating thereto and rules made there under from time to time of Central and State Governments.

5. आपको निर्देशित किया जाता है कि आप तुरंत प्रभाव से सहायक महा प्रबंधक (इंजी-सिविल), ए ए आइ, एनएससीबीआई एयरपोर्ट, कोलकाता से सम्पर्क करें जो आपको कार्यस्थल सौपने की व्यवस्था करेंगे।

You are also directed to contact **The Asstt. Gen. Manager (E-C), AAI, NSCBI Airport, Kolkata** immediately, who will arrange to hand over the site to you.

6. कृपया ध्यान दें कि कार्य पूर्ण करने कि अवधि 04 (चार) महीना है जो इस पत्र के जारी होने की तिथि से दसवें दिन से प्रभावी मानी जाएगी।

Please note that the time allowed for carrying out the work is **04 (Four) Months** and shall be reckoned from the tenth day after issue of this letter.

7. संविदा के सन्दर्भ में किसी भी प्रकार का पत्राचार सामान्यता अभियंता प्रभारी को सम्बोधित करें।

Any further correspondence in connection with the contract should normally be addressed to the **Engineer-In-Charge**.

8. कृपया इस पत्र कि पावती भेजे एवं पत्र कि अनुलिपि जो कि संलग्न है को हस्ताक्षरित कर अधोहताक्षरी को स्वीकृत चिन्ह के रूप में वापस करें।

Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

9. उपरोक्त के हिन्दी पाठ में कोई अंतर या द्विधरथकथा होने की स्थिति में अंग्रेजी पाठ मान्य होगा।

In case of difference or ambiguity in Hindi and English version, the English version will prevail.

भवदीय /Yours faithfully,

Encl:- BOQ



(जे। गांगुली/J. Ganguly)

उप. महाप्रबन्धक (इंजी -सि)/Dy. Gen. Manager (E-C)

प्रथम तल, परिचालन कार्यालय

1st Floor, Operational Office,

भाविप्रा, नेसुचबोअ हवाईअड्डा, कोलकाता - 52

AAI, N.S.C.B.I. Airport, Kolkata - 700 052.

अध्यक्ष, भा वि प्रा के लिए व उनकी तरफ से

For and behalf of the Chairman, AAI.

Government eProcurement System
 Created By: Swapan Kumar Karmakar
 Created Date/Time: 25-Feb-2021 04:13 PM
Tender Title: Provision for Misc. Unforeseen works SH- Allied works for badminton court at New Quarters Residential Complex at NSCBI Airport, Kolkata.
 Tender ID: 2021_AAI_69336_1

Tender Inviting Authority: AGM (E-C), AAI, NSCBI Airport, Kolkata.
Name of Work: Provision for Misc. Unforeseen works (SH: Allied works for badminton court at New Quarters Residential Complex at NSCBI Airport, Kolkata.)
Contract No:

SCHEDULE OF WORK / ITEM(S)

Sl.No	Description of Work / Item(s)	No.of Qty	Units	Estimated Rate	L1		L2	
					M/s. B B Enterprise(GSTN-19AFIPB2758M1Z3)		Youngmen Traders(GSTN-19AEIPB6323B1ZZ)	
					Rate	Amount	Rate	Amount
1.00	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil	130.00	Cum		120.00	15600.00	150.00	19500.00
2.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) : 10 graded stone aggregate 40 mm nominal size)	40.00	Cum		3800.00	152000.00	4000.00	160000.00
3.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	30.00	Cum		4700.00	141000.00	5000.00	150000.00
4.00	Chequerred precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand). Dark shade pigment using ordinary cement	274.00	Sqm		550.00	150700.00	750.00	205500.00
5.00	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate	695.00	Sqm		300.00	208500.00	325.00	225875.00
6.00	25 mm wooden planking, tongued and grooved in flooring, including fixing with iron screws complete with : Second class teak wood	240.00	Sqm		3800.00	912000.00	3500.00	840000.00
7.00	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	21.00	Sqm		995.00	20895.00	1100.00	23100.00

SCHEDULE OF WORK / ITEM(S)						L1		L2	
Sl.No	Description of Work / Item(s)	No.of Qty	Units	Estimated Rate	M/s. B B Enterprise(GSTN-19AFIPB2758M1Z3)			Youngmen Traders(GSTN-19AEIPB6323B1ZZ)	
					Rate	Amount	Rate	Amount	
8.00	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete. Size of Tile 600x600 mm	100.00	Sqm		990.00	99000.00	1150.00	115000.00	
9.00	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid	2.00	Each		2500.00	5000.00	4000.00	8000.00	
10.00	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	4.00	Each		2000.00	8000.00	2200.00	8800.00	
11.00	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required : Single half stall urinal with 5 litre P.V.C. automatic flushing cistern	2.00	Each		5000.00	10000.00	7500.00	15000.00	
12.00	Providing and fixing one piece construction white vitreous china squatting plate with an integral longitudinal flushing pipe, white P.V.C. automatic flushing cistern, with fittings, standard size G.I. / PVC flush pipe for back and front flush with standard spreader pipes with fittings, G.I clamps and C.P. brass coupling complete, including painting of fittings and cutting and making good the walls and floors etc. wherever required : Single squatting plate with 5 litre P.V.C. automatic flushing cistern	2.00	Each		3500.00	7000.00	5000.00	10000.00	
13.00	Providing and fixing PTMT pillar cock of approved quality and colour. 15 mm nominal bore, 125 mm long foam flow, weighing not less than 120 gms	4.00	Each		150.00	600.00	170.00	680.00	
14.00	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 100 mm diameter	2.00	Each		100.00	200.00	125.00	250.00	

SCHEDULE OF WORK / ITEM(S)								
Sl.No	Description of Work / Item(s)	No.of Qty	Units	Estimat ed Rate	L1		L2	
					M/s. B B Enterprise(GSTN-19AFIPB2758M1Z3)	Youngmen Traders(GSTN-19AEIPB6323B1ZZ)		
					Rate	Amount	Rate	Amount
15.00	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick pre laminated PVC door shutters	12.60	Sqm		2000.00	25200.00	1600.00	20160.00
16.00	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	8.00	Each		450.00	3600.00	350.00	2800.00
17.00	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	6.00	Each		400.00	2400.00	350.00	2100.00
18.00	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	2000.00	Per Litre		7.00	14000.00	8.00	16000.00
19.00	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. 40 mm dia nominal bore	60.00	Mtr.		350.00	21000.00	375.00	22500.00
20.00	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. 25 mm dia nominal bore	100.00	Mtr.		250.00	25000.00	325.00	32500.00
21.00	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. 20 mm dia nominal bore	50.00	Mtr.		200.00	10000.00	230.00	11500.00
22.00	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. 15 mm dia nominal bore	25.00	Mtr.		150.00	3750.00	200.00	5000.00
23.00	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.00	Each		150.00	2250.00	125.00	1875.00
24.00	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 25 mm nominal bore	4.00	Each		250.00	1000.00	400.00	1600.00

SCHEDULE OF WORK / ITEM(S)						L1		L2	
Sl.No	Description of Work / Item(s)	No. of Qty	Units	Estimated Rate	M/s. B B Enterprise(GSTN-19AFIPB2758M1Z3)	Youngmen Traders(GSTN-19AEIPB6323B1ZZ)			
					Rate	Amount	Rate	Amount	
25.00	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 mm nominal bore	4.00	Each		300.00	1200.00	375.00	1500.00	
26.00	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore	6.00	Each		450.00	2700.00	500.00	3000.00	
27.00	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	250.00	Kg.		320.00	80000.00	375.00	93750.00	
28.00	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	375.00	Kg.		350.00	131250.00	400.00	150000.00	
29.00	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	45.00	Sqm		850.00	38250.00	950.00	42750.00	
30.00	15 mm cement plaster on the rough side of single or half brick wall of mix : 1:6 (1 cement: 6 fine sand)	100.00	Sqm		150.00	15000.00	225.00	22500.00	

SCHEDULE OF WORK / ITEM(S)								
Sl.No	Description of Work / Item(s)	No.of Qty	Units	Estimat ed Rate	L1		L2	
					M/s. B B Enterprise(GSTN-19AFIPB2758M1Z3)		Youngmen Traders(GSTN-19AEIPB6323B1ZZ)	
					Rate	Amount	Rate	Amount
31.00	6 mm cement plaster of mix : 1:3 (1 cement : 3 fine sand)	150.00	Sqm		140.00	21000.00	175.00	26250.00
32.00	Providing and fixing machine moulded aluminium covering of approved pattern & design, made out of machine cut aluminium sheet and machine holed for receiving dash fastener, over expansion joints on vertical surfaces/ceiling floors, the fixing on plate in one row on one side of joint only shall be done with stainless steel dash fasteners of 8 mm dia and 75 mm long bolt including providing aluminium washers 2 mm thick & 15 mm dia , at a staggered pitch of 200mm centre to centre including drilling holes in the receiving surface and providing expandable plastic sleeves in holes etc. complete as per direction of Engineer-in-charge. Anodised aluminium sheet 2.5mm thick (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	50.00	Kg.		400.00	20000.00	450.00	22500.00
33.00	Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	7.80	Cum		5000.00	39000.00	5500.00	42900.00
34.00	Providing and laying in situ seven course water proofing treatment with APP (Atactic poly-propylene) modified Polymeric memberane over roof consisting of first coat of bitumen primer @ 0.40 litre per sqm, 2nd, 4th & 6th courses of bonding material @ 1.20 Kg/sqm, which shall consist of blown type bitumen of grade 85/25 conforming to IS : 702, 3rd and 5th layers of roofing membrane APP modified Polymeric membrane 1.5 mm thick of 2.25 Kg/sqm weight consisting of five layers prefabricated with centre core as 20 micron HMHDPE film sandwiched on both sides with polymeric mix and the polymeric mix is protected on both side with 20 micron HMHDPE film. 7th, the top most layer shall be finished with brick tiles of class designation 10 grouted with cement mortar 1:3 (1cement : 3 fine sand) mixed with 2% integral water proofing compound by weight of cement over a 12 mm layer of cement mortar 1:3 (1 cement : 3 fine sand) and finished neat (item of laying brick tiles shall be paid for separately).	160.00	Sqm		400.00	64000.00	450.00	72000.00
35.00	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding	612.00	Kg.		85.00	52020.00	85.00	52020.00
36.00	Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.	10.80	Sqm		4200.00	45360.00	5500.00	59400.00
37.00	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 150 mm diameter S.W. pipe	50.00	Mtr.		500.00	25000.00	800.00	40000.00

SCHEDULE OF WORK / ITEM(S)					L1		L2	
Sl.No	Description of Work / Item(s)	No.of Qty	Units	Estimate Rate	M/s. B B Enterprise(GSTN-19AFIPB2758M1Z3)		Youngmen Traders(GSTN-19AEIPB6323B1ZZ)	
					Rate	Amount	Rate	Amount
38.00	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone- III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone- III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	4.00	Each		16000.00	64000.00	18000.00	72000.00
39.00	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade : Two or more coats on new work	1150.00	Sqm		55.00	63250.00	95.00	109250.00
40.00	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	1150.00	Sqm		70.00	80500.00	105.00	120750.00
41.00	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	25.00	Cum		4500.00	112500.00	5200.00	130000.00
42.00	Cement plaster skirting up to 30 cm height, with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement. 18 mm thick	260.00	Sqm		200.00	52000.00	375.00	97500.00
43.00	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	170.00	Mtr.		200.00	34000.00	250.00	42500.00
44.00	Providing and fixing on wall face unplasticised - PVC moulded fitting s/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend	10.00	Each		150.00	1500.00	100.00	1000.00

Total in Figures

2781225.00

3099310.00

Lowest Amount Quoted BY: M/s. B B Enterprise(2781225.00)

Signature Not Verified

Digitally signed by SWAPAN KUMAR KARMAKAR
Date: 2021.07.23 18:13:38 IST
Location: eProcurement System for Central PSUs