



संख्या: एएआई/एजीटी/इंजी(इ)/अवार्ड-04/2022-23

दिनांक/ Date: 27/06/2022

No.: AAI/AGT/ENGG(E)/AWARD-04/2022-23/5-8)

सेवा में / To,

मेसर्स/M/S Mirage Advertising World,  
2<sup>nd</sup> Floor, KH. No. 470/1,  
House No.280, Shivaji Market,  
Pitampura, North East, North East Delhi,  
Delhi - 110 034.

**कार्य का नाम/Name of Work:** अगरतला हवाई अड्डे, अगरतला (त्रिपुरा) में कार्गो भवन का निर्माण। उपशीर्ष: एमबीबी हवाई अड्डे, अगरतला में कार्गो टर्मिनल के लिए बाहरी और आंतरिक साइनेज / Construction of Cargo Building at Agartala Airport, Agartala (Tripura). SH: External and Internal Signage for Cargo Terminal at MBB Airport, Agartala.

**संदर्भ /Ref :** Tender ID No./टेंडर आई डी संख्या- 2022\_AAI\_116084\_1

महोदय/Dear Sir,

ऊपर उल्लिखित कार्य हेतु आपका टेंडर अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकार किया जाता है, आपके द्वारा मद मूल्यों पर कोटेड राशि कुल रु. 7,23,500/- (रु. सात लाख तेईस हजार पांच सौ मात्र) (जीएसटी को छोड़कर), जो कि टेंडर की अनुमान राशी रु. 12,22,401/- से 40.81% प्रतिशत नीचे है।

Your tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the item rates quoted by you totaling to **Rs.7,23,500/-** (Rupees Seven Lakh Twenty-three Thousand Five Hundred only) (excluding GST), which is 40.81% below the Estimated cost put to tender of **Rs. 12,22,401/-**.

उप महाप्रबंधक (अभि-विद्युत), भा.वि.प्रा, अगरतला हवाई अड्डा इस कार्य के प्रभारी-अभियंता होंगे। आपसे निवेदन है कि क़राणामे पर हस्ताक्षर करने के लिए दिनांक 12-07-2022 तक उप महाप्रबंधक (अभि-विद्युत), अगरतला के कार्यालय में उपस्थित हों। ठेके का क़राणामा रु. 100/- (रु. एक सौ) मात्र के नॉनज्यूडीशियल स्टैम्प पेपर पर निष्पादित किया जाएगा तथा पेपर का खर्च आपके द्वारा वहन किया जाएगा।

Dy. General Manager (Engg-E), AAI, Agartala Airport shall be the Engineer-In-Charge of the work. You are requested to attend the office of the Dy. General Manager (Engg-E), AAI, Agartala Airport by **12-07-2022** to sign and complete the agreement. The contract agreement shall be executed on a non-judicial stamp paper of value **Rs.100/-** (Rupees One hundred only) and the cost of the stamp paper shall be borne by you.

Contd... P/2



**भारतीय विमानपत्तन प्राधिकरण**  
**Airports Authority of India**



P-2

कृपया इस पत्र के जारी होने की तिथि से 10 दिनों के भीतर जमानत राशी की बकाया रु. 72,350/- (रुपये बहत्तर हजार तीन सौ पचास मात्र) अदा की जाए अन्यथा निविदा दस्तावेज के कंडीशन 1(A) पेज संख्या 16 के अनुसार उक्त राशी उनके रनिंग बिल से कटौती की जाएगी।

Please deposit **Rs. 72,350/-** (Rupees Seventy-two Thousand Three Hundred Fifty only) towards security deposit within 10 days from the date of issue of this letter, failing which the same will be deducted from your running bill as per condition 1(A) on page 16 of the contract document.

आपसे निवेदन है कि अनुबंध श्रमिक (विनियमन तथा उन्मूलन) अधिनियम 1970, अनुबंध श्रमिक (विनियमन तथा उन्मूलन) केंद्रीय नियम 1971, केंद्र तथा राज्य सरकार के न्यूनतम वेतन अधिनियम और नियमों के प्रावधानों का अनुपालन अवश्य करें।

You are requested to comply with the provisions of contract labour (Regulation and abolition) Act of 1970 and contract labour (Regulation & abolition) Central rules 1971 and minimum wages Act & rules thereof central and state Governments.

आपको निर्देश दिया जाता है कि आप तुरंत प्रबंधक (अभि-विद्युत), भा.वि.प्रा. म.बी.बि. हवाईअड्डा, अगरतला से सम्पर्क करें वह आपको साईट सौंपने की व्यवस्था करेंगे।

You are also directed to contact Manager (Engg-E), AAI, MBB Airport, Agartala, immediately who will arrange to hand over the site to you.

कृपया नोट कर लें कि काम करने का अनुमत समय 02 (दो) महीना है जो कि कार्य आदेश के जारी करने के दस (10) वें दिन से गिना जाएगा।

Please note that the time allowed for carrying out the work is **02 (Two) months**, which shall be reckoned from 10th day of issue of this order.

इस ठेके के संबंध में आगे का कोई भी पत्राचार प्रभारी-अभियंता को किया जाएगा।

Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-charge.

कृपया पावती भेजें और स्वीकृति प्रतीक के तौर पर संलग्नित पत्र की हस्ताक्षरित प्रति इस कार्यालय को अवश्य भेजें।

Contd... P/3

## BILL OF QUANTITIES

Name of Work: Construction of Cargo Building at Agartala Airport, Agartala (Tripura). SH: External and Internal Signage for Cargo Terminal at MBB Airport, Agartala

| Item No. | Items of Work                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Quantity | Unit | Rate (Rs) | Amount (Rs) |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----------|-------------|
| 1.00     | <p>Facility Announcer-Building Mounted</p> <p>Sign Type 1.7c as per TS, Refer design drawing 1.7c-S, 1.7c-G</p> <p>Providing and fixing illuminated Building Mounted Facility Announcer signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge.»</p> <p>Sing frame -</p> <p>the sing frame box shall be made in 18 gauge thick PU painted aluminium in specified blue colour RAL 5013.Router cut, grooved and folded to achieve the desired shape as per drawing fixed with the internal frame structure.</p> <p>Sign Face:</p> <p>sign face shall be provided with backlit LED lighting and shall have laser cut profiles to receive milky white 6mm thk acrylic sheet from back.All panels fixed using counter</p> <p>Sing structure-M .s.square sections 25x25 mm hotdipped galvanised.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the EPC contractor and shall be designed with due consultation and approval from structural designer.</p> <p>Lighting:</p> <p>All internal illumination shall be using Power LED strip edge Lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots.</p> <p>Accessories: Providing and fixing all accessories such as thimbles, end connectors, nut-inserts, screws, rivets, bolts, washers, nuts, etc. complete as per drawing. Size-(7950 X 1250)mm</p> | 1.00     | Job  | 250000.00 | 250000      |
| 2.00     | <p>Wall Projected Facility Announcer:</p> <p>Providing and fixing of sign with basic dimension 600x450x50 mm, with sign frame 50mm x 2.5mm (Wall thickness) wide powder coated, colour RAL 9006 Aluminium extrusion with inbuilt frame to receive the sign face. The Panel should be made easily openable for maintenance.</p> <p>The sign face shall be Plotter cut blackout vinyl pantone black 6C, vinyl for text pantone yellow C or Cyan 311C as per graphics, pasted over 8mm thick White translucent 040 acrylic.</p> <p>All the hardware used for fixing of sign shall be stainless steel. projection supported internally by side mounting of SS frame. Secret fixinf methods should be used to fix parts together. the actual structural design of the sign for its stability shall be responsibility of the EPC contractor and shall be designed with due consultation and approval from structural designer.</p> <p>The sign shall have minimum lumen output of 3170 lm using LED module suitable for 240 V/50 Hz operation, with electronic controllers etc .(ST-2.2b) as per TS</p>                                                                                                                                                                                                                                                                                                                                                                                                                                 | 11.00    | Job  | 8000.00   | 88000       |

| Item No. | Items of Work                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Quantity | Unit | Rate (Rs) | Amount (Rs) |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----------|-------------|
| 3.00     | <p>Door Mounted Facility Announcer:</p> <p>Providing and fixing of sign with basic dimension 600x300x50 mm, with sign frame 25mm x 2.5mm (Wall thickness) wide powder coated, colour RAL 9006 Aluminium extrusion with inbuilt frame to receive the sign face. Sign base structure to be screwed onto door with SS self-tapping screws. Sign face is 5mm thick double side UV coated white 040 cell cast acrylic with vinyl pasted over it as per graphics. (ST-2.2c) as per TS</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 11.00    | Job  | 7000.00   | 77000       |
| 4.00     | <p>Wall Mounted Facility Announcer (Sign Type -2.2a) as per TS</p> <p>Refer design drawing 2.2a-S</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge.&gt;&gt;</p> <p>Sign face</p> <p>Sign face shall be made in 5mm thick 040 white acrylic (as specified) having graphics pasted in Plotter cut Blockout vinyl. Entire panel covered with a protective overlaminate. The films to wrap around the edge of the acrylic to a distance of 25mm on the back side. The Plotter cut blockout vinyl shall match the specified colour (colour Pantone Black 6C) and vinyl for text Pantone yellow Cor Cyan 311C as per graphics and of specified make duly approved by the Engineer-in-Charge.</p> <p>Sign Frame</p> <p>Providing and fixing sign frame 50mm wide powder coated, colour RAL 9006 special aluminium extrusion with inbuilt frame to receive the sign face. The sign face shall be fixed to sign frame with the 3M brand dual lock system in one side and 3M bothway tape from the other side. The panel should be made easily openable for maintenance.</p> <p>Lighting</p> <p>All internal illumination shall be using Power LED strip edge Lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the EPC contractor. Secret fixing methods should be used to fix parts together. Accessories: Providing and fixing all accessories such as thimbles, end connectors, nut-inserts, screws, rivets, bolts, washers, nuts, etc. complete as per drawing.</p> | 4.00     | Job  | 18000.00  | 72000       |

| Item No. | Items of Work                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Quantity | Unit | Rate (Rs) | Amount (Rs) |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----------|-------------|
| 5.00     | <p>Floor Mounted Facility Announcer (Sign Type -2.2f) as per TS</p> <p>Refer design drawing 2.2f-S, 2.2f-G</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge.&gt;&gt;</p> <p>Sign face</p> <p>Sign face shall be made in 5mm thick 040 white acrylic (as specified) having graphics pasted in Plotter cut Blockout vinyl. Entire panel covered with a protective overlaminate. The films to wrap around the edge of the acrylic to a distance of 25mm on the back side. The Plotter cut blockout vinyl shall match the specified colour (colour Pantone Black 6C) and vinyl for text Pantone yellow Cor Cyan 311C as per graphics and of specified make duly approved by the Engineer-in-Charge.</p> <p>Sign Frame</p> <p>Providing and fixing sign frame 50mm wide powder coated, colour RAL 9006 special aluminium extrusion with inbuilt frame to receive the sign face. The sign face shall be fixed to sign frame with the 3M brand dual lock system in one side and 3M bothway tape from the other side. The panel should be made easily openable for maintenance.</p> <p>Lighting</p> <p>All internal illumination shall be using Power LED strip edge Lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the EPC contractor.</p> <p>Secret fixing methods should be used to fix parts together. Accessories: Providing and fixing all accessories such as thimbles, end connectors, nut-inserts, screws, rivets, bolts, washers, nuts, etc. complete as per drawing.</p> | 1.00     | Job  | 42000.00  | 42000       |
| 6.10     | <p>Washroom/ Drinking Water/ Baby Care</p> <p>Providing and fixing of illuminated sign with basic dimension 450x450x50 mm, with sign frame 50mm x 2.5mm (Wall thickness) wide powder coated, colour RAL 9006 Aluminium extrusion with inbuilt frame to receive the sign face. The sign face shall be fixed to sign frame with VHB tape in one side and Hook &amp; Loop tape from the other side so as the panel be easily openable for maintenance. For Type 2, sign rear surface of sign is 2mm thick powder coated Pantone Black 6C Aluminium sheet. Sign face is 5mm thick double side UV coated white 040 cell cast acrylic with vinyl pasted over it as per graphics. The sign shall have minimum lumen output of 3487 lm for Type 1 &amp; 1155 lm for Type 2, using LED module suitable for 240 V/50 Hz operation, with electronic controllers etc.</p> <p>a) Type 1- Wall projected : 450x450x50 mm (ST-2.4a) as per TS</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 6.00     | Job  | 5500.00   | 33000       |
| 6.20     | <p>b) Type 2- Wall mounted : 450x450x50 mm (ST-2.4a) as per TS</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 6.00     | Job  | 5000.00   | 30000       |

| Item No. | Items of Work                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Quantity | Unit | Rate (Rs) | Amount (Rs) |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----------|-------------|
| 7.00     | Service Area Sign<br>Providing and fixing of sign with basic dimension 250x300x3 mm, with sign facia 3mm thk. Black cell cast acrylic digitally printed graphics, mounted on walls/claddings/ panelling using VHB Tape. (ST-2.4b) as per TS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 6.00     | Job  | 5000.00   | 30000       |
| 8.00     | Statutory Signs<br>Sign Type -2.5 as per TS<br>Providing and fixing Non-illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge.»<br>Sign Face<br>Digitally printed Graphics on vinyl pasted on 3mm thick black acrylic mounted on walls/calddings/ panellings using VHB Tape.<br>Poster Size A4<br>Sign Type -2.5e<br>Refer design drawing 2.5G-02                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 2.00     | Job  | 2000.00   | 4000        |
| 9.10     | Emergency Direction Signs<br>Emergency Direction Signs - Illuminated<br>Sign Type- 2.6a as per TS, Refer design drawing 2.6a-G<br>Providing and fixing illuminated emergency signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge.»<br>Sign face<br>Sign face shall be made in 6mm thick Laminated acrylic (as specified) with graphics in white and green translucent vinyl on the inside face of the glass and of specified make duly approved by the Engineer-in-Charge.<br>Sign Farme- 1.5mm CRAC MS powder coated White.<br>Illumination- All internal illumination shall be using Power LED strip edge Lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots.<br>Sign Fixing- Suspenders and projecting pipes shall be sailess steel to match other similar hardware 35mm dia. The actual structural design of the sign for its stability shall be responsibility of the contractor and shall be designed with due consultation and approval from structural designer.<br>Accessories: Providing and fixing all accessories such as thimbles, end connectors, nut-inserts, screws, rivets, bolts, washers, nuts, etc. complete as per drawing.<br>9.1) 2.6a-1 Exit | 4.00     | Job  | 12000.00  | 48000       |
| 9.20     | 9.2) 2.6a-2 Emergency Exit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1.00     | Job  | 9000.00   | 9000        |

| Item No.         | Items of Work                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quantity | Unit | Rate (Rs) | Amount (Rs)   |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----------|---------------|
| 10.00            | <p>Assembly point (Sign Type -2.6c-2) as per TS Refer design drawing 2.6c-S, 2.6c-G</p> <p>Providing and fixing Non-illuminated emergency signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge.»</p> <p>Sign face -Providing and fixing Photoluminescent signs made of screen printing using artworks provided and with photoluminescent material as per technical specifications.Screen printing shall be done on self adhesive vinyl and pasted on 2mm thick powdercoated white (RAL 9016) aluminium plate and fixed at location using screws. as per specification and using provided art work including all operations from procuring the correct materials and made to sizes as specified and approved by the Engineer-in-charge. including all installation activities like marking, alignment and fixing with screws into the wall/cladding/face to the satisfaction of the Engineer-in-Charge.»</p> <p>Sign Frame-Internal MS structure receiving the signs faces using equal angles, hot-dipped galvanised and welded to the sign post. Sign Post 100 mm OD MS post PU painted to match RAL 9011 grouted in ground with concrete footing as per detail.The actual structural design of the sign for its stability shall be responsibility of the EPC contractor.</p> <p>Foundation-Providing and laying foundation for the sign including its compaction and all activities like Excavation, PCC base layer, providing and fixing in position</p> <p>electrical connection wherever applicable and finished as per drawing. The item cost includes cutting and opening the floor finish at location, and making good the location to the match the original finish after fixing and installation of sign »</p> <p>Accessories: Providing and fixing all accessories such as thimbles, end connectors, nut-inserts, screws , rivets, bolts, washers, nuts, etc. complete as per drawing.</p> | 1.00     | Job  | 36000.00  | 36000         |
| 11.00            | <p>Fire Extinguisher</p> <p>1) Providing, fixing and commissioning of single sided non illuminated signs as per design submitted. Sign made in photoluminescent sheet. Rigid Photo luminescent based Glow-in-the-dark rigid sheet with high intensity luminous properties enclosed in a transparent weather-proof UV stabilized coated sheet with UV screen printing by imported links, Thickness : 1 mm, Service Temp. : -10 to + 60°C, Application : Suitable for INDOOR use only, Surface Colour : Greenish Yellow, Visibility : Glow visible up to &gt; 24 hours in total darkness, Properties : *Fungistatic *Non-radioactive *Contains no lead or Phosphorus * No health or environmental problem *Simple to install &amp; easy to maintain, can be screwed or just peel off to stick *Self-Extinguishing. Size (600X500)mm</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 3.00     | Nos  | 1500.00   | 4500          |
| <b>TOTAL Rs.</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |      |           | <b>723500</b> |

(In words: Seven Lakh Twenty Three Thousand Five Hundred)

(Sudhir Tripathi)  
Dy. G.M. (Engg-E)

27/06/2022