



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

सं: भा.वि.प्रा./रा.गां.भ./आई.एम.यू./अभि.(सि)/विशेष मरम्मत/W-139/2022-23 /40
No: AAI/RGB/IMU/(E-C)/Special Repair/W-139/2022-23 /40

दिनांक: 24-08-2022
Dated: 24-08-2022

सेवा में,

मैसर्स अक्षय इंफ्रा प्रोजेक्ट्स,
M/s Akshay Infra Projects,
3/338, चित्रकूट योजना, अजमेर रोड,
3/338, Chitrakoot Scheme, Ajmer Road,
वैशाली नगर, जयपुर, राजस्थान-302021
Vaishali Nagar, Jaipur, Rajasthan -302021

विषय:- वर्ष 2022-23 के लिए राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली में बाउंड्री फेंसिंग, सीआईएसएफ मोर्चा और नियंत्रण कक्ष के प्रवेश और निकास द्वार, जलापूर्ति में सुधार और सड़क की मरम्मत आदि की विशेष मरम्मत।

Sub:- Special repair to Boundary fencing, Entry and Exit Gate CISF Morcha and Control Room, Improvement to water supply and repair of road etc. at Rajiv Gandhi Bhawan, SAP, New Delhi for the year 2022-23.

संदर्भ :- 1) 29-07-2022 को खोली गई आपकी ई-निविदा

2) ई-निविदा आईडी 2022_AAI_120154_1

Ref :- 1) Your E-tender dated 29-07-2022

2) Tender ID : 2022_AAI_120154_1

प्रिय महोदय,

Dear Sir,

- उपर्युक्त निर्दिष्ट कार्य हेतु आपकी ई-निविदा आपके द्वारा उद्धृत आइटम दरों पर कुल Rs. 52,67,324.00 (रुपये बारह लाख सड़सठ हजार तीन सौ चौबीस केवल) जो कि निविदा में रखी गई उचित लागत Rs 68,45,135.00 (रुपये अड़सठ लाख पैतालिस हजार एक सौ पैंतीस केवल) (जीएस टी को छोड़कर) से (-)23.05% कम है, अतः, भारतीय विमानपत्तन प्राधिकरण की ओर से एतद द्वारा स्वीकृत की जाती है।

Your E-tender for the work mentioned above is hereby accepted on behalf of Chairman, Airports Authority of India, at the item rates quoted by you totalling to Rs. 52,67,324.00 (Rupees Fifty-Two Lakhs Sixty-Seven Thousand Three Hundred Twenty-Four only) which is (-)23.05% below the Justified Cost of Rs. 68,45,135.00 (Rupees Sixty-Eight Lakhs Forty-Five Thousand One Hundred Thirty-Five only) (excluding GST).

- संयुक्त महाप्रबन्धक (अभियांत्रिकी-सिविल)-आई.एम.यू. भारतीय विमानपत्तन, प्राधिकरण, राजीव गाँधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली-110003 इस कार्य के प्रभारी अभियंता होंगे। आपसे अनुरोध है कि आप संविदा करार पर हस्ताक्षर करने एवं उसे पूरा करने के लिए संयुक्त महाप्रबन्धक (अभियांत्रिकी-सिविल)-आई.एम.यू. भारतीय विमानपत्तन, प्राधिकरण, राजीव गाँधी भवन, सफदरजंग हवाई अड्डा, नई दिल्ली-03 के कार्यालय में कार्य प्रारम्भ करने की निर्धारित तिथि से 15 दिनों के भीतर तक उपस्थित हों। संविदा करार 100/- रुपये (रुपये सौ केवल) के नानिक्टेर (नॉन-जुडिसीयल) स्टॉप पेपर पर बनाया जायेगा तथा स्टॉप पेपर की लागत आपके द्वारा वहन की जाएगी।

Jt. General Manager (Engg.-Civil)-IMU AAI, Rajiv Gandhi Bhawan, Safdarjung Airport, New Delhi-110003, shall be Engineer-in-charge of the work. You are requested to attend the office of Jt. General Manager (Engg.-Civil)-IMU, AAI, Rajiv Gandhi Bhawan, Safdarjung Airport, New Delhi by 15 days from stipulated date of start to sign and complete the contract agreement. The contract agreement shall be executed on a non judicial stamp paper of value Rs. 100/- (Rupees Hundred only) and the cost of the stamp paper shall be borne by you.

- आपको ई-निविदा के साथ प्राप्त 1,45,152.00 रुपये (रुपये एक लाख पैंतालिस हजार एक सौ बावन केवल) की अग्रिम धनराशि को सी. पी. पी. पोर्टल पर ए. ओ. सी. अपलोड करने के बाद सी. पी. पी. पोर्टल के माध्यम से वापस किया जाएगा। कृपया इस पत्र के जारी होने की तिथि से 10 दिनों के भीतर प्रतिभूति जमा के रूप में 5,26,732.00 रुपये (रुपये पाँच लाख छब्बीस हजार सात सौ बत्तीस केवल) जमा करें अन्यथा इस राशि की कटौती संविदा कागजात की शर्त 1 ए पृष्ठ 16 के अनुसार कर ली जाएगी।

राजीव गाँधी भवन
Rajiv Gandhi Bhawan

सफदरजंग हवाई अड्डा नई दिल्ली-110003
Safdarjung Airport, New Delhi-110003

फोन: 011-24632950
011-24632950
सफदरजंग हवाई अड्डा / Safdarjung Airport
नई दिल्ली-110003 / New Delhi-110003

The earnest money amount of Rs. 1,45,152.00 (One Lakh Forty-Five Thousand One Hundred Fifty-Two only) received along with your e-tender will be returned through CPP portal after uploading the AoC on CPP Portal. Please deposit Rs. 5,26,732.00 (Five Lakhs Twenty-Six Thousand Seven Hundred Thirty-Two only) towards Security Deposit within 10 days from the date of issue of this letter, failing which, the same will be deducted as per condition of clause no. 1A on page 16 of the tender document.

4. आप से अनुरोध है कि आप संविदा श्रम (विनियमन एवं उन्मूलन) अधिनियम 1970 तथा संविदा श्रम (विनियमन एवं उन्मूलन) केन्द्रीय नियम 1971 एवं केन्द्र व राज्य सरकारों के नियम और बाल श्रम (निषेध और विनियमन) अधिनियम 1986, निर्माण श्रमिक (रोजगार और सेवा की शर्त का विनियमन) अधिनियम 1996, भवन और अन्य निर्माण श्रमिक कल्याण उपकर अधिनियम 1996, जैसा कि निविदा कागजात की जीसीसी के पृष्ठ संख्या 49-55 पर शर्त 19 में निर्दिष्ट है, तदसंबन्धी प्रावधानों का अनुपालन करें।

You are requested to comply with the provision of Contract labour (Regulation and Abolition) Act 1970 and contract labour (Regulation and Abolition) Central rules 1971 Child Labour (Prohibition & Regulation) Act 1986, Construction Workers (Regulation of Employment and Condition of Service) Act 1996, Building and other construction Workers Welfare Cess Act 1996 as specified in Clause 19 on page no. 49 -55 of GCC of tender and rules of Central and State Government.

5. आपको सहायक महाप्रबन्धक (अभियांत्रिकी-सिविल)-I, आई0एम0यू0, भारतीय विमानपत्तन प्राधिकरण, राजीव गाँधी भवन, सफ्दरजंग हवाई अड्डा, नई दिल्ली, से तत्काल संपर्क करने का भी निर्देश दिया जाता है। आपको कार्यस्थल (साइट) सौंपने का कार्य उनके द्वारा ही किया जाएगा।

You are also directed to contact Asstt. General Manager (Engg.-Civil)-I, IMU, AAI, R.G. Bhawan, Safdarjung Airport, New Delhi, immediately who will arrange to hand over the site to you.

6. कृपया नोट करें कि कार्य पूरा करने की समयावधि 08 (आठ) महीने होगी और यह समय इस पत्र के जारी होने के पश्चात 10 वें दिन से प्रारम्भ माना जायेगा।

Please note that time allowed for carrying out the work shall be 08 (Eight) months and same shall be reckoned from the 10th day after issue of this letter.

7. संविदा के संबंध में भविष्य में किसी भी प्रकार का पत्र व्यवहार सामान्यतः प्रभारी-अभियंता के नाम से किया जाएगा।

Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-charge.

8. कृपया प्राप्ति भेजें तथा इसके साथ संलग्न पत्र की दूसरी प्रति पर हस्ताक्षर करके प्राप्ति के प्रमाणस्वरूप इसे अधोहस्ताक्षरी के पास वापस भेज दें।


Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

9. यदि कोई विसंगति पाई जाती है तो अंग्रेजी पाठ ही मान्य होगा।

In case of any discrepancy is found then English version will be taken as correct.

भवदीय

Your faithfully,



(एन. डी. वर्मा)

(N. D. Verma)

संयुक्त महाप्रबन्धक (अभि.-सिविल)-आई.एम.यू.

Jt. General Manager (Engg.-Civil)-IMU

अध्यक्ष भारतीय विमानपत्तन प्राधिकरण के लिए व उनकी तरफ से

For and on behalf of the Chairman

AIRPORTS AUTHORITY OF INDIA

संयुक्त महाप्रबन्धक (अभि.-सिविल)-आई.एम.यू. / Jt. General Manager (E.C.)-IMU

भारतीय विमानपत्तन प्राधिकरण / Airports Authority of India

राजीव गाँधी भवन / Rajiv Gandhi Bhawan

सफ्दरजंग हवाई अड्डा / Safdarjung Airport

नई दिल्ली-110003 / New Delhi-110003

संलग्न -अनुसूची :ए

Encl: Schedule-A

Validate

Print

Help

Name of Work: Special repair to Boundary fencing, Entry and Exit Gate CISF Morcha and Control Room, Improvement to water supply and repair of road etc. at Rajiv Gandhi Bhawan, SAP, New Delhi for the year 2022-23.

Contract No.: (2022 AAI 120154_1)

Name of the Bidder/ Bidding Firm / Company : Akshay Infra Projects

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE in Figures To be entered by the Bidder (Inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (Inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (Inclusive of all taxes but Exclusive of GST) in Words	
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.	179.00	Cum	110.00	19690.00	INR Nineteen Thousand Six Hundred & Ninety Only	
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	46.00	Cum	125.00	5750.00	INR Five Thousand Seven Hundred & Fifty Only	
3	Excavating, supplying and filling of local earth (including rolyak) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.	180.00	Cum	268.00	48240.00	INR Forty Eight Thousand Two Hundred & Forty Only	
4	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m.	600.00	Sqm	20.00	12000.00	INR Twelve Thousand Only	
5	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.	1000.00	Sqm	12.00	12000.00	INR Twelve Thousand Only	
6	Clearing grass and removal of the rubbish up to a distance of 50 m outside the periphery of the area cleared.	500.00	Sqm	5.00	2500.00	INR Two Thousand Five Hundred Only	
7	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : a) 1:4:8 (1 Cement : 4 coarse sand (zone-II) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	138.00	Cum	4050.00	558900.00	INR Five Lakh Fifty Eight Thousand Nine Hundred Only	
8	Centering and shuttering including strutting, propping etc. and removal of form work for: a) Foundations, footings, bases for columns	5.00	Sqm	390.00	1950.00	INR One Thousand Nine Hundred & Fifty Only	
9	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: a) Cement mortar 1:4 (1 cement : 4 coarse sand)	8.00	Cum	5600.00	44800.00	INR Forty Four Thousand Eight Hundred Only	

प्रमाणित (प्रमाणित) 15/08/23
 राजिव गान्धी भवन / राजिव गान्धी भवन
 सड़ारजुंग एअरपोर्ट / सड़ारजुंग एअरपोर्ट
 नई दिल्ली-110003 / New Delhi-110003

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder (Inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (Inclusive of all taxes but Exclusive of GST) in Rs. P	TOTAL AMOUNT (Inclusive of all taxes but Exclusive of GST) In Words
1	2	3	4	5	6	7
10	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : a) Cement mortar 1:4 (1 cement : 4 coarse sand)	18.00	Cum	5700.00	102600.00	INR One Lakh Two Thousand Six Hundred Only
11	Providing and fixing 1st quality glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	366.00	Sqm	590.00	215940.00	INR Two Lakh Fifteen Thousand Nine Hundred & Forty Only
12	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	4500.00	Kg	80.00	360000.00	INR Three Lakh Sixty Thousand Only
13	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using M.S. angle 40x40x6 mm for diagonal braces.	3.00	sqm	4190.00	12570.00	INR Twelve Thousand Five Hundred & Seventy Only
14	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolting with special shaped washers etc. complete. a) Hot finished welded type tubes	500.00	Kg	60.00	30000.00	INR Thirty Thousand Only
15	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required, (a) in grillages, frames, guard bar, ladder, railings, brackets, gables and similar works	2200.00	kg	105.00	231000.00	INR Two Lakh Thirty One Thousand Only
16	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of wall slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	105.00	Kg	580.00	60900.00	INR Sixty Thousand Nine Hundred Only
17	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only. Laying of tiles will be done with the notch trowel, piler, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. a) Glazed vitrified floor tiles polished finish of size : Size of Tile 600 x 1200 mm	609.00	sqm	1120.00	682080.00	INR Six Lakh Eighty Two Thousand & Eighty Only

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

UD. श्री. जे. एन. डी. यरुमा

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE in Figures To be entered by the Bidder (inclusive of all taxes but Exclusive of GST) Rs. p	TOTAL AMOUNT (inclusive of all taxes but Exclusive of GST) in Rs. p	TOTAL AMOUNT (inclusive of all taxes but Exclusive of GST) in Words
1	2	3	4	5	6	7
52	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. a) Concealed work, including cutting chases and making good the walls etc.: 20 mm nominal dia Pipes	10.00	Mtr	400.00	4000.00	INR Four Thousand Only
53	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. a) External work : 25 mm nominal dia Pipes	50.00	Mtr	290.00	14500.00	INR Fourteen Thousand Five Hundred Only
54	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. A) 15 mm nominal bore	4.00	Each	630.00	2520.00	INR Two Thousand Five Hundred & Twenty Only
55	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. a) 15 mm nominal bore	4.00	Each	510.00	2040.00	INR Two Thousand & Forty Only
56	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved make conforming to IS:8931 a) 15 mm nominal bore	4.00	Each	450.00	1800.00	INR One Thousand Eight Hundred Only
57	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : a) 600 mm dia. R.C.C. pipe	110.00	Mtr	1750.00	192500.00	INR One Lakh Ninety Two Thousand Five Hundred Only
58	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-II) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-II) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : a) Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 45x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	5.00	Each	8400.00	42000.00	INR Forty Two Thousand Only
59	Extra for depth for manholes : a) Size 90x80 cm With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	5.00	Mtr	6700.00	33500.00	INR Thirty Three Thousand Five Hundred Only

एन. डी. शर्मा / N. D. SHARMA

संलग्न समस्त (सी. सी. ई.) कार्य लेडी-1 डिपार्टमेंट (ए. सी. ई.)
राजौर विमानतट प्राधिकरण / Airport Authority for India
राजौर शहरी क्षेत्र / Rajiv Gandhi Bhawan
राजौर क्षेत्र प्रशासन / Sandanjung Airport
फोन नं. दिल्ली-110003 / New Delhi-110003

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE in Figures To be entered by the Bidder (inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (inclusive of all taxes but Exclusive of GST) In Words
1	2	3	4	5	6	7
60	Providing and fixing hard drawn steel wire fabric of size 75 x25 mm mesh or other suitable size wire mesh to be fixed & firmly anchored to the concrete surface by means of 'L'-shaped mild steel shear key welded with existing reinforcement including the cost of materials, labour, tool & plants as approved by Engineer-in-charge.	200.00	sqm	705.00	141000.00	INR One Lakh Forty One Thousand Only
61	Providing and fixing PTMT liquid soap container 109 mm wide, 125mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.	2.00	Each	100.00	200.00	INR Two Hundred Only
62	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	2.00	each	1050.00	2100.00	INR Two Thousand One Hundred Only
63	Providing and fixing of external wall system on Light gauge steel frame work with outer face cement boards as per standard sizes fixed with self-drilling / tapping screws / fasteners @ 60cm c/c of approved make. A groove of 2 mm to 3mm shall be maintained and grooves shall be sealed with silicon based sealant. The board shall be fixed in a staggered pattern. Screws shall be of counter sunk rib head of 1.60mm to 4 mm thick or 8 to 10 gauge of length varying from 25 to 45 mm and. Internal face 12.5 mm thick gypsum plaster board fixed on cement board as per standard sizes fixed with selfdrilling / tapping screws / fasteners @ 60cm c/c of approved make, proper taping and jointing to be done using fiber mesh tape and epoxy and acrylic based jointing compound for seamless finish (cost of frame work to be paid for separately). a) Outer face: Outer face having 6mm thick fiber cement board fixed on 8mm thick fiber cement board. Type A, as per IS:14862:2000 (high pressure steam cured) Inner Face :- 12.5 mm thick gypsum plaster board conforming to IS 2095:2011 fixed on 8 mm thick fibre cement board conforming to IS:14862:2000 of type B (High pressure steam cured)	38.00	sqm	2800.00	106400.00	INR One Lakh Six Thousand Four Hundred Only
64	Providing and fixing factory made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance ±1mm), with wall thickness 2.0 mm (± 0.2 mm), corners of the door frame to be jointed with galvanized brackets and stainless steel screws, joints milled and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 18 X 18 mm and 1mm (± 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer-in-charge. a) Extruded section profile size 48x40 mm	15.00	Mtr	205.00	3075.00	INR Three Thousand & Seventy Five Only


रा. शी. मी. / R.S. VERMA
 जंमू एरपोर्ट (एन.सी.ए.ए.) नं. १, नया दिल्ली-११०००३
 भारतीय विमानपत्तन प्राधिकरण / Airport Authority of India
 राजीव गांधी अंतराष्ट्रीय विमानतट / Rajiv Gandhi International
 नया दिल्ली एनसीएए / New Delhi-110003
 फोन नं. ११०००३ / New Delhi-110003

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE in Figures To be entered by the Bidder (inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (inclusive of all taxes but Exclusive of GST) Rs. P	TOTAL AMOUNT (inclusive of all taxes but Exclusive of GST) in Words
1	2	3	4	5	6	7
65	Providing and fixing to existing door frames: a) 30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (± 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails milled and joint at the corners by means of M.S. galvanised plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of 1" section, a uPVC hollow section of size 100x30 mm and 2 mm (± 0.2 mm) wall thickness fixed to the shutter styles by means of plastic galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (± 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge.	6.00	sqm	1700.00	10200.00	INR Ten Thousand Two Hundred Only
66	Providing and fixing factory made precast RCC perforated drain covers, having concrete of strength not less than M-25, of size 1000 x 450x50 mm, reinforced with 8 mm dia four nos longitudinal & 9 nos cross sectional 1" M.T. hoop bars, including providing 50 mm dia perforations @ 100 to 125 mm c/c, including providing edge binding with M.S. flats of size 50 mm x 1.6 mm complete, all as per direction of Engineer-in-charge.	200.00	Each	950.00	190000.00	INR One Lakh Ninety Thousand Only
67	Providing and applying fibre reinforced elastomeric liquid water proofing membrane with resilient acrylic polymers having Sun Reflectivity Index (SRI) of 105 on top of concrete roof in three coats @ 10.76 liter/ 10 sqm. One coat of self-priming of elastomeric waterproofing liquid (dilution with water in the ratio of 3:1) and two coats of undiluted elastomeric waterproofing liquid (dry film thickness of complete application/system not less than 500 microns). The operation shall be carried out after scrapping and properly cleaning the surface to remove loose particles with wire brushes, complete in all respect as per the direction of Engineer-in-charge.	2875.00	Sqm	345.00	991875.00	INR Nine Lakh Ninety One Thousand Eight Hundred & Seventy Five Only
68	Providing and fixing health faucet (Hardware Make (Code:F160068) or Jaquar Make (Code:ALD-565) equivalent as approved by EIC at all the European Type W.C. of approved quality complete in all respect as per direction and satisfaction of Engineer-in-charge.	2.00	Each	4500.00	9000.00	INR Nine Thousand Only
69	Taking away of old dismantled material: (a) MS angle, channels, MS Wiremesh, MS Grills, MS Flats etc.	6920.00	kg	26.00	-179920.00	INR Minus One Lakh Seventy Nine Thousand Nine Hundred & Twenty Only
70	Taking away of old dismantled material: Old aluminium sections, windows etc.	200.00	kg	90.00	-18000.00	INR Minus Eighteen Thousand Only
Total in Figures					5267324.00	INR Fifty Two Lakh Sixty Seven Thousand Three Hundred & Twenty Four Only
Quoted Rate in Words	INR Fifty Two Lakh Sixty Seven Thousand Three Hundred & Twenty Four Only					

ए. डी. वर्मा / A. D. VERMA

भारतीय विमानपत्तन प्राधिकरण / Airport Authority of India
राजीव गांधी अंतर्राष्ट्रीय विमानतट / Rajiv Gandhi International Airport
नया दिल्ली-110003 / New Delhi-110003