

TEC RECOMMENDATION

As per the NIT, the tender documents were to be submitted on line by the bidder to Director, IWAI, Kolkata on or before 10.10.2022 upto 15.00 hrs. and to be opened on 11.10.2022 at 15.30 hrs. Accordingly, the technical bids were opened of 11.10.2022 at 15.30 hrs, the following firms have in the said tender : (i) M/s Grower Infra Pvt Ltd(1/3), (ii) M/s Precision Survey Consultancy (2/3) & (iii) M/s Geotech Pvt. Ltd(3/3) have participated in this tender. As per statement of technical bid detailed at 1 to 23 it is observed by TEC that M/s Precision Survey Consultancy & M/s Geotech Pvt. Ltd had submitted all the requisite documents to fulfil all parameters as per tender document and TEC recommends to M/s Precision Survey Consultancy & M/s Geotech Pvt. Ltd as technically qualified bidder for this tender. On further, scrutiny of the documents submitted by M/s Grower Infra Pvt Ltd, it is observed by TEC that they have not fulfilled all the technical parameters as mentioned in the tender document and TEC recommends to M/s Grower Infra Pvt Ltd as technically disqualified bidder for this tender.

Hence, considering above, TEC recommends to open the financial bids of technically qualified bidders M/s Precision Survey Consultancy & M/s Geotech Pvt. Ltd on 04.11.2022.

-sd-
J.H.S

-sd-
Sr.A.O

-sd-
A.H.S

-sd-
Director(I/C)