



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India,)

क्षेत्रीय कार्यालय - गुवाहाटी, नेडफी हाउस, चौथी मंजिल, जी.एस.रोड,
दिसपुर, गुवाहाटी-781006, असम

Regional Office - Guwahati, NEDFi House, 4th Floor, G.S. Road
Dispur, Guwahati-781006, Assam

फोन/Tel: 0361-2237995

ई-मेल/E-mail : roghy@nhai.org, वेब/Web : www.nhai.gov.in



NHAI/RO/GHY/2007/Tender /Vol.-XVI/23852

Dated 15.09.2022

Office Order

Sub: Short term improvement and Routine Maintenance of 4 laning of NH-54E from Km 300.760 to Km 275.000 Silchar to Balachera section of NH-54E in the state of Assam, Civil Contract Package, EW-II, AS-01 (3rd Call) [NIT No: 25/2022-23(O&M)]

The technical evaluation for the subject work for the Responsive & Non -responsive bidders is placed in Table 1.

TABLE-1

Sl. No.	Bidders	Comments	Remarks
1	M/s Binni Construction	(a) The bidder is not qualified for criteria mentioned as per Key Equipments under Clause 4.4 B(b)(i) of RFP. (b) Bidder does not qualify criteria under Clause 4.2 (c) of RFP	Non Responsive.
2	M/sBrahmaputra Infrastructure Ltd	(a) The bidder is not qualified for criteria mentioned as per Key Equipments under Clause 4.4 B(b)(i) of RFP.	Non Responsive.
3	M/s D C Ajmera	(a) The bidder is not qualified for criteria mentioned as per Key Equipments under Clause 4.4 B(b)(i) of RFP. (b) Bidder does not qualify criteria under Clause 4.2 (c) of RFP	Non Responsive.
4	M/s Macrocosm Builders	(a) The bidder is not qualified for criteria mentioned as per Key Equipments under Clause 4.4 B(b)(i) of RFP.	Non Responsive.

		(b) Bidder does not qualify criteria under Clause 4.2 (c) of RFP	
5	M/s Parimal Biswas	(a) The bidder is not qualified in terms of Average Annual financial turnover under Clause 4.2 (f) of RFP (b) Value of Work completed criteria is also not qualified by the bidder under Clause 4.2 (c) of RFP.	Non Responsive.
6	M/s Tanor Engineering	(a) The bidder is not qualified for criteria mentioned as per Key Equipments under Clause 4.4 B(b)(i) of RFP. (b) Bidder does not qualify criteria under Clause 4.2 (c) of RFP	Non Responsive.

2. All the bidders are non responsive in terms of qualification criteria as per RFP.


 Sanjeev Kumar Sharma
 Regional officer-NE

Signature Not Verified

Digitally signed by SANJEEV KUMAR SHARMA
 Date: 2022.09.15 17:03:02 IST
 Location: eProcurement System for Central PSUs