



भारतीयविमानपत्तनप्राधिकरण, कडपाहवाईअड्डा.
AIRPORTS AUTHORITY OF INDIA
KADAPA AIRPORT- 516003.

Ref.No.: AAI/KDP/Engg-C/Concertina Coil/WO/2023-24/428

Date:10.05.2023

To,
M/s. CLASSICON PROJECTS INDIA PVT.LTD.
B2-401, Boomerang, Chandivali Farm Road,
Chandivali, Andheri East,
Mumbai - 400072.

Name of Work: Provision of Concertina Coil over existing Operational Boundary wall at Kadapa Airport.

Ref: Your tender for the subject work opened on 12.04.2023 in CPP portal
(Tender ID: 2023_AAI_149131_1).

Dear Sir (s),

1. Your e-tender for the work mentioned above is hereby accepted on behalf of Chairman, Airports Authority of India, at the item rates quoted by you totaling to **Rs.77,29,210/-(Rupees Seventy Seven Lakhs Twenty Nine Thousand Two Hundred Ten only) (Excluding GST)** which is 20.40% below the estimated cost put to tender of Rs.97,10,615/-.
2. Sr. Manager (Engg-Civil), AAI, Kadapa Airport shall be the Engineer-in-charge of the work. You are requested to attend the office of the **Sr. Manager (Engg-Civil), AAI, Kadapa Airport by 03.06.2023** to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value **Rs.100.00 (Rupees One Hundred only)** and the cost of the stamp paper shall be borne by you.
3. The Earnest money amount of Rs.1,94,212/- (Rupees One Lakhs Ninety Four Thousand Two Hundred Twelve only) received online through payment gateway along with your e-tender will be treated and converted as part of security Deposit as per conditions of clause 1A at page 23 of the General Conditions of Contract of Contract of tender document. Please deposit **Rs.5,78,709/- (Rupees Five Lakhs Seventy Eight Thousand Seven Hundred and Nine only)** as **Security Deposit** within 10 days from the date of issue of this letter, failing which, the same will be deducted from your running bills as per conditions of clause 1A at page 23 of the General Conditions of Contract of tender document.
4. You are directed to apply for Security Clearance through BCAS portal, followed with Security Programme for obtaining entry permit into Terminal Building & Operational area for labours, and vehicles for carrying out the contract work.
5. You are requested to comply with the provision of contract labour (Regulation and Abolition) Act 1970 and contract labour (Regulation and Abolition) Central Rules 1971 and minimum wages act and rules there of central and state Governments.

Kadapa Airport, Kadapa – 516003. Phone: 08562 - 220518 (Extn:510) FAX:08562 - 220501

V. Shree
10/05/2023
Sr. Manager (Engg-Civil)
भारतीय विमानपत्तन प्राधिकरण / Airports Authority of India
कडपा हवाई अड्डा / Kadapa Airport
KADAPA 516003

6. You are also directed to contact Manager (Engg-Civil), Kadapa Airport, Airports Authority of India immediately who will arrange to handover the site to you.
7. Please note that the time allowed for carrying out the work shall be **06 (Six) Months including Two (02) months rain**, which shall be reckoned from the 10th day after issue of this letter.
8. Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-charge.
9. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Encl: Schedule 'A'.

Yours Faithfully,

V. Shrinivas
10/05/2012

Sr. Manager (Engg-Civil),
AAI, Kadapa Airport.
For and on behalf of Chairman, AAI.

वरिष्ठ प्रबंधक (अभियंता) / Sr. Manager (Engg. Civil)
भारतीय विमानपत्तन प्राधिकरण / Airports Authority of India
कडपा हवाई अड्डा / Kadapa Airport
कडपा / KADAPA 516003

Name of Work: Provision of Concertina Coil over existing Operational Boundary wall at Kadapa Airport.

Sl. No.	Description	Unit	Qty	Rate	Amount
1	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: a) 1:2:4 (1 Cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	Cum	25.00	7500.00	187500.00
2	Steel reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete upto plinth level thermo mechanically treated bars of grade Fe 500D or more	Kg	1600.00	88.00	140800.00
3	Brick work with clay flyash F.P.S. (non modular) brick of class designation 7.5 in superstructure upto plinth level in cement mortar 1:6 (1 cement : 6 coarse sand).	Cum	140.00	6200.00	868000.00
4	Brick work with clay flyash F.P.S. (non modular) brick of class designation 7.5 in superstructure above plinth level up to floor five level in : Cement mortar 1:4 (1 cement : 4 coarse sand)	Cum	140.00	7000.00	980000.00
5	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	Kg	16320.00	85.00	1387200.00
6	12 mm cement plaster of mix:1:6 (1 cement: 6 fine sand)	Sqm	1200.00	300.00	360000.00
7	15 mm cement plaster of mix:1:6 (1 cement: 6 fine sand)	Sqm	1200.00	350.00	420000.00
8	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	Sqm	2770.00	160.00	443200.00
9	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	Sqm	730.00	130.00	94900.00
10	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In-Charge.	Sqm	100.00	500.00	50000.00
11	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	Cum	1.00	2500.00	2500.00
12	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar	Cum	280.00	600.00	168000.00
13	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.	Kg	11250.00	4.00	45000.00
14	Dismantling barbed wire or flexible wire rope in fencing including making rolls and stacking within 50 metres lead.	metre	37500.00	1.00	37500.00
15	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	metre	7500.00	300.00	2250000.00
16	Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50mx2.00m made of 40x40x6mm angle iron or 50x50x3mm hollow MS tube posts/horizontal members/bracings covered with 1.63mm thick MS sheet. The sheet shall be fixed with 30x5mm MS flat by suitable welding/riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5m. MS channel ISLC 75 @ 5.70 kg/m, 50cm long shall be provided at the bottom having oval shaped holes of size 50x25mm at both ends with 50cm long MS angle 40x40x6mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading shall not be removed without prior approval of Engineer-in- Charge. (Note :- One time payment shall be made for providing barricading from start of work till completion of work i/c shifting. The barricading provided shall remain to be the property of the contractor on completion of the work).	metre	200.00	3500.00	700000.00
17	Credit item for Taking away dismantled scrap Barbed wire from AAI Premisis (scrap material from Agreement Item No. 14) as per direction of the Engineer-in-Charge.	Kg	-4000.00	12.00	-48000.00
18	Credit item for Taking away dismantled scrap angular iron from AAI Premisis (scrap material from Agreement Item No. 13) as per direction of the Engineer-in-Charge.	kg	-11913.00	30.00	-357390.00
Total Excluding GST					7,729,210.00

Sr. Manager (Engg-Civil),
AAI, Kadapa Airport.

अरिष्ट प्रबंधक (अभि-सि) / Sr. Manager (Engg.C)
अरिष्टीय विमानपत्तन प्राधिकरण / Airports Authority of India
कडपा हवाई अड्डा / Kadapa Airport
कडपा / KADAPA 516003

Tender Inviting Authority: Sr. Manager (E-C), AAI, Kadapa Airport


Name of Work: Provision of Concertina Coil over existing Operational Boundary wall at Kadapa Airport.

TENDER ID: 2023_AAI_149131_1

Name of the Bidder/ Bidding Firm / Company :	Classicon Projects I Pvt. Ltd.						
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder (Excluding GST) Rs. P	TOTAL AMOUNT (without GST) in Rs. P	TOTAL AMOUNT (With out GST) In Words
1	2	3	4	5	7	8	10
1	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: a) 1:2:4 (1 Cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	Item No.1	25.00	Cum	7500.00	187500.00	INR One Lakh Eighty Seven Thousand Five Hundred Only
2	Steel reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete upto plinth level thermo machanically treated bars of grade Fe 500D or more	Item No.2	1600.00	Kg	88.00	140800.00	INR One Lakh Forty Thousand Eight Hundred Only
3	Brick work with clay flyash F.P.S. (non modular) brick of class designation 7.5 in superstructure upto plinth level in cement mortor 1:6 (1 cement : 6 coarse sand).	Item No.3	140.00	Cum	6200.00	868000.00	INR Eight Lakh Sixty Eight Thousand Only
4	Brick work with clay flyash F.P.S. (non modular) brick of class designation 7.5 in superstructure above plinth level up to floor five level in : Cement mortar 1:4 (1 cement : 4 coarse sand)	Item No.4	140.00	Cum	7000.00	980000.00	INR Nine Lakh Eighty Thousand Only
5	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	Item No.5	16320.00	Kg	85.00	1387200.00	INR Thirteen Lakh Eighty Seven Thousand Two Hundred Only
6	12 mm cement plaster of mix:1:6 (1 cement: 6 fine sand)	Item No.6	1200.00	Sqm	300.00	360000.00	INR Three Lakh Sixty Thousand Only

<i>V. S. / 10/05/2022</i> <i>10/05/2022</i> <i>Dr. N. R. E.</i>	Item No.6	1200.00	Sqm	
देशीय प्राधिकरण (अधि-सि) / Sc. Manager (Engg.) राष्ट्रीय विमानपत्तन प्राधिकरण / Airports Authority of India कदप्पा हवाई अड्डा / Kadappa Airport				

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder (Excluding GST) Rs. P	TOTAL AMOUNT (without GST) in Rs. P	TOTAL AMOUNT (With out GST) In Words
16	Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50mx2.00m made of 40x40x6mm angle iron or 50x50x3mm hollow MS tube posts/horizontal members/bracings covered with 1.63mm thick MS sheet. The sheet shall be fixed with 30x5mm MS flat by suitable welding/riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5m. MS channel ISLC 75 @ 5.70 kg/m, 50cm long shall be provided at the bottom having oval shaped holes of size 50x25mm at both ends with 50cm long MS angle 40x40x6mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading shall not be removed without prior approval of Engineer-in- Charge. (Note :- One time payment shall be made for providing barricading from start of work till completion of work i/c shifting. The barricading provided shall remain to be the property of the contractor on completion of the work).	Item No.16	200.00	metre	3500.00	700000.00	INR Seven Lakh Only
17	Credit item for Taking away dismantled scrap Barbed wire from AAI Premisis (scrap material from Agreement Item No. 14) as per direction of the Engineer-in-Charge.	Item No.17	4000.00	Kg	12.00	-48000.00	INR Forty Eight Thousand Only
18	Credit item for Taking away dismantled scrap angular iron from AAI Premisis (scrap material from Agreement Item No. 13) as per direction of the Engineer-in-Charge.	Item No.18	11913.00	kg	30.00	-357390.00	INR Three Lakh Fifty Seven Thousand Three Hundred & Ninety Only
Total in Figures						7729210.00	INR Seventy Seven Lakh Twenty Nine Thousand Two Hundred & Ten Only
Quoted Rate in Words		INR Seventy Seven Lakh Twenty Nine Thousand Two Hundred & Ten Only					


 10/05/2023
 Sr. Manager (Engg.)
 वरिष्ठ प्रबंधक (अधि-सि) / Sr. Manager (Engg.)
 भारतीय विमानपत्तन प्राधिकरण / Airports Authority of India
 कडपा हवाई अड्डा / Kodapa Airport
 कडपा / KADAPA 516003