



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

AAI/MDU/CIVIL/675/2023/ 1719

दि. Date: 30.08.2023

By Email/Speed Post

सेवा मे/To,

M/S. M.Kani,

22, Maruthu Pandian Nagar 2nd Street,

Narimedu,

Madurai-625002.

kani9454@gmail.com

Name of work: Provision of weather protection shelter in front of Gate No.1 at Madurai Airport-Reg.

संदर्भ Ref.: 1) Your e-tender (Cover-II Financial bid) opened on: 16.08.2023.

2) Tender ID: 2023_AAI_160112_1.

श्रीमान /Dear Sir,

1. Your e-Tender for the work mentioned above is hereby accepted on behalf of Chairman, AAI, at the item rates quoted by you totaling to **Rs.17,54,508.00**(Rupees Seventeen Lakh Fifty Four Thousand Five Hundred Eight Only) (exclusive of GST) which is **17.03 %** below the estimated cost put to tender **Rs.21,14,715.00** (exclusive of GST).
2. Deputy General Manager (E-C), AAI, Madurai Airport, Madurai shall be the Engineer-in-Charge of the work. You are requested to attend the office of Deputy General Manager (Engg-C), AAI, Madurai Airport, Madurai by **14.09.2023** to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper value of **Rs.100.00 (Rupees One Hundred Only)** and the cost of the stamp paper shall be borne by you.
3. As per Clause No.1A on page No:65 of tender document, please deposit **Rs.1,75,450.00 (Rupees One Lakh Seventy Five Thousand Four Hundred Fifty Only)** towards security deposit within 10 days from the date of issue of this letter failing which, the same will be deducted from your running bill as per GCC Clause 1A at page No: 65 of tender document.

Contd...2

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

दूरभाष/ Tel : 0452-2690759 फोन / Fax : 0452 - 2690305



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

//2//

4. You are requested to comply with the provision of Contract labour (Regulation and Abolition) Act 1970 and contract labour (Regulation and Abolition) Central rules 1971 Child Labour (Prohibition & Regulation) Act 1986, Construction Workers (Regulation of Employment and Condition of Service) Act 1996, Building and other construction Workers Welfare Cess Act 1996 as specified in Clause 19 on page No.98 of GCC of tender and rules of Central and State Government.
5. You are also directed to contact A.G.M (Engg-Civil), AAI, Madurai Airport immediately who will arrange to handover the site to you.
6. Please note that time allowed for carrying out the work shall be **04 (Four) Months** and same shall be reckoned from the **10th day of after issue of this letter.**
7. Any further correspondence in connection with the contract should normally be addressed to Engineer-In-Charge.
8. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Yours faithfully,

Encl.: Price Schedule


Dy.Gen.Manager (Engg-Civil),
AAI, Madurai Airport,
For and on behalf of the Chairman, AAI.

Copy to:

Asst.Labour Commissioner,
No:5, Lady Doak college road,
Chinnachokkikulam,
Madurai.

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

दूरभाष/ Tel : 0452-2690759 फोन / Fax : 0452 - 2690305

Validate

Print

Help

Item Rate BoQ

Tender Inviting Authority: Assistant General Manager (Engg-Civil), Airports Authority of India, Madurai Airport, Madurai – 625 022

Name of Work: Provision of weather protection shelter in front of Gate No.1 at Madurai Airport.

Contract No: AAI/MDU/CIVIL/675/2023/

Name of the Bidder/ Bidding Firm / Company :	M KANI
--	--------

PRICE SCHEDULE


(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values Only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
1	Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge	9.00	cum	350.00	3150.00	INR Three Thousand One Hundred & Fifty Only
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	25.00	cum	1900.00	47500.00	INR Forty Seven Thousand Five Hundred Only
3	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil	67.00	cum	220.00	14740.00	INR Fourteen Thousand Seven Hundred & Forty Only
4	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m : All kinds of soil: Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	42.00	metre	400.00	16800.00	INR Sixteen Thousand Eight Hundred Only
5	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : 300 mm dia. R.C.C. pipe	42.00	metre	900.00	37800.00	INR Thirty Seven Thousand Eight Hundred Only

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	3.00	cum	4500.00	13500.00	INR Thirteen Thousand Five Hundred Only
7	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	33.00	cum	6400.00	211200.00	INR Two Lakh Eleven Thousand Two Hundred Only
8	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works upto plinth level Concrete of M25 grade with minimum cement content of 330 kg /cum	8.00	cum	8000.00	64000.00	INR Sixty Four Thousand Only
9	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works above plinth level upto floor V level Concrete of M25 grade with minimum cement content of 330 kg /cum	1.00	cum	8500.00	8500.00	INR Eight Thousand Five Hundred Only
10	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more	810.00	Kg	80.00	64800.00	INR Sixty Four Thousand Eight Hundred Only

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
11	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more	60.00	Kg	85.00	5100.00	INR Five Thousand One Hundred Only
12	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	44.00	Sqm	400.00	17600.00	INR Seventeen Thousand Six Hundred Only
13	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	57.00	Cum	200.00	11400.00	INR Eleven Thousand Four Hundred Only
14	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	2,690.00	Kg	110.00	295900.00	INR Two Lakh Ninety Five Thousand Nine Hundred Only
15	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.	3,481.00	Kg	128.00	445568.00	INR Four Lakh Forty Five Thousand Five Hundred & Sixty Eight Only
16	Providing and fixing percoated galvanised iron profile sheets (Size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+0.05%) total coated thickness with zinc coating 120gms/sqm as per IS 277, in 240 mpa steel grade, 5 - 7 microns epoxy primer on both side of the steel and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scatters during transportation and should be supplied in single length up to 12 mt or as beside by engineer in charge. The sheet shall be fixed using self drilling / self tapping screws of size (5.5 x 55 mm) with EPEM seal, complete up to any pitch in horizontal / vertical or curved surface, excluding the cost of purlins, rafters and trusses and including cutting to size and where ever required.	396.00	Sqm	650.00	257400.00	INR Two Lakh Fifty Seven Thousand Four Hundred Only
17	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Ridges plain (500 - 600mm)	25.00	metre	450.00	11250.00	INR Eleven Thousand Two Hundred & Fifty Only
18	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Gutter (600 mm over all girth)	50.00	metre	1100.00	55000.00	INR Fifty Five Thousand Only

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
19	Extra for providing and fixing wind ties of 40x 6 mm flat iron section.	132.00	metre	150.00	19800.00	INR Nineteen Thousand Eight Hundred Only
20	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work On steel work	400.00	Sqm	200.00	80000.00	INR Eighty Thousand Only
21	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	74.00	Kg	200.00	14800.00	INR Fourteen Thousand Eight Hundred Only
22	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	56.00	metre	600.00	33600.00	INR Thirty Three Thousand Six Hundred Only
23	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Bend 87.5°. 110 mm bend.	20.00	Nos	300.00	6000.00	INR Six Thousand Only
24	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Shoe (Plain). 110 mm Shoe.	10.00	Nos	300.00	3000.00	INR Three Thousand Only
25	Providing and fixing M.S. holder bat clamps of approved design to C.I. or S.C.I. rain water pipes embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc. : 110 mm diameter	40.00	Nos	70.00	2800.00	INR Two Thousand Eight Hundred Only
26	Carriage of materials by Mechanical Transport including loading,unloading and stacking Lime, Morrom, Building rubbish (Lead considered 1 K.M)	20.00	cum	145.00	2900.00	INR Two Thousand Nine Hundred Only
27	Carriage of materials by Mechanical Transport including loading,unloading and stacking Earth (Lead considered 1 K.M)	52.00	cum	200.00	10400.00	INR Ten Thousand Four Hundred Only
Total in Figures					1754508.00	INR Seventeen Lakh Fifty Four Thousand Five Hundred & Eight Only
Quoted Rate in Words		INR Seventeen Lakh Fifty Four Thousand Five Hundred & Eight Only				

 30/8/2023
 DGM/egg (r)/EC