



सं. संख्या : भाविप्रा/कोल्हापूर/(अभि-वी)/Facade /2023-24/ 04

दिनांक: 25.08.2023

सेवा में,
मैं. पवन क्विक सर्विस
कार्यालय क्रमांक 201, दूसरा तल,
"संस्कृति मंत्र" भवन। सदाशिवपेठ तिलक रोड,
पुणे - 411 030

To,
M/s. Pavan Quick Service,
Office No.201, 2nd Floor, "Sanskriti
Mantra" Bldg. Sadashivpeth Tilak Rd,
Pune - 411 030.

Name of work: "Provision of theme - based facia Illumination system at New Terminal Building of Kolhapur Airport.

संदर्भ/Ref.: 1) आपका ई-टेंडर आय डी: 2023_AAI_160693_1, वित्तीय बीड दिनांक: 11.08.2023 को खोला गया |

Your e-tender ID 2023_AAI_160693_1, Financial Bid Opened on 11.08.2023.

महोदय/ Dear Sir,

- ऊपर उल्लेखित कार्य हेतु आपका टेंडर अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत किया जाता है, आपके द्वारा बताए गए मद मूल्यों पर आपकी टेंडर राशि जीएसटी रहित कुल रु. 76,99,999.00 (रुपये छिहत्तर लाख निन्यानबे हजार नौ सौ निन्यानबे मात्र) है जो कि टेंडर की अनुमानित लागत राशि रु. 74,12,276.00 से 3.88% ऊपर है।
- Your tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the item rates quoted by you Excluding GST totaling to Rs. 76,99,999.00 (Rupees Seventy-Six Lakh Ninety-Nine Thousand Nine Hundred and Ninety-Nine Only) which is 3.88% above the estimated cost put to tender of Rs. 74,12,276.00
- संयुक्त महाप्रबंधक, अभि (विद्युत), भा वि प्रा, कोल्हापूर हवाई अड्डा कार्य के प्रभारी अभियंता होंगे। आपसे निवेदन है कि आप आपकी ओर से एक विश्वसनीय प्रतिनिधि नियुक्ति करें जो करारनामे पर हस्ताक्षर करने के लिए अधिकृत हो तथा वह दिनांक 04.09.2023 तक सहायक महाप्रबंधक, अभि(विद्युत), कोल्हापूर एयरपोर्ट के कार्यालय में उपस्थित हो तथा करारनामे को पूरा करें। ठेके का करारनामा रु. 100/- गैर न्यायिक स्टैम्प पेपर पर निष्पादित किया जाएगा तथा पेपर का खर्च आपके द्वारा उठाया जायगा।
- Jt. General Manager (Engg-E), AAI, Kolhapur Airport shall be the Engineer-In-Charge of the work. You are requested to depute your accredited representative, empowered to sign the contract agreement on your behalf, to attend the office of the Asst. General Manager (Engg-E), AAI, Kolhapur Airport by 04.09.2023 to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs. 100/- (Rupees One hundred only) and the cost of the stamp paper shall be borne by you.
- आपके टेंडर के साथ प्राप्त धरोदर राशि रु. 1,48,246.00 (रुपये एक लाख अड़तालीस हजार दो सौ छियालीस मात्र) ठेके के दस्तावेज के GCC: 16 पर दी गई शर्त 1 (ए) के अनुसार जमानत राशि में परिवर्तित कर दी गई है। कृपया इस पत्र के जारी होने की तिथि से 10 दिनों के भीतर जमानत राशि की बकाया राशि रु. 7,70,000.00 (रु. सात लाख सत्तर हजार मात्र) यह कार्य आदेश जारी होने की तिथि से 10 दिनों के भीतर अदा की जाए अन्यथा ठेके के दस्तावेज के GCC: 16 पर दी गई शर्त 1(ए) के अनुसार उक्त राशि रनिंग बिल से कटौती की जाएगी।

Bidyut Roy
25.8.23
बिद्युत रॉय / Bidyut Roy
सहा. महाप्रबंधक (अभि. विद्युत)
Asst. Gen. Manager (Engg-E)
भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर
A. A. I. Kolhapur Airport, Kolhapur

Contd...P/2

3. The earnest money amount of Rs. 1,48,246.00 (Rupees One Lakh Forty-Eight Thousand Two Hundred and Forty-Six Only) received along with your tender will be treated and converted as part of security deposit as per clause 1(A) on page GCC-16 of tender document. Please deposit Rs. 7,70,000.00 (Rupees Seven Lakh Seventy Thousand Only) towards security deposit within 10 days from the date of issue of this letter, failing which the same shall be deducted from your running bill as per condition 1(A) on GCC: page 16 of the contract document.
4. आपसे निवेदन है कि आप केंद्रीय और राज्य सरकारों 1970 के अधिनियम अनुबंध श्रम नियम तथा 1971 के केंद्रीय नियम (नियमन तथा उन्मूलन) एवं केंद्र तथा राज्य सरकार के न्यूनतम वेतन अधिनियम और नियमों के प्रावधान का अनुपालन करें।
4. You are requested to comply with the provisions of contract labour (Regulation and abolition) Act of 1970 and contract labour (Regulation & abolition) Central rules 1971 and minimum wages Act & rules thereof central and state Governments.
5. आपको निर्देश दिया जाता है कि आप तुरंत सहा. महाप्रबंधक (अभि-विद्युत), भाविप्रा, कोल्हापूर हवाई अड्डा से मिले वह आपको साइट सौंपने की व्यवस्था करेंगे।
5. You are also directed to Contact Asst. General Manager (Engg-E), AAI, Kolhapur Airport immediately who will arrange to hand over the site to you.
6. कृपया नोट कर लें कि काम पूर्ण करने का अवधि एक (01) माह है जोकि इस पत्र के जारी करने के बाद दसवे दिन से गिना जायगा।
6. Please note that the time allowed for carrying out the work is **One (1) Months**, which shall be reckoned from the tenth day after the date of issue of this letter.
7. इस ठेके के संबंध में आगे का कोई भी पत्राचार उप. महाप्रबंधक (अभि-विद्युत), भाविप्रा, कोल्हापूर हवाई अड्डा के पते पर किया जाए।
7. Any further correspondence in connection with the contract should normally be addressed to the Dy. General Manager (Engg-E), AAI, Kolhapur Airport.
8. उपरोक्त संदर्भित सभी पत्र इस ठेके का भाग होंगे।
8. All the letters referred above shall form part of the contract.
9. पत्र को स्वीकार करने के पश्चात नकल प्रति पर हस्ताक्षर करके टोकन के रूप में पुनः भेज दें।
9. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.
10. यदि अंग्रेजी और हिन्दी पाठ में कोई अंतर पाया जाता है तो अंग्रेजी विवरण सही माना जाएगा।
10. If there is any discrepancy between English and Hindi then meaning derived in English will be given precedence.

धन्यवाद / Thanking You,

भवदीय / Yours faithfully,

Bidagat 25.8.23

सहा. महाप्रबंधक (अभि-विद्युत)/ Asst. General Manager (Engg-E),
कृते तथा ओर से, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण,

For and on behalf of Chairman,
Airports Authority of India.

विद्युत रॉय / Bidagat Encl: Schedule of Quantity

सहा. महाप्रबंधक (अभि-विद्युत)

Asst. Gen. Manager (Engg-E)

भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर

A. A. I. Kolhapur Airport, Kolhapur

Item Rate BoQ


Name of Work: Provision of theme-based facade illumination system at New Terminal building of Kolhapur Airport

Contract No: 2023_AAI_160693_1

Name of the Bidder/ Bidding Firm / Company :		PAVAN QUCIK SERVICE						
PRICE SCHEDULE								
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)								
NUMBER #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Quoted Currency in INR / Other Currency	BASIC RATE(Excluding GST) In Figures To be entered by the Bidder Rs. P	Rate after Discount @ 3.75 %	TOTAL AMOUNT Excluding GST	TOTAL AMOUNT In Words(Excluding GST)
1	2	4	5	12	13		53	55
1	Supply,Installation,Testing and Commissioning of 200-400mm long LED RGBW Linear Wall Washer luminaire for Facade lighting with aluminium extruded housing, of following wattage. Luminaire shall be capable of producing dynamic color changing light for with 16 million colors by DMX/Ethernet based control. The beam angle of the fittings shall be narrow, medium, wide or asymmetric as per the requirement. Luminaire shall be complete with driver and capable of operating at line voltage without any separate power supply from 100-270VAC, 50Hz with powerfactor>0.9. Fixture shall be suitable to operate at an ambient temperature range of -10°Cto+ 50°and shall be IP65 and IK06 rated. Lifetime shall be at least L70:50000 burning hours at 50°C . Luminaire shall be conforming to BIS(IS10322)and shall be complete with all necessary accessories required for proper working of fixture including weatherproof connection cables ,waterproof connectors with fixing etc.as required. 25 W	27	each	INR	15661.00	15073.7125	406990.24	INR Four Lakh Six Thousand Nine Hundred & Ninety and Paise Twenty Four Only
2	Supply,Installation,Testing and Commissioning of LED RGBW Linear Wall Washer luminaire of length 1Meter atleast for Facade lighting with aluminium extruded housing, of following wattage. Luminaire shall be capable of producing dynamic color changing light for with 16 million colors by DMX/Ethernet based control. The beam angle of the fittings shall be narrow, medium, wide or asymmetric as per the requirement. Luminaire shall be complete with driver and capable of operating at line voltage without any separate power supply from 100-270VAC , 50Hz with powerfactor>0.9. Fixture shall be suitable to operate at an ambient temperature range of -10°Cto+50°and shall be IP65 and IK06 rated. Lifetime shall be at least L70:50000 burning hours at 50°C . Luminaire shall be conforming to BIS(IS10322)and shall be complete with all necessary accessories required for proper working of fixture including weatherproof connection cables ,waterproof connectors etc.as required. 30 W	81	job	INR	20366.00	19602.2750	1587784.28	INR Fifteen Lakh Eighty Seven Thousand Seven Hundred & Eighty Four and Paise Twenty Eight Only
3	Supply,Installation,Testing and Commissioning of LED RGBW Linear Wall Washer luminaire of length 1Meter atleast for Facade lighting with aluminium extruded housing, of following wattage. Luminaire shall be capable of producing dynamic color changing light for with 16 million colors by DMX/Ethernet based control. The beam angle of the fittings shall be narrow, medium, wide or asymmetric as per the requirement. Luminaire shall be complete with driver and capable of operating at line voltage without any separate power supply from 100-270VAC , 50Hz with powerfactor>0.9. Fixture shall be suitable to operate at an ambient temperature range of -10°Cto+50°and shall be IP65 and IK06 rated. Lifetime shall be at least L70:50000 burning hours at 50°C . Luminaire shall be conforming to BIS(IS10322)and shall be complete with all necessary accessories required for proper working of fixture including weatherproof connection cables ,waterproof connectors etc.as required. 80 W	16	each	INR	32290.00	31079.1250	497266.00	INR Four Lakh Ninety Seven Thousand Two Hundred & Sixty Six Only

Bidyut Roy
 25.8.23
 बिद्युत रॉय / Bidyut Roy
 सहा. महाप्रबंधक (अभि.विद्युत)
 Asst. Gen. Manager (Engg-E)
 भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर
 A. A. I. Kolhapur Airport, Kolhapur

NUMBER #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
SL No.	Item Description	Quantity	Units	Quoted Currency In INR / Other Currency	BASIC RATE(Excluding GST) In Figures To be entered by the Bidder Rs. P	Rate after Discount @ 3.75 %	TOTAL AMOUNT Excluding GST	TOTAL AMOUNT In Words(Excluding GST)
1	2	4	5	12	13		53	55
4	Supply,Installation,Testing and Commissioning of LED RGBW floodlighting luminaire for facade lighting with Die-cast aluminium housing,powder coated finish, of following wattage. Luminaire shall be capable of producing dynamic color changing light for with 16 million colors by DMX/Ethernet based control. The beam angle of the fittings shall be narrow, medium, wide or asymmetric as per the requirement. Luminaire shall be complete with driver and capable of operating at linevoltage without any separate power supply from 100-270VAC, 50Hz with powerfactor>0.9. Fixture shall be suitable to operate at an ambient temperature range of 10°Cto+50°and shall be IP65 and IK06 rated. Lifetime shall be at least L70:50000 burning hours at 50°C . Luminaire shall be conforming to BIS(IS10322)and shall be complete with all necessary accessories required for proper working of fixture including weatherproof connection cables ,waterproof connectors etc. as required. 55 W	16	each	INR	38860.00	37402.7500	598444.00	INR Five Lakh Ninety Eight Thousand Four Hundred & Forty Four Only
5	Supply,Installation,Testing and Commissioning of LED RGBW floodlighting luminaire for facade lighting with Die-cast aluminium housing,powder coated finish, of following wattage. Luminaire shall be capable of producing dynamic color changing light for with 16 million colors by DMX/Ethernet based control. The beam angle of the fittings shall be narrow, medium, wide or asymmetric as per the requirement. Luminaire shall be complete with driver and capable of operating at linevoltage without any separate power supply from 100-270VAC, 50Hz with powerfactor>0.9. Fixture shall be suitable to operate at an ambient temperature range of 10°Cto+50°and shall be IP65 and IK06 rated. Lifetime shall be at least L70:50000 burning hours at 50°C . Luminaire shall be conforming to BIS(IS10322)and shall be complete with all necessary accessories required for proper working of fixture including weatherproof connection cables ,waterproof connectors etc. as required. 90 W	30	each	INR	45629.00	43917.9125	1317537.38	INR Thirteen Lakh Seventeen Thousand Five Hundred & Thirty Seven and Paise Thirty Eight Only
6	SITC of high power Non-Integral IP68 flexible LED strip light sealed with anti-UV polyurethane. The power consumption shall be 55W per 5M role & 450Lm/meter. . The strip light shall be IK06. The strip light shall be supplied with all mounting clips, IP67 electrical connectors, 65W-70W non-integral power supply & DMX decoder per roll complete as required.	17	No's	INR	14499.00	13955.2875	237239.89	INR Two Lakh Thirty Seven Thousand Two Hundred & Thirty Nine and Paise Eighty Nine Only
7	Supply Aluminium profile for flexible LED strip light for mounting on surface of rock/stone façade neatly with fasteners/ fixing arrangement etc complete as required.	85	m	INR	590.00	567.8750	48269.38	INR Forty Eight Thousand Two Hundred & Sixty Nine and Paise Thirty Eight Only
8	SITC of Compact master Content Program Controller (DMX controller) with suitable size capability DMX512 universes,playback scenes and animations stored in its SD card, and it can be used for offline scenes scheduling, setting brightness, white balance and playback speed adjustments. It should be able to amplify the DMX signal in cascaded connection & support automatic playback scheduling. It should support power-on startup and scheduled timing start along with capability of unattended operation and remote scene triggering if needed. The Input voltage shall be 12VDC & shall have RJ45 port on Input side. The IEC classification shall be Class III. It should operate on DM512 protocol. The Content Program Controller shall have one SD card slot for maximum 32GB card & the SD card being used shall be FAT32 format. The Content Program Controller shall come with 220-240V to 12V DC power supply. The IP rating of content program controller shall be IP20 . The working temperature range shall be -10°C to 50°C complete as required. •Operating Temperature - 10 to 50 Centigrade • Minimum supported LED nodes up to 10000 • Network Data compatibility Ethernet protocol. • The software composer required to create light shows for DMX controller/DMX programming. • Connector/Cable: (2) RJ45 ports, shielded Cat. 6 or better data cable of required length to be included for communication • Work as stand alone or computer driven controller. • Environment: Dry indoor location. • Ethernet keypad module for the DMX controller for selecting multiple scene. • Ethernet Compact keypad that triggers the controller • Secure Digital SD card drive for flexible show • USB 2.0 interface for downloading shows and configuring from attached PC • All others items required for successful functioning of DMXcontroller including the programming for all days through out the year as directed by EIC shall be considered and included in the quoted rate.	1	Job	INR	278013.00	267587.5125	267587.51	INR Two Lakh Sixty Seven Thousand Five Hundred & Eighty Seven and Paise Fifty One Only


 बिद्युत राय / Bidyut Roy
 सहा. महाप्रबंधक (अभि.विद्युत)
 Asst. Gen. Manager (Engg-E)
 भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर
 A. A. I. Kolhapur Airport, Kolhapur

NUMBER #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Quoted Currency In INR / Other Currency	BASIC RATE(Excluding GST) In Figures To be entered by the Bidder Rs. P	Rate after Discount @ 3.75 %	TOTAL AMOUNT Excluding GST	TOTAL AMOUNT In Words(Excluding GST)
1	2	4	5	12	13		53	55
9	Design, Supply, installation, Testing and commissioning of splitter with input voltage range 190-240V AC, power consumption less than 15W made up of with CRCA sheet with powder coated, Ingress protection rating IP20. This unit takes DMX signal from DMX controller and split the signal in to 8 separate output channels. The output terminals of splitters are optically isolated from the input. Splitters should be capable to amplify the DMX signal. Operating temperature shall be -10° to 50°C.	1	No's	INR	16250.00	15640.6250	15640.63	INR Fifteen Thousand Six Hundred & Forty and Paise Sixty Three Only
10	SITC of 2M long lead cable with IP67 5-Pin connector at one end. The Pin material should be copper. The cable shall have insulation resistance of $\geq 10\text{M}\Omega$ complete as required.	6	No's	INR	1500.00	1443.7500	8662.50	INR Eight Thousand Six Hundred & Sixty Two and Paise Fifty Only
11	SITC of 2M long jump cable with IP67 4-Pin connector at one end. The Pin material should be copper. The operating voltage shall be 60V DC. cable shall have insulation resistance of $\geq 10\text{M}\Omega$ complete as required.	10	No's	INR	3500.00	3368.7500	33687.50	INR Thirty Three Thousand Six Hundred & Eighty Seven and Paise Fifty Only
12	Supply and laying of DMX cable in existing conduit to make connections with light controllers and amplify as per the design complete as required.	1000	mtr	INR	173.00	166.5125	166512.50	INR One Lakh Sixty Six Thousand Five Hundred & Twelve and Paise Fifty Only
13	Supply of the following 1100 volts grade, copper conductor FRLS PVC Insulated Sheathed Flexible Cable as per IS694 and latest amendment and as per other relevant standards and tender specification. 4CX 2.5 sqmm	500	mtr	INR	130.00	125.1250	62562.50	INR Sixty Two Thousand Five Hundred & Sixty Two and Paise Fifty Only
14	Supply of the following 1100 volts grade, copper conductor FRLS PVC Insulated Sheathed Flexible Cable as per IS694 and latest amendment and as per other relevant standards and tender specification. 4CX 4 sqmm	500	mtr	INR	187.00	179.9875	89993.75	INR Eighty Nine Thousand Nine Hundred & Ninety Three and Paise Seventy Five Only
15	Supply of following size of 1.1 KV grade, XLPE insulated PVC sheathed Copper Conductor armoured cable conforming to IS: 7098 part-I amended upto date. 4 core X 4 Sq.mm	1000	Mtr	INR	312.00	300.3000	300300.00	INR Three Lakh Three Hundred Only
16	Supply of following size of 1.1 KV grade, XLPE insulated PVC sheathed Aluminium Conductor armoured cable conforming to IS: 7098 part-I amended upto date. 4 core X 2.5 Sq.mm	1000	Meter	INR	274.00	263.7250	263725.00	INR Two Lakh Sixty Three Thousand Seven Hundred & Twenty Five Only
17	Supply of following size of 1.1 KV grade, XLPE insulated PVC sheathed Aluminium Conductor armoured cable conforming to IS: 7098 part-I amended upto date. 3 core X 2.5 Sq.mm	1000	Meter	INR	150.00	144.3750	144375.00	INR One Lakh Forty Four Thousand Three Hundred & Seventy Five Only
18	Supply of following size of 1.1 KV grade, XLPE insulated PVC sheathed Aluminium Conductor armoured cable conforming to IS: 7098 part-I amended upto date. 3 core X 1.5 Sq.mm	1000	Meter	INR	111.00	106.8375	106837.50	INR One Lakh Six Thousand Eight Hundred & Thirty Seven and Paise Fifty Only
19	Supplying and fixing following 4way, Vertical type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder coating including earthing etc as required (i/c the following MCB's) a) 4 way (4 + 12), Double door	1	Job	INR	11200.00	10780.0000	10780.00	INR Ten Thousand Seven Hundred & Eighty Only
20	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole - 10A	10	Each	INR	182.00	175.1750	1751.75	INR One Thousand Seven Hundred & Fifty One and Paise Seventy Five Only
21	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Double pole - 32 A	2	Each	INR	535.00	514.9375	1029.88	INR One Thousand & Twenty Nine and Paise Eighty Eight Only
22	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Triple pole and neutral - 63 A	1	Each	INR	1396.00	1343.6500	1343.65	INR One Thousand Three Hundred & Forty Three and Paise Sixty Five Only

Bidyut Roy
 सहा. महाप्रबंधक (अभि.विद्युत)
 Asst. Gen. Manager (Engg-E)
 भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर
 A. A. I. Kolhapur Airport, Kolhapur

Bidyut Roy
 25.8.23

NUMBER #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Quoted Currency in INR / Other Currency	BASIC RATE(Excluding GST) In Figures To be entered by the Bidder Rs. P	Rate after Discount @ 3.75 %	TOTAL AMOUNT Excluding GST	TOTAL AMOUNT In Words(Excluding GST)
1	2	4	5	12	13		53	55
23	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 20 mm	500	mtr	INR	120.00	115.5000	57750.00	INR Fifty Seven Thousand Seven Hundred & Fifty Only
24	Laying of following sizes of FRLS PVC insulated copper conductor, cable in the existing surface/ recessed steel/ PVC conduit as required. 4CX2.5 sqmm	500	Mtr	INR	72.00	69.3000	34650.00	INR Thirty Four Thousand Six Hundred & Fifty Only
25	Laying of following sizes of FRLS PVC insulated copper conductor, cable in the existing surface/ recessed steel/ PVC conduit as required. 4CX4 sqmm	500	Mtr	INR	72.00	69.3000	34650.00	INR Thirty Four Thousand Six Hundred & Fifty Only
26	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 2 nos. 3 pin 5/6 amps modular socket outlets and 2 nos 5/6 amps modular switches, connection etc. as required.	6	Each	INR	899.00	865.2875	5191.73	INR Five Thousand One Hundred & Ninety One and Paise Seventy Three Only
27	UPS SYSTEM Supply, installation, testing and commissioning of high performance IGBT inverter and IGBT rectifier based fully microprocessor controlled (three phase Input & three phase Output) online Transformerless UPS system suitable for input and output parameters as per specifications. The UPS shall be provided with external K13 rated copper wound Galvanic Isolation transformer at the complete output of the UPS i.e. after the static switch (As per IEC 1100 -2005). The UPS shall be provided in powder coated fan cooled enclosure painted in colour as per specifications. The UPS shall be suitable for normal, emergency, recharge, by-pass and maintenance mode. The system be expandable in such a manner that addition of another module of similar capacity can double the system output with common by-pass. The UPS shall have a microprocessor based display and control panel. UPS shall have own batteries with 30 minute battery back-up. Complete system must be provided as per specifications approved drawing and as per site requirement including inter connecting cables from battery to UPS, UPS to panel etc.& supports for complete system as required. 10 kVA on line 415 V AC UPS with 30 minutes balancing battery back up.	1	Set	INR	357610.00	344199.6250	344199.63	INR Three Lakh Forty Four Thousand One Hundred & Ninety Nine and Paise Sixty Three Only
28	Design, fabrication, supply, installation, testing and commissioning of Flambeau/ Mashal traditional ornamental decorative highly suitable spectacular Cast Aluminium-Antique looking mixed with Victorian-urban classical culture Flambeau/ Mashal fixed on specified existing concrete/stone decorated columns/foundation, as shown in the enclosed drawing/picture(in the tender document) as per dimensions and specification mentioned in the Technical specification of contract. The overall Antique Mashal size shall be 1300 to 1500 mm and thickness 10 mm to 12 mm. Handle made up of die-cast aluminum of sufficient strength and coated with four layer colours (layer - 1 Epoxy primer, layer - 2 Epoxy top coat, Layer - 3 Antique coat, Layer-4 Polyurethane Laquer) , the top flame structure to be made of good quality FRP material should be translucent. LED decorative lighting(to resemble Flame-with combination of white,warm white,yellow colour and other suitable led/led strips) of wattage not exceeding 30W to meet the asthetic design.	10	Job	INR	46000.00	44275.0000	442750.00	INR Four Lakh Forty Two Thousand Seven Hundred & Fifty Only
29	Fabrication, Supply, Installation,Testing and commissioning Of SS(Satainless Steel) Letters Made Of Gold Anti-fingerprint Stainless Steel (approved Make) Grade 304 With 50mm Depth Raising Made Out Of Laser Cut Shape In Required Design, Language And Font Including Buffing, Polishing And Fixing by Sufficient Number Of Fasteners High Quality Chemical Tape/adhesive/fast Pf Approved Make All Complete As Per Architectural Drawing And Direction Of Engineer In-Charge. A. Kolhapur Airport. B. कोल्हापूर हवाई अड्डा C. कोल्हापूर विमानतळ	1	Job	INR	564850.00	543668.1250	543668.13	INR Five Lakh Forty Three Thousand Six Hundred & Sixty Eight and Paise Thirteen Only

Bidyut Roy
25.8.23

बिद्युत रॉय / Bidyut Roy
सहा. महाप्रबंधक (अभि.विद्युत)
Asst. Gen. Manager (Engg-E)
भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर
A. A. I. Kolhapur Airport, Kolhapur

NUMBER #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
SL No.	Item Description	Quantity	Units	Quoted Currency in INR / Other Currency	BASIC RATE(Excluding GST) In Figures To be entered by the Bidder Rs. P	Rate after Discount @ 3.75 %	TOTAL AMOUNT Excluding GST	TOTAL AMOUNT In Words(Excluding GST)
1	2	4	5	12	13		53	55
30	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works(For guarding of lights on cement concrete road.)	500	Kg	INR	143.00	137.6375	68818.75	INR Sixty Eight Thousand Eight Hundred & Eighteen and Paise Seventy Five Only
Total in Figures							7699999	INR Seventy Six Lakh Ninety Nine Thousand Nine Hundred & Ninety Nine Only
Quoted Rate in Words								

Bidyut Roy
25.8.23

बिद्युत रॉय / Bidyut Roy
सहा. महाप्रबंधक (अभि.विद्युत)
Asst. Gen. Manager (Engg-E)
भा. वि. प्रा. कोल्हापूर हवाई अड्डा, कोल्हापूर
A. A. I. Kolhapur Airport, Kolhapur