



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

सं.स. : भाविप्रा/वारा/अभि./पेरिमीटर रोड/डब्लू-88/1429-38/8968-77  
Ref. No. AAI/VNS/ENGG/Perimeter/W-88/

दिनांक: 24.11.2023  
Date: 24.11.2023

सेवा में,

मेसर्स अवधेश कन्स्ट्रक्शन  
220, एपी कालानी,  
गया-823001

M/s Awadhesh Construction,  
220, AP Colony,  
Gaya-823001

विषय : एलबीएसआई हवाईअड्डे, वाराणसी पर कार्गो गेट से पैनल नंबर-1436 तक परिधि सड़क की री-कार्पेटिंग, ऑपरेशनल गेट नंबर 3 से एप्रन तक क्षतिग्रस्त सीसी पैनल को बदलना और वनस्पति और साही की आवाजाही से परिधि दीवार के कोने की सुरक्षा करना।

Re-carpeting of perimeter road from cargo gate to panel no-1436, replacement of damaged CC Panel from operational gate no 3 to apron & protection of perimeter wall corner from vegetation & movement of porcupine at LBSI Airport, Varanasi (Tender ID : 2023\_AAI\_170362\_1)

संदर्भ : ई-निविदा खुलने की तिथि : 09.11.2023

प्रिय महोदय/Dear Sir,

- 1) उपरोक्त कार्य की, कुल निविदा रकम रुपये 1,46,16,250.00 (रुपया एक करोड़ छियालीस लाख छोलह हजार दो सौ पचास मात्र) (जी.एस.टी. रहित) की मद दर निविदा, जो कि कार्य की अनुमानित लागत रुपये 203.04 लाख (जी.एस.टी. रहित) से 28.01% (अटवाईस दशमलव शून्य एक प्रतिशत) कम है, आपके द्वारा निविदा प्रपत्र की अनुसूची 'अ' में दर्शायी गयी मद दरों पर भरी गई है, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत की जाती है।

Your tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the net tender amount Rs. 1,46,16,250.00 (Rupees One Crore Forty Six Lakhs Sixteen Thousand Two Hundred Fifty only) (excluding GST) which is 28.01% (Twenty Eight point Zero One percent) below to the estimated cost put to tender of Rs. 203.04 lakhs (excluding GST).

- 2) उपमहाप्रबन्धक (अभि0-सिविल), भा.वि.प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी इस कार्य के कार्य प्रभारी अभियन्ता होंगे तथा सहायक महाप्रबन्धक अभि(सिविल) एवं सहा0 प्रबन्धक (अभि0-सि0), भा.वि.प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी उनके प्राधिकृत प्रतिनिधि होंगे। आपसे अनुरोध है कि दिनांक 19.12.2023 तक सहा0 महाप्रबन्धक (अभि0-सिविल) के कार्यालय में उपस्थित होकर संविदा अनुबन्ध को हस्ताक्षरित कर पूर्ण करें। अनुबन्ध 100/- रुपये के गैर न्यायिक स्टाम्प पेपर पर सम्पादित किया जाएगा, स्टाम्प पेपर की कीमत आपके द्वारा वहन की जाएगी।

The DGM(Engg-Civil), AAI, Lal Bahadur Shastri International Airport, Varanasi shall be the Engineer-in-charge of the work and AGM (E-C)/Asstt. Manager (E-C), AAI, Lal Bahadur Shastri International Airport, Varanasi shall be our authorised representative. You are requested to attend the office of the AGM(Engg-Civil) by 19.12.2023 to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs. 100/- and the cost of stamp paper shall be borne by you.

- 3) धरोहर राशि रुपये 4,06,080.00 (रुपया चार लाख छः हजार अस्सी मात्र) संविदा प्रपत्र के अनुच्छेद 1ए पेज 16 के अनुसार प्रतिभूति निक्षेप राशि का हिस्सा मानकर उसमें बदल दिया जाएगा। कृपया शेष प्रतिभूति निक्षेप राशि रुपये 10,55,545.00 (रुपया दस लाख पचपन हजार पाँच सौ पैतालीस मात्र) इस पत्र के निर्गत दिनांक से दस दिनों के भीतर जमा करें अन्यथा उक्त धनराशि की कटौती संविदा प्रपत्र की उक्त संदर्भित शर्त के अनुसार चालू लेखा बिलों से की जाएगी।

The earnest money amount of Rs. 4,06,080.00 (Rupees Four Lakhs Six Thousand Eighty only) received along with your tender will be treated and converted as a part of security deposit. Please deposit Rs.10,55,545.00 (Rupees Ten Lakhs Fifty Five Thousand Five Hundred Forty Five only), towards balance security deposit within 10 days from the date of issue of this letter, failing which the same will be deducted from the Running Account Bills as per condition GCC 1A on page 16 of the contract document.

शेष पृष्ठ 2 पर....

AC





-2-

- 4) आपसे अनुरोध है कि संविदा श्रमिक प्रावधान (विनिमय एवं उन्मूलन) एक्ट 1970, श्रमिक प्रावधान (विनिमय एवं उन्मूलन)-केन्द्रीय नियम 1971, न्यूनतम मजदूरी अधिनियम एवं इस सम्बन्ध में केन्द्र/राज्य सरकार के नियमों का पालन करना सुनिश्चित करें।  
You are requested to comply with the provisions of Contract Labour (Regulation & Abolition) Act of 1970 and Contract Labour (Regulation & Abolition) Central rules 1971 and Minimum Wages Act & Rules thereof Central and State Governments with upto date amendments.
- 5) आपको निर्देशित किया जाता है कि आप तुरन्त प्रभाव से सहा० प्रबन्धक (अभि०-सि०), भा. वि.प्रा, लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी से सम्पर्क करें जो आपको कार्यस्थल सौपने की व्यवस्था करेंगे।  
You are also directed to contact the Asstt. Manager (E-C), AAI, Lal Bahadur Shastri International Airport, Varanasi, immediately who will arrange to hand over the site to you.
- 6) कृपया ध्यान दें कि कार्य पूर्ण करने की अवधि 06(छः) महीने हैं जो कि दिनांक 04.12.2023 से प्रभावी मानी जाएगी।  
Please note that time allowed for carrying out the work shall be 06 (Six) months and the same shall be reckoned from 04.12.2023
- 7) संविदा के सन्दर्भ में किसी भी प्रकार का पत्राचार सामान्यतः उपमहाप्रबन्धक (अभि-सिविल), भा.वि.प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी-221006, को सम्बोधित करें।  
Any further correspondence in connection with the contract should normally be addressed to the DGM (Engg-Civil), AAI, Lal Bahadur Shastri International Airport, Varanasi-221006
- 8) कृपया इस पत्र की पावती भेजें एवं पत्र कि अनुलिपि जो कि संलग्न है को हस्ताक्षरित कर अधोहस्ताक्षरी को स्वीकृत चिन्ह के रूप में वापस करें।  
Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.
- 9) विषयक कार्य से संबंधित अनुसूची-अ, (कुल प्रष्ठ 03 (सिविल कार्य रु. 1,46,16,250.00) संलग्न है।  
Schedule 'A' (total page 03) (Civil works Rs. 1,46,16,250.00) of the work is enclosed.

उपरोक्त के हिन्दी पाठ में कोई अन्तर या द्विधार्थकता होने की स्थिति में अंग्रेजी पाठ मान्य होगा।

In case of difference or ambiguity in Hindi and English version, the English version will prevail.

धन्यवाद।

भवदीय

संलग्नक- यथोपरि  
Encl:- As above

*(Signature)*  
25.11.2023

उ.म.प्र.(अभि.-सिविल),  
DGM (Engg-Civil)

अध्यक्ष, भा०वि०प्रा० के लिए व उनकी तरफ से  
For and on behalf of the Chairman, AAI

उप महाप्रबन्धक (अभि०-सिविल)  
Deputy General Manager (Engg-Civil)



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

प्रतिलिपि:

मूल प्रति पर नहीं (NOO)

अ. बाहरी-

1. संयुक्त महाप्रबन्धक (अभि)-उ0क्षे0, भाविप्रा, नई दिल्ली-110037 : सूचनार्थ
2. सहायक श्रम आयुक्त (सी), 189-ए/4ए, अलोपी बाग, पोस्ट-दारागंज, प्रयागराज : सूचनार्थ
3. श्रम प्रवर्तन अधिकारी (सी), 189-ए/4ए, अलोपी बाग, पोस्ट-दारागंज, प्रयागराज : सूचनार्थ

ब. आंतरिक-

1. निदेशक विमानपत्तन : सूचनार्थ
2. प्रभारी (विल्ल) : -तदैव-
3. सं.म.प्र. (अभि-विद्युत) : -तदैव-
4. सं.म.प्र. (अभि-सिविल) : -तदैव-
5. श्री अशीष कुमार गुप्ता, सहा0 प्रबन्धक (अभि-सिविल) : आवश्यक कार्यवाही हेतु।
6. कार्यादेश फाईल :  
अनुबन्ध

OK

26-11-2023  
उ.म.प्र.(अभि.-सिविल),

उप महाप्रबन्धक (अभि0-सिविल)  
Deputy General Manager (Engg-Civil)  
भारतीय विमानपत्तन प्राधिकरण  
Airports Authority of India  
लाल बहादुर शास्त्री अंतर्राष्ट्रीय हवाई अड्डा, वाराणसी  
Lal Bahadur Shastri International Airport, Varanasi



Tender Inviting Authority: Airports Authority of India

Name of Work: Re-carpeting of perimeter road from cargo gate to panel no-1436, replacement of damaged CC Panel from operational gate no 3 to apron & protection of perimeter wall corner from vegetation & movement of porcupine at LBSI Airport, Varanasi  
 Contract No: 2023\_AAI\_170362\_1


|                                                    |                                                                                                                                                                                                                                                                                                                                          |                  |          |       |                                                                         |                          |                                                                      |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------|
| Name of the Bidder/<br>Bidding Firm /<br>Company : | M/S AWADHESH CONSTRUCTION.                                                                                                                                                                                                                                                                                                               |                  |          |       |                                                                         |                          |                                                                      |
| PRICE SCHEDULE                                     |                                                                                                                                                                                                                                                                                                                                          |                  |          |       |                                                                         |                          |                                                                      |
| Sl. No.                                            | Item Description                                                                                                                                                                                                                                                                                                                         | Item Code / Make | Quantity | Units | RATE (excluding GST)<br>In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                             |
| 1                                                  | 2                                                                                                                                                                                                                                                                                                                                        | 3                | 4        | 5     | 7                                                                       | 8                        | 10                                                                   |
| 0.1                                                | Civil Works                                                                                                                                                                                                                                                                                                                              |                  |          |       |                                                                         |                          |                                                                      |
| 1                                                  | Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.                                             | Item1            | 1192.00  | cum   | 95.00                                                                   | 113240.00                | INR One Lakh Thirteen Thousand Two Hundred & Forty Only              |
| 2                                                  | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)                                   | Item2            | 420.00   | cum   | 4125.00                                                                 | 1732500.00               | INR Seventeen Lakh Thirty Two Thousand Five Hundred Only             |
| 3                                                  | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : "1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)                                                                                            | Item3            | 630.00   | cum   | 4695.00                                                                 | 2957850.00               | INR Twenty Nine Lakh Fifty Seven Thousand Eight Hundred & Fifty Only |
| 4                                                  | Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with lead upto 50 metres. | Item4            | 1190.00  | sqm   | 140.00                                                                  | 166600.00                | INR One Lakh Sixty Six Thousand Six Hundred Only                     |



| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                                       |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|-------------------------------------------------------------|
| 5       | Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge.<br>With material conforming to Grade-II (size range 53 mm to 0.075 mm ) having CBR Value-25                                                                                                                                | Item5            | 179.00   | cum   | 2195.00                                                           | 392905.00             | INR Three Lakh Ninety Two Thousand Nine Hundred & Five Only |
| 6       | Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm ) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge.                                                                                                                                                                                      | Item6            | 34.00    | cum   | 2270.00                                                           | 77180.00              | INR Seventy Seven Thousand One Hundred & Eighty Only        |
| 7       | Providing and laying bituminous macadam using crushed stone aggregates of specified grading premixed with bituminous binder, transported to site by tippers, laid over a previously prepared surface with paver finisher equipped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers as per specifications to achieve the desired compaction and density, complete as per specifications and directions of Engineer-in-Charge. 50 to 100 mm average compacted thickness with bitumen of grade VG-30 @ 3.50% (percentage by weight of total mix) prepared in Batch Type Hot Mix Plant of 100-120 TPH capacity. | Item7            | 12.00    | cum   | 8900.00                                                           | 106800.00             | INR One Lakh Six Thousand Eight Hundred Only                |
| 8       | Providing and applying tack coat using bitumen emulsion conforming to IS:8887, using emulsion pressure distributor including preparing the surface & cleaning with mechanical broom.<br>(a) On W.B.M / W.M.M. @ 0.4kg/sqm                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Item8            | 225.00   | sqm   | 25.00                                                             | 5625.00               | INR Five Thousand Six Hundred & Twenty Five Only            |
| 9       | Providing and applying tack coat using hot straight run bitumen of grade VG - 30, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications : On bituminous surface @ 0.50 Kg / sqm                                                                                                                                                                                                                                                                                                                                                                       | Item9            | 13800.00 | sqm   | 31.00                                                             | 427800.00             | INR Four Lakh Twenty Seven Thousand Eight Hundred Only      |
| 10      | 4 cm thick bitumastic sheet with hot bitumen of approved quality using stone chippings (60% 12.5mm nominal size and 40% 10mm nominal size) @ 2.60cum per 100 sqm and coarse sand at 2.60cum per 100 sqm of road surface and with bitumen @ 56 kg/cum. of stone chippings and at 128 kg/cum of sand over a tack coat with hot straight run bitumen including consolidation with road roller of 8 to 10 tonne etc. complete. (tack coat to be paid separately) :<br>With paving asphalt grade VG - 30 with no solvent                                                                                                                                                                        | Item10           | 13800.00 | sqm   | 495.00                                                            | 6831000.00            | INR Sixty Eight Lakh Thirty One Thousand Only               |



| Sl. No.                     | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Item Code / Make                                                                  | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------|-------|-------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------|
| 11                          | Brick edging in full brick width and half brick depth including excavation, refilling and disposal of surplus earth lead upto 50 metres. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Item11                                                                            | 7240.00  | Mtr   | 60.00                                                             | 434400.00             | INR Four Lakh Thirty Four Thousand Four Hundred Only                   |
| 12                          | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Item12                                                                            | 54.00    | cum   | 100.00                                                            | 5400.00               | INR Five Thousand Four Hundred Only                                    |
| 13                          | Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Item13                                                                            | 54.00    | cum   | 200.00                                                            | 10800.00              | INR Ten Thousand Eight Hundred Only                                    |
| 14                          | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. 80 mm thick C.C. paver block of M-30 grade with approved color design and pattern | Item14                                                                            | 965.00   | sqm   | 750.00                                                            | 723750.00             | INR Seven Lakh Twenty Three Thousand Seven Hundred & Fifty Only        |
| 15                          | Providing and applying 2.5 mm thick road marking strips (retroreflective) of specified shade/ colour using hot thermoplastic material by fully/ semi automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt, seals, oil, grease and foreign material etc. complete as per direction of Engineer-in-charge and accordance with applicable specifications                                                                                                                                                                        | Item15                                                                            | 1600.00  | sqm   | 394.00                                                            | 630400.00             | INR Six Lakh Thirty Thousand Four Hundred Only                         |
| <b>Total in Figures</b>     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                   |          |       |                                                                   | <b>14616250.00</b>    | INR One Crore Forty Six Lakh Sixteen Thousand Two Hundred & Fifty Only |
| <b>Quoted Rate in Words</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>INR One Crore Forty Six Lakh Sixteen Thousand Two Hundred &amp; Fifty Only</b> |          |       |                                                                   |                       |                                                                        |

  
 उप महाप्रबन्धक (आगम-सिविल)  
 Deputy General Manager (Engg-Civil)  
 भारतीय विमानपत्तन प्राधिकरण  
 Airports Authority of India  
 लाल बहादुर शास्त्री अंतर्राष्ट्रीय हवाई अड्डा, वाराणसी  
 Lal Bahadur Shastri International Airport, Varanasi

1. 1990-1995  
 2. 1996-2000  
 3. 2001-2005  
 4. 2006-2010  
 5. 2011-2015  
 6. 2016-2020  
 7. 2021-2025  
 8. 2026-2030  
 9. 2031-2035  
 10. 2036-2040  
 11. 2041-2045  
 12. 2046-2050  
 13. 2051-2055  
 14. 2056-2060  
 15. 2061-2065  
 16. 2066-2070  
 17. 2071-2075  
 18. 2076-2080  
 19. 2081-2085  
 20. 2086-2090  
 21. 2091-2095  
 22. 2096-2100  
 23. 2101-2105  
 24. 2106-2110  
 25. 2111-2115  
 26. 2116-2120  
 27. 2121-2125  
 28. 2126-2130  
 29. 2131-2135  
 30. 2136-2140  
 31. 2141-2145  
 32. 2146-2150  
 33. 2151-2155  
 34. 2156-2160  
 35. 2161-2165  
 36. 2166-2170  
 37. 2171-2175  
 38. 2176-2180  
 39. 2181-2185  
 40. 2186-2190  
 41. 2191-2195  
 42. 2196-2200  
 43. 2201-2205  
 44. 2206-2210  
 45. 2211-2215  
 46. 2216-2220  
 47. 2221-2225  
 48. 2226-2230  
 49. 2231-2235  
 50. 2236-2240  
 51. 2241-2245  
 52. 2246-2250  
 53. 2251-2255  
 54. 2256-2260  
 55. 2261-2265  
 56. 2266-2270  
 57. 2271-2275  
 58. 2276-2280  
 59. 2281-2285  
 60. 2286-2290  
 61. 2291-2295  
 62. 2296-2300  
 63. 2301-2305  
 64. 2306-2310  
 65. 2311-2315  
 66. 2316-2320  
 67. 2321-2325  
 68. 2326-2330  
 69. 2331-2335  
 70. 2336-2340  
 71. 2341-2345  
 72. 2346-2350  
 73. 2351-2355  
 74. 2356-2360  
 75. 2361-2365  
 76. 2366-2370  
 77. 2371-2375  
 78. 2376-2380  
 79. 2381-2385  
 80. 2386-2390  
 81. 2391-2395  
 82. 2396-2400  
 83. 2401-2405  
 84. 2406-2410  
 85. 2411-2415  
 86. 2416-2420  
 87. 2421-2425  
 88. 2426-2430  
 89. 2431-2435  
 90. 2436-2440  
 91. 2441-2445  
 92. 2446-2450  
 93. 2451-2455  
 94. 2456-2460  
 95. 2461-2465  
 96. 2466-2470  
 97. 2471-2475  
 98. 2476-2480  
 99. 2481-2485  
 100. 2486-2490  
 101. 2491-2495  
 102. 2496-2500  
 103. 2501-2505  
 104. 2506-2510  
 105. 2511-2515  
 106. 2516-2520  
 107. 2521-2525  
 108. 2526-2530  
 109. 2531-2535  
 110. 2536-2540  
 111. 2541-2545  
 112. 2546-2550  
 113. 2551-2555  
 114. 2556-2560  
 115. 2561-2565  
 116. 2566-2570  
 117. 2571-2575  
 118. 2576-2580  
 119. 2581-2585  
 120. 2586-2590  
 121. 2591-2595  
 122. 2596-2600  
 123. 2601-2605  
 124. 2606-2610  
 125. 2611-2615  
 126. 2616-2620  
 127. 2621-2625  
 128. 2626-2630  
 129. 2631-2635  
 130. 2636-2640  
 131. 2641-2645  
 132. 2646-2650  
 133. 2651-2655  
 134. 2656-2660  
 135. 2661-2665  
 136. 2666-2670  
 137. 2671-2675  
 138. 2676-2680  
 139. 2681-2685  
 140. 2686-2690  
 141. 2691-2695  
 142. 2696-2700  
 143. 2701-2705  
 144. 2706-2710  
 145. 2711-2715  
 146. 2716-2720  
 147. 2721-2725  
 148. 2726-2730  
 149. 2731-2735  
 150. 2736-2740  
 151. 2741-2745  
 152. 2746-2750  
 153. 2751-2755  
 154. 2756-2760  
 155. 2761-2765  
 156. 2766-2770  
 157. 2771-2775  
 158. 2776-2780  
 159. 2781-2785  
 160. 2786-2790  
 161. 2791-2795  
 162. 2796-2800  
 163. 2801-2805  
 164. 2806-2810  
 165. 2811-2815  
 166. 2816-2820  
 167. 2821-2825  
 168. 2826-2830  
 169. 2831-2835  
 170. 2836-2840  
 171. 2841-2845  
 172. 2846-2850  
 173. 2851-2855  
 174. 2856-2860  
 175. 2861-2865