

आर्मर्ड व्हीकल्स निगम लिमिटेड
वाहन निर्माणी जबलपुर
भारत सरकार का उद्यम
रक्षामंत्रालय



ARMOURED VEHICLES NIGAM LIMITED
VEHICLE FACTORY JABALPUR
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE
CIN-U35990TN2021GOI145504

Vehicle Factory Jabalpur
Jabalpur State-Madhya Pradesh, Pin-482009

ACCEPTANCE LETTER No.: 84/RD 2305/2023-24/EOC/VFJ

To,
M/s Ganesh Prasad Singh,
Radhika Bhavan,
Vill- Madai, Jabalpur- 482009

Dear Sir,

Type of Work: Item Rate

Sub: -Periodical services of Perimeter wall, Watch towers and Security Offices & DSC Rooms at Gate No. 1, 3 & 6 inside factory at VFJ.

Ref: - Tender Ref. No: RD-2305/VFJ and Tender ID No. 2023_AVNL_172348_1

For and on behalf of the President of India, I hereby convey the acceptance of your tender by the competent financial authority for the above mentioned work for a total value of Rs. **29,60,300.00** (Twenty-Nine Lakhs Sixty Thousand Three Hundred point zero zero only) and order the services detailed in the schedule enclosed herewith at the item rates quoted by you in Schedule 'A' of the Tender documents as per the terms, conditions and specifications laid therein. List of items, to be issued by factory, is given in Schedule 'B'.

- The contract is allotted with No.22/Engg/VFJ/23-24/EOC Dated 29 /01/2024, which will have to be quoted by you in all future correspondence in connection with this contract.
- In accordance with condition No. 22 of the General Condition of Contract (IAFW-2249), please submit the security deposit of Rs.1,53,500.00 (Rupees One Lakhs Fifty-Three Thousand Five Hundred Only) in favour of "AVNL, Vehicle Factory Jabalpur" as mentioned in tender condition.
The maturity date of Security Deposit shall be minimum $12 + 2 = 14$ months from date of the completion of contract.
- The contract shall be governed by the terms and conditions as per the contract documents enclosed and general condition of contract MES IAFW 2249. The deviation limit shall be as per the clause No.19.1.1 & 19.1.2 of MES Contract Manual (latest revision).
- Shri Vinod Kumar Gupta, AWM/ LAB and Shri Saroj Panda, Ch'man/CM are nominated as Engineer-in-Charge and Site in-charge for the subject work respectively.
- You are requested to contact the Engineer-in-Charge within 7 days of receipt of this letter for taking over of site and to make time and progress chart. You will also maintain wage-cum-muster roll and all other records as required in Contract Labour Rules and Acts.
- Please acknowledge receipt of this letter and return two copies duly signed by you in proof of acceptance within seven (07) days from the date of receipt of this communication.

Copy to:

- F & A Section
- Shri Vinod Kumar Gupta, AWM/ LAB
- Shri Saroj Panda, Ch'man/CM

M/s Ganesh Prasad Singh

Proprietor

मेसर्स गणेश प्रसाद सिंह, जबलपुर
(ठेकेदार)

(सौरभ अग्रवाल)
जारीकर्ता अधिकारी, उपमहाप्रबंधक
कृते मुख्य महाप्रबंधक



Unit Address: Vehicle Factory Jabalpur, MP -482009
PHONE NO: 0761-2793000, 2793001, 2330520
FAX NO. 0761-2330436, EMAIL: vfj.ofb@nic.in

Regd. Address: C/o Armoured Vehicles Headquarters,
HVF Road, Bhaktavatsalapuram, Avadi, Chennai, TN 600054, INDIA
PHONE NO: 044-26383601, 26384784, FAX NO. 044-26383653

आर्मर्ड व्हीकल्स निगम लिमिटेड
वाहन निर्माणी जबलपुर
भारत सरकार का उद्यम
रक्षामंत्रालय



ARMoured VEHICLES NIGAM LIMITED
VEHICLE FACTORY JABALPUR
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE
CIN-U35990TN2021GOI145504

IN LIEU OF IAFW-1823(REVISED)
CONTRACTORS' ORDER SHEET

Work Order/Deviation Order No.	22/23-24
Acceptance letter No.	84/RD 2305/2023-24/EOC/VFJ
Contractor's Name	M/s Ganesh Prasad Singh
Name of the work	Periodical services of Perimeter wall, Watch towers and Security Offices & DSC Rooms at Gate No. 1, 3 & 6 inside factory at VFJ.
CA amount	29,60,300.00

PARTICULARS

1. Authority	CWC decision No. CWC-II
2. Time effect	
a. Date of handing over of the site	05/02/2024
b. Date of commencement of work	05/02/2024
c. Date of Completion as per contract	01/10/2024
d. Date for completion shown in previous Orders	NA
e. Revised date of completion	NA
3. Financial effect (Rs.)	
a. Present order	29,60,300.00
b. Contract amount as adjusted by previous orders	NA
c. Contract amount adjusted up to and including this order	NA
4. Expenditure to be booked under Code Head No.	809/01
5. Certified that no special rate is involved	
6. Technical Examiner	Lt. Col. Rupinder Singh, Sr. SO
7. Approved	Shri Saurabh Agrawal, DGM
8. Accepted	M/s Ganesh Prasad Singh, JBP

Distribution to: -

1. M/s Ganesh Prasad Singh, JBP
2. F&A section
3. Sr. Security Officer
4. Lt. Col. Rupinder Singh, Sr. SO(TE)
5. Shri Vinod Kumar Gupta, AWM/ LAB(EIC)
6. Shri Saroj Panda, Ch'man/CM(SIC)
7. Internal Audit cell, Test Audit, ALWC
8. Safety Officer

M/s Ganesh Prasad Singh

मेसर्स गणेश प्रसाद सिंह, जबलपुर
(ठेकेदार)

(सौरभ अग्रवाल)
जारीकर्ता अधिकारी, उपमहाप्रबंधक
कृते मुख्य महाप्रबंधक



Unit Address: Vehicle Factory Jabalpur, MP -482009
PHONE NO: 0761-2793000, 2793001, 2330520
FAX NO. 0761-2330436, EMAIL: vfj.ofb@nic.in

Regd. Address: C/o Armoured Vehicles Headquarters,
HVF Road, Bhaktavatsalapuram, Avadi, Chennai, TN 600054, INDIA
PHONE NO: 044-26383601, 26384784, FAX NO. 044-26383653

आर्मर्ड व्हीकल्स निगम लिमिटेड
वाहन निर्माणी जबलपुर
भारत सरकार का उद्यम
रक्षामंत्रालय



ARMOURED VEHICLES NIGAM LIMITED
VEHICLE FACTORY JABALPUR
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE
CIN-U35990TN2021GOI145504

SCHEDULE - "A"

Item Code	Item description	Quantity	Unit	Rate / Unit	Total Cost
1	Surface excavation n.exc (not exceeding) 30 cm deep and averaging 15cm deep and getting out in hard dense soil, including Clearing away all grass vegetation, saplings, shrubs, brushwood, undergrowth, roots, and trees not exceeding 30 cm girth (measured one metre above ground level) and removing rubbish upto a distance of 50 metres outside the periphery of the area under clearance except in the case of surface dressing which includes for all the foregoing except clearing away of trees as directed by EIC.	6500.00	Sqm	20.00	130000.00
2	Labour for Preparation of old surface plastered or unplastered Washing, rubbing down and stopping of distempered and painted surfaces shall include brooming down or steel wire brushing; scrapping down smoke soot, moulds, moss and efflorescent salts and trading oil and greasy spots on surface of old wall surfaces.	35000.00	Sqm	7.00	245000.00
3	Labour for Preparation of old surface plastered or unplastered Washing, rubbing down and stopping of distempered and painted surfaces shall include brooming down or steel wire brushing; scrapping down smoke soot, moulds, moss and efflorescent salts and trading oil and greasy spots on surface of old Ceiling surfaces.	500.00	Sqm	7.00	3500.00
4	Labour for Demolition of unreinforced cement Concrete of any description and in any position not otherwise specifically provided for	5.00	Cum	200.00	1000.00
5	M&L for Brick work with subclass B brick straight or curved on plan exc. 6m mean radius built in CM 1:6.	1.00	Cum	5800.00	5800.00
6	M & L for Providing, cement concrete in lintels upto 1.5m clear span, cills, steps; seismic and other similar bands, plinth courses, string courses, lacing courses, parapets and railings upto 60 cm in height, copings, kneelers, apex stones, bed plates, water troughs and the like including weathering, slightly rounded or chamfered angles and throating, as directed, Type B1 1:2:4 (20mm graded aggregate)	5.00	Cum	6000.00	30000.00
7	M&L for Formwork to sides of concrete foundations, footings, bases of columns, raft and raft beams, sides and soffits (if any) of foundation and plinth beams; and similar work; vertical or to batter flat with fair finished surface of concrete.	30.00	Sqm	350.00	10500.00
8	S&F of Framed brackets of angles or tees with web and flanges cut to shape, drilled and countersunk for screw, including bending and welding angles, as necessary, gusset plates, riveting, etc. n exc 10 kg each brackets, conforming to Fe. 290.Gde-E-165 (Brackets over 10 kg each to be measured under 'Structural Steel') for fixing of Barbed Wire. quality shall be verified by EIC. (Make:- TATA, JSW, JINDAL, Essarr and Sail).	350.00	Kg	110.00	38500.00
9	Fixing only of Framed brackets of angles or tees with web and flanges cut to shape, drilled and countersunk for screw, including bending and welding angles, as necessary, gusset plates, riveting, etc. n exc 10 kg each brackets, conforming to Fe. 290.Gde-E-165 (Brackets over 10 kg each to be measured under 'Structural Steel') for fixing Barbed Wire. quality shall be verified by EIC.	675.00	Kg	40.00	27000.00
10	S & F of Galvanised. 2 strand, steel barbed wire 2.24mm dia barbed with 2mm dia barbs at 75mm spacing and attaching and fixing to any type of standard	6.00	Per 100	1400.00	8400.00

मेसर्स गणेश प्रसाद सिंह, जबलपुर
(ठेकेदार)

(सीरिअग्रवाल)
जारीकर्ता अधिकारी, उपमहाप्रबंधक
कृते मुख्य महाप्रबंधक



Unit Address: Vehicle Factory Jabalpur, MP -482009
PHONE NO: 0761-2793000, 2793001, 2330520
FAX NO. 0761-2330436, EMAIL: vfj.ofb@nic.in

Regd. Address: C/o Armoured Vehicles Headquarters,
HVF Road, Bhaktavatsalapuram, Avadi, Chennai, TN 600054, INDIA
PHONE NO: 044-26383601, 26384784, FAX NO. 044-26383653

आर्मर्ड व्हीकल्स निगम लिमिटेड
वाहन निर्माणी जबलपुर
भारत सरकार का उद्यम
रक्षामंत्रालय



ARMoured VEHICLES NIGAM LIMITED
VEHICLE FACTORY JABALPUR
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE
CIN-U35990TN2021GOI145504

			RM		
	rails strain- ing bolts, including, securing or tying at crossings with and provision of galvanised mild steel wire, staples or steel pins, etc. as directed (each line wire to be measured) fixed in Repairs.				
11	Fixing of Galvanised. 2 strand, steel barbed wire 2.24mm dia barbed with 2mm dia barbs at 75mm spacings and straining and fixing to any type of standard rails strain- ing bolts, including, securing or tying at crossings with and provision of galvanised mild steel wire, staples or steel pins, etc. as directed (each line wire to be measured) fixed in Repairs.	8.00	Per 100 RM	800.00	6400.00
12	Labour for Taking down cement or cement lime plaster, any description on brick or stone walls, etc. including raking out joints, hacking for key, scrubbing down with water, etc	500.00	Sqm	25.00	12500.00
13	M & L for Rendering 10 mm thick Cement Plaster CM 1:4 on fair faces of brick work or concrete surfaces.	500.00	Sqm	250.00	125000.00
14	M & L for applying Two or more coats of 100% Premium acrylic emulsion paint having VOC less than 50 gm/litre and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tinted) with silicon additives @ 1.43 litre/ 10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/ 10 sqm over existing surfaces, (include all cracks fill by POP/Putty/Cement mortar before painting) Colour and quality shall be verified by EIC. (Make :- Exterior Paint with Primer :- Asian, Burger, Nerolac, Indigo and Dulex).	34000.00	Sqm	60.00	2040000.00
15	M & L for 3mm thick wall care putty on Wall. Quality shall be verified by EIC. (Make :- for Putty :- Birla white, JK white, Asian, Berger, Dr. Fixit and Nippon).	1500.00	Sqm	40.00	60000.00
16	M & L for 3mm thick wall care putty on Ceiling. Quality shall be verified by EIC. (Make :- for Putty :- Birla white, JK white, Asian, Berger, Dr. Fixit and Nippon).	500.00	Sqm	40.00	20000.00
17	M & L for distempering on wall two coats of distemper Oil Emulsion white or tinted. Colour and quality shall be verified by EIC. (Make :- for Interior Oil Emulsion:- Asian, Burger, Nerolac, Indigo and Dulex).	700.00	Sqm	35.00	24500.00
18	M & L for distempering on ceiling two coats of distemper Oil Emulsion white or tinted. Colour and quality shall be verified by EIC. (Make :- for Interior Oil Emulsion:- Asian, Burger, Nerolac, Indigo and Dulex).	500.00	Sqm	35.00	17500.00
19	M & L for preparation of old painted wooden or wood based surfaces of any description not otherwise described over 10 cm width or grith and painting with one coat of synthetic enamel paint (ordinary tint) Colour and quality shall be verified by EIC. (Paint/Primer:- Asian, Burger, Nerolac, Indigo and Dulex).	20.00	Sqm	35.00	700.00
20	M & L for preparation of old painted steel or iron surfaces any description over 10cm width or girth not otherwise described and painted with Two coat of synthetic enamel paint (ordinary tint) Colour and quality shall be verified by EIC. (Paint/Primer:- Asian, Burger, Nerolac, Indigo and Dulex).	1350.00	Sqm	40.00	54000.00
21	M & L for preparation of old painted steel or iron surfaces any description over 10cm width or girth not otherwise described and painted with one coat of aluminium paint Colour and quality shall be verified by EIC. (Paint/Primer:- Asian, Burger, Nerolac, Indigo and Dulex).	2500.00	Sqm	40.00	100000.00
Total value of Items Rs.					29,60,300.00
Add Taxes as applicable Rs.					Nil
Gross Rs.					29,60,300.00

M/s Ganesh Prasad Singh

मेसर्स गणेश प्रसाद सिंह, जबलपुर
(ठेकेदार)

(सौरभ अग्रवाल)

जारीकर्ता अधिकारी, उपमहाप्रबंधक
कृते मुख्य महाप्रबंधक



Unit Address: Vehicle Factory Jabalpur, MP -482009
PHONE NO: 0761-2793000, 2793001, 2330520
FAX NO. 0761-2330436, EMAIL: vfj.ofb@nic.in

Regd. Address: C/o Armoured Vehicles Headquarters,
HVF Road, Bhaktavatsalapuram, Avadi, Chennai, TN 600054, INDIA
PHONE NO: 044-26383601, 26384784, FAX NO. 044-26383653

TERMS & CONDITIONS:

1. Special Condition: The Material required for the subject work which be brought inside the factory by the contractors, should be noted along with challan/ vouchers etc. and a copy of the same are to be given to the engineering office for record and copy to be submitted by the contractors along with the bill while claiming the payment.
2. Payment Clause: The contractor has to pay the minimum daily wages to the High skilled/skilled/ semi-skilled/ unskilled labourer engaged in their work as specified by the Government, latest rate and displayed in the wages notice Board at factory. Contractor has to maintain a record of worker's attendance and wages paid to them.
3. Safety Clause: Annexure-B of MES Safety Code, IAFW 2249 must be observed in general. Work Permit shall be obtained for overhead/hazardous work condition. All the safety precautions/measures have to be taken by the contractor. However, a few points of safety measures to be followed for working at height and on the roof are mentioned here by: -

Use of safety belt and helmet of proper quality is mandatory for all workers working on roofs at height of above 5.00 meters and also in the underground areas. Safety belt with life line should be properly tied at some firm support in

- i. In case any difficulty is faced in proper fastening and securing of safety belt, a safety net may be provided below the workspot so that in case of accident fall, there might not be any fatality.
 - ii. A crawling ladder or roof walker must be used for movement on Asbestos/CGI roofing.
 - iii. Work Permit system should be followed in proper spirit. Contractors shall start the work after obtaining the Work Permit, wherever applicable. Contractor's supervisor and site-in-charge should brief on safety precautions to be observed by the workmen before start of the work. The workers should be clearly explained about the danger of standing or sitting on an apparently stout & new and neat looking asbestos/CGI sheet which is intrinsically weak.
 - iv. The contractor shall clear the site after completion of work.
 - v. The contractor must employ the labour force duly insured against life risk.
 - vi. The contractor shall ensure compliance of all applicable statutory rules and regulations.
4. DEVIATION CLAUSE:
 - (i) $\pm 25\%$ of value of individual item other than freakishly rate quoted items.
 - (ii) For freakishly higher or lower rate quoted items it shall be $\pm 5\%$.
 - (iii) 20% of Work Order value (Contract value maximum Rs.10 lakhs)
 - 10% of Work Order value (Contract value exceeding Rs.10 lakhs)


M/s Ganesh Prasad Singh

 Proprietor

मेसर्स गणेश प्रसाद सिंह, जबलपुर
(ठेकेदार)



Unit Address: Vehicle Factory Jabalpur, MP -482009
PHONE NO: 0761-2793000, 2793001, 2330520
FAX NO. 0761-2330436, EMAIL: vfj.ofb@nic.in


(सौरभ अग्रवाल)

जारीकर्ता अधिकारी, उपमहाप्रबंधक
कृते मुख्य महाप्रबंधक

Regd. Address: C/o Armoured Vehicles Headquarters,
HVF Road, Bhaktavatsalapuram, Avadi, Chennai, TN 600054, INDIA
PHONE NO: 044-26383601, 26384784, FAX NO. 044-26383653