

CORRIGENDUM

TENDER DISCHARGE NOTICE

03.08.2023

Name of Work: Supply, Installation, Testing and Commissioning of Drinking Water Cooler (storage type) of Storage Capacity 80litres And RO Water Purifier with Purification Capacity Of 50 Litres/Hr for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal, Haryana (Package-10)

NIT No: IrconISL/1021/Tender/170/SVSU-RO Water dated 06.07.2023

The above mentioned tender has been discharged due to non-receipt of any bid.

For and On Behalf of
Shri Vishwakarma skill University

CHIEF EXECUTIVE OFFICER,
IRCON INFRASTRUCTURE & SERVICES LIMITED,
(A Govt. of India Undertaking)
B-40/A, SECTOR-1, NOIDA,
UTTAR PRADESH-201301,

CORRIGENDUM NO.5

13.06.2023

NIT No: IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

Name of Work: Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)

- I. The revised Bill of Quantities is enclosed as Annexure-1.
- II. All other terms & conditions of the subject e-tender shall remain unchanged.
- III. All bidders are advised to upload the signed and stamped copy of corrigendum-5 along with the technical bid.

CORRIGENDUM NO.4**09.06.2023**

NIT No: IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

Name of Work: Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)

I. The schedule for bidding is revised as under:-

Bid Submission End Date	22.06.2023	15:00 Hrs
Hard copy submission end date and Time (EMD)	22.06.2023	15:30 Hrs
BID Opening Date	23.06.2023	15:30 Hrs

II. All other terms & conditions of the subject e-tender shall remain unchanged.

III. All bidders are advised to upload the signed and stamped copy of corrigendum-4 along with the technical bid.

CORRIGENDUM NO.3

31.05.2023

NIT No: Ircon/SL/1021/Tender/167/SVSU-ITP dated 28.04.2023

Name of Work: Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)

I. The schedule for bidding is revised as under:-

Bid Submission End Date	12.06.2023	15:00 Hrs
Hard copy submission end date and Time (EMD)	12.06.2023	15:30 Hrs
BID Opening Date	13.06.2023	15:30 Hrs

II. **SCC Clause no.3.0 “Order of Priority of Contract Documents”** is revised as.

- 1) Bill of Quantities
- 2) Technical Specifications
- 3) Relevant IS Codes and Standard
- 4) Agreement
- 5) Letter of Acceptance
- 6) Instructions to Tenderers
- 7) Special Conditions of the Contract
- 8) General Conditions of the Contract
- 9) Notice Inviting Tender
- 10) Appendix to Tender
- 11) Form of Bid
- 12) Drawings

III. All other terms & conditions of the subject e-tender shall remain unchanged.

IV. All bidders are advised to upload the signed and stamped copy of corrigendum-3 along with the technical bid.

CORRIGENDUM NO.2**24.05.2023**

NIT No: IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

Name of Work: Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)

1. The schedule for bidding is revised as under:-

Bid Submission End Date	01.06.2023	15:00 Hrs
Hard copy submission end date and Time (EMD)	01.06.2023	15:30 Hrs
BID Opening Date	02.06.2023	15:30 Hrs

2. All other terms & conditions of the subject e-tender shall remain unchanged.

3. All bidders are advised to upload the signed and stamped copy of corrigendum-2 along with the technical bid.

CORRIGENDUM NO.1**17.05.2023**

NIT No: IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

Name of Work: Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)

1. The schedule for bidding is revised as under:-

Bid Submission End Date	25.05.2023	15:00 Hrs
Hard copy submission end date and Time (EMD)	25.05.2023	15:30 Hrs
BID Opening Date	26.05.2023	15:30 Hrs

2. All other terms & conditions of the subject e-tender shall remain unchanged.

3. All bidders are advised to upload the signed and stamped copy of corrigendum-1 along with the technical bid.

NOTE

01.05.2023

Sub: Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)-Addendum No.1

Above tender has floated on e-tender portal on 28.04.2023 and the Bid Submission Date for above tender is 18.05.2023 up to 15.00hrs. It is observed that the bill of quantities has not been uploaded on the portal with other tender documents, and there is also a small correction in the financial bid format. Therefore, it is requested that you kindly approve the revised financial bid format and bill of quantities.

Corrigendum no.1 towards uploading of Bill of Quantities and Revised financial bid format is enclosed herewith for your approval before uploading on website.

(Anamika Rajput)
Works Engineer/C

JGM/ C

CGM/C

CEO/IrconISL

NOTE

17.05.2023

Sub: Approval for Time Extension for Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9)-**Corrigendum No.1**

Ref:-NIT No.- IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

1. Tender on above subject is invited vide above reference. The Bid Submission date is 18.05.2023 up to 15.00 hrs..
2. As per the advice of the SVSU only two brands i.e. LG and Panasonic are allowed in the specification of the tender documents folio (33 & 40, 41).
3. Vide mail dated 14.05.2023 (folio no 263), M/s.Vestel visual Solutions has raised their concern for inclusion of only two brands in the tender document and requested for addition of one more brand for more competitive bidding. The same mail of M/s Vestel is also received from the SVSU on 14.05.2023 and asked for the needful action.
4. In reference of above mentioned mail a letter has been sent to SVSU vide no. IrconISL/1043/SVSU/2022/1700 dated 16.05.2023 for their comments & advice (folio no 280). Reply of SVSU is awaited Therefore, it is recommended to extend the bid due **date by 7 days i.e up to 25.05.2023.**

Corrigendum no.1 towards extension of bid due date is enclosed herewith for your concurrence before uploading on website is placed at Folio no. 281.

(Anamika Rajput)
Engineer/Civil

JGM/C

CGM/Civil

CEO

NOTE

24.05.2023

Sub: Approval for Time Extension for Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9).-**Corrigendum No.2**

Ref:-NIT No.- 1) IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023
2) Corrigendum no -1 dated. 17.05.2023

1. Tender on above subject is invited vide above reference. Initially bid submission date was 18.05.2023 up to 15.00 hrs , which has been extended to 25.05.2023 up to 15:00 hrs. vide corrigendum no 1
2. As per the advice of the SVSU only two brands i.e. LG and Panasonic are allowed in the specification of the tender documents folio (33 & 40, 41).
3. Vide mail dated 14.05.2023 (folio no 263), M/s.Vestel visual Solutions has raised their concern for inclusion of only two brands in the tender document and requested for addition of one more brand for more competitive bidding. The same mail of M/s Vestel is also received from the SVSU on 14.05.2023 and asked for the needful action.
4. In reference of above mentioned mail a letter has been sent to SVSU vide no. IrconISL/1043/SVSU/2022/1700 dated 16.05.2023 for their comments & advice (folio no 280). Reply awaited
5. Vide mail dated 24.05.2023 of Sh. Mani Kiran Kumar, Manager/Electrical (folio no 288), It has been informed by the site office that concern of M/s vestel is discussed during the meeting of monitoring committee held on 19.05.2023. The minute of meeting is awaited from client and requested of opening of tender for one more week. Therefore, it is recommended to extend the bid due **date by 7 days i.e up to 01.06.2023.**

Corrigendum no.2 towards extension of bid due date is enclosed herewith for your concurrence before uploading on website is placed at Folio no. 289.

(Anamika Rajput)
Engineer/Civil

JGM/C

CGM/C

CEO

NOTE

31.05.2023

Sub: Approval for Time Extension for Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9).-**Corrigendum No.3**

Ref:-NIT No.- 1) IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

2) Corrigendum no -1 dated. 17.05.2023

3) Corrigendum no -2 dated 24.05.2023

1. Tender on above subject is invited vide above reference. Initially bid submission date was 18.05.2023 up to 15.00 hrs , which has been extended to 25.05.2023 up to 15:00 hrs. vide corrigendum no 1 and further extended up to 01.06.2023 up to 15:00 hrs. vide corrigendum no. 2 (Folio no. 289)
2. As per the advice of the SVSU only two brands i.e. LG and Panasonic are allowed in the specification of the tender documents folio (33 & 40, 41).
3. Vide mail dated 14.05.2023 (folio no 263), M/s.Vestel visual Solutions has raised their concern for inclusion of only two brands in the tender document and requested for addition of one more brand for more competitive bidding. The same mail of M/s Vestel is also received from the SVSU on 14.05.2023 and asked for the needful action.
4. In reference of above mentioned mail a letter has been sent to SVSU vide no. IrconISL/1043/SVSU/2022/1700 dated 16.05.2023 for their comments & advice (folio no 280). Reply awaited
5. Vide mail dated 24.05.2023 of Sh. Mani Kiran Kumar, Manager/Electrical (folio no 288), It has been informed by the site office that concern of M/s vestel is discussed during the meeting of monitoring committee held on 19.05.2023. The minute of meeting is still awaited from the client (SVSU).
6. Also SCC clause no. 3 “**Order of Priority of Contract Documents**” shall be revised as per SVSU approved tender Therefore, it is recommended to extend the bid due **date by 10 days i.e up to 12.06.2023.**

Corrigendum no.3 towards extension of bid due date is enclosed herewith for your concurrence before uploading on website is placed at Folio no. 290.

(Anamika Rajput)
Engineer/Civil

JGM/C

CGM/C

CEO

NOTE

09.06.2023

Sub: Approval for Time Extension for Supply, Installation, Testing and commissioning of Interactive Touch Panel along with accessories for Shri Vishwakarma Skill University at Village Dudhola, District-Palwal Haryana (Package-9).-**Corrigendum No.4**

Ref:-NIT No.- 1) IrconISL/1021/Tender/167/SVSU-ITP dated 28.04.2023

2) Corrigendum no -1 dated. 17.05.2023

3) Corrigendum no -2 dated 24.05.2023

4) Corrigendum no.-3 dated 31.05.2023

1. Tender on above subject is invited vide above reference. Initially bid submission date was 18.05.2023 up to 15.00 hrs, which has been extended to 25.05.2023 , 01.06.2023 & 12.06.2023 up to 15:00 vide above reference (2, 3 & 4).
2. As per the advice of the SVSU only two brands i.e. LG and Panasonic are allowed in the specification of the tender documents folio (33 & 40, 41).
3. Vide mail dated 14.05.2023 (folio no 263), M/s Vestel visual Solutions has raised their concern for inclusion of only two brands in the tender document and requested for addition of one more brand for more competitive bidding. The same mail of M/s Vestel is also received from the SVSU on 14.05.2023 and asked for the needful action.
4. In reference of above mentioned mail a letter has been sent to SVSU vide no. IrconISL/1043/SVSU/2022/1700 dated 16.05.2023 for their comments & advice (folio no 280). Reply awaited
5. Vide mail dated 24.05.2023 of Sh. Mani Kiran Kumar, Manager/Electrical (folio no 288), It has been informed by the site office that concern of M/s vestel is discussed during the meeting of monitoring committee held on 19.05.2023. The minute of meeting is still awaited from the client (SVSU). Therefore, it is recommended to extend the bid due **date by 10 days i.e up to 22.06.2023.**

Corrigendum no.4 towards extension of bid due date is enclosed herewith for your concurrence before uploading on website (folio no 291).

(Anamika Rajput)
Engineer/Civil

JGM/C

CGM/C

CEO