

### MINUTES OF MEETING

Minutes of meeting of Evaluation Committee held on dated 7.12.2023 at 1:30 AM under the Chairmanship of Chief Engineer (NH,PPP) PWD, Rajasthan, Jaipur for Evaluation of Technical Bids for work of Engagement of Consultancy Services for supervision of Various NH EPC Projects:-

- (i) Upgradation to two lane paved shoulder in Km 33/0 to 126/520 of NH-23 (Old NH-11B) Kothun-Lalsot-Karoli-Dholpur road in the State of Rajasthan under EPC Mode (total length 93.520 km) (Job No. RO/JAI/RJ/NH-23 (old NH-11B) 2021-22/777)
- (ii) Construction & Widening of ROB Existing (Railway portion & approach) at Km 76 of old NH-116 (New NH-552Extn.) in Sawaimadhopur City in the state of Rajasthan on EPC mode.(Job No. NH-116 (New NH-552-Extn.)-RJ-2020-21-760) (total length 0.820km)
- (iii) Construction of 2-Lane with Paved Shoulder from Shahpura existing Km 0.000 (Design Chainage 0+000) to Thanagazi existing km 37+352 (Design Chainage 36+810) of NH-248A on EPC Mode in the State of Rajasthan (Job No. NH-248A/RJ/ 2021-22/790) (total length 36.810 km)
- (iv) Construction of 50.00 Mtr Span Bridge over at km 95+380 Sawaimadhopur- Sheopur NH-552 (Job No. NH-552-Extn.-RJ-2020-21-RSCE-32) (total length 0.05 km) with NIT cost Rs.3.39 Crore.

Venue: Chamber of CE (NH) Room No. C 201, PWD, Raj., Jaipur.

1. The following officers were present:

- |    |                                                |                  |
|----|------------------------------------------------|------------------|
| 1. | Chief Engineer (NH), PWD, Raj., Jaipur         | Chairman         |
| 2. | Addl Chief Engineer (NH), PWD, Raj., Jaipur    | Member           |
| 3. | FA (NH), PWD Rajasthan, Jaipur                 | Member           |
| 4. | Superintending Engineer, PWD, NH-Circle-Jaipur | Member           |
| 5. | Executive Engineer, PWD, NH-Dn.1 Jaipur        | Member Secretary |

2. At the outset the Chairman welcomed the participants.

3. EE, PWD, NH Dn.1 Jaipur apprised about the Evaluation of Technical Bids of above Works. The State PWD, Rajasthan had invited online tender for above work through Ministry's tender portal. and accordingly, tenders were received in the office of EE PWD NH Dn.1 Jaipur with last date of submission as 05.09.2023. The Bids were opened on 08.09.2023 by EE NH PWD Div I Jaipur and following 12 (Twelve) bidders participated in this tender:-

| S.No | Name of Bidders                                                                                                                    |
|------|------------------------------------------------------------------------------------------------------------------------------------|
| 1    | M/s G-Eng Advisory Services Pvt. Ltd in JV with Infinite Civil solutions in association with Civil Mantra Infracon Private Limited |
| 2    | M/s Dhruv Consultancy Services Ltd. In association with Designilla Pvt.Ltd.                                                        |
| 3    | M/s. Theme Engineering Services Pvt. Ltd in association Ishita Info Solutions Pvt. Ltd.                                            |
| 4    | M/s. SA Infrastructure Consultants Pvt. Ltd in JV Upham International Corporation in association Parisha engineers LLP             |
| 5    | M/s Planning & Infrastructural Development Consultants Pvt. Ltd in Association with PN Constructions and Developer Pvt.Ltd.        |
| 6    | M/s. ISAN Corporation in association I&R Projects & Consultants                                                                    |
| 7    | M/s. Centro De Estudios De Materiales Y Control De Obra, SA JV with Pioneer Infra Consultants in association Introsoft Solutions   |
| 8    | M/s. Engineering Consultancy Services JV with JC Technocrats Private Limited in association Jaiman Construction & Consultants LLP  |
| 9    | M/s. Global Infra Solutions JV Artifact Projects Ltd. in association MS Consultant                                                 |

|    |                                                                                                   |
|----|---------------------------------------------------------------------------------------------------|
| 10 | M/s. Lion Engineering Consultants Pvt. Ltd. in association Synergy Engineers Group Pvt. Ltd.      |
| 11 | M/s L N MALVIYA INFRA PROJECTS PVT. LTD.                                                          |
| 12 | M/s. Sterling Indo Tech Consultants P Ltd. in association Vital Vertex Value Venture Private Ltd. |

4. A meeting of above committee was held on 17.10.2023, after which technical bid was uploaded on 17.10.2023 and 7 days were given to bidders to raise objection through representation. In the meeting held on 10/11/2023 at 11:30 AM the evaluation committee under the Chairmanship of Chief Engineer (NH,PPP) PWD, Rajasthan deliberated over the representation of bidders and accordingly the following modifications have been made in the Evaluation which is mentioned as below :-

| S.No | Name of Bidder                                                                                                                     | Technical Evaluation Results Based on MoM of 17.10.2023                                                            | Final Technical evaluation results                                                                                                                                                                                                                                                                                                                 |
|------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.   | M/s G-Eng Advisory Services Pvt. Ltd in JV with Infinite Civil solutions in association with Civil Mantra Infracon Private Limited | Non-Responsive due to Total length of lead partner of JV is required to be 196.8 km as per RFP but found 154.12 km | No change                                                                                                                                                                                                                                                                                                                                          |
| 2.   | M/s Dhruv Consultancy Services Ltd. In association with Designilla Pvt.Ltd.                                                        | Non-Responsive due to TL minimum score as per RFP needed 75 but score is 74.                                       | No change                                                                                                                                                                                                                                                                                                                                          |
| 3    | M/s. Theme Engineering Services Pvt. Ltd. in association Ishita Info Solutions Pvt. Ltd.                                           | Non-Responsive due to RE minimum score needed to be 75 as per RFP but score of RE-1 and RE-2 is 68.                | The relevant experience as per section 2 "Letter of invitation to consultants" Appendix - EC clause 3.2 total marks have been rechecked and overall CV score of RE II comes out to be 68 , but as per RFP Section 1: "Information to Consultants", clause 3.4.X.e) minimum score required is 75 marks. Hence deemed as unresponsive. So no change. |
| 4    | M/s. SA Infrastructure Consultants Pvt. Ltd in JV Upham International Corporation in association Parisha engineers LLP             | Non-Responsive due to RE minimum score needed to be 75 as per RFP but is 71.                                       | The relevant experience as per section 2 "Letter of invitation to consultants" Appendix - EC clause 3.2 total marks have been rechecked and overall CV score of RE comes out to be 71, but as per RFP Section 1: "Information to Consultants", clause 3.4.X.e) minimum score required is 75 marks. Hence deemed as unresponsive. So no change.     |
| 5    | M/s Planning & Infrastructural Development Consultants Pvt. Ltd in Association with PN Constructions and Developer Pvt. Ltd.       | Non-Responsive due to RE minimum score needed to be 75 as per RFP but is 71.                                       | The relevant experience as per section 2 "Letter of invitation to consultants" Appendix - EC clause 3.2 total marks have been rechecked and overall CV score of RE comes out to be 71, but as per RFP Section 1: "Information to Consultants", clause 3.4.X.e) minimum score required is 75 marks. Hence deemed as unresponsive. So no change.     |

|    |                                                                                                                                   |                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6  | M/s. ISAN Corporation in association I&R Projects & Consultants                                                                   | Non-Responsive due to Total technical score should greater than equal to 75 marks but it is 66.68.                             | The sign on MOU is visible on Google Chrome, which was not visible earlier in Adobe flash player, hence M/s. ISAN Corporation in association I&R Projects & Consultants has been made responsive with technical score of 80.68 marks.                                                                                                                                                                        |
| 7  | M/s. Centro De Estudios De Materiales Y Control De Obra, SA JV with Pioneer Infra Consultants in association Introssoft Solutions | Non-Responsive due to Total length of associate partner of JV is required to be 118 km as per RFP, but found to be 111.542 km. | The project 1 & 4 have been executed as associate partner so 25% weightage shall be given as per clause 14-B (note) page no. 5 of Section 1 ITC (Information To Consultants) of RFP.<br>As per RFP clause 14, page no. 5 of Section 1 ITC (Information To Consultants) minimum 118.08 km is required as experience but actual length of experience is 111.54 km.<br>Hence deemed as unresponsive, no change. |
| 8  | M/s. Engineering Consultancy Services JV with JC Technocrats Private Limited in association Jaiman Construction & Consultants LLP | Responsive                                                                                                                     | The verification of Key personnel for Road Safety Expert Mr. Anuj Kumar has been found unsuccessful due to discrepancy, on Infracon portal. So technical score has been changed to 89.13 marks                                                                                                                                                                                                               |
| 9  | M/s. Global Infra Solutions JV Artifact Projects Ltd. in association MS Consultant                                                | Responsive                                                                                                                     | The verification of Key personnel for Resident Engineer Mr. Arun Kumar Gautam has been found unsuccessful due to discrepancy, on Infracon portal. As per RFP Section 1: "Information to Consultants", clause 3.4 X e) minimum score required is 75 marks, but due to discrepancy in CV 0 marks have been given and deemed as unresponsive.                                                                   |
| 10 | M/s. Lion Engineering Consultants Pvt. Ltd. in association Synergy Engineers Group Pvt. Ltd.                                      | Responsive                                                                                                                     | The score of TL has been rechecked and found 87 instead of 91 so overall score has been changed to 95.54 marks                                                                                                                                                                                                                                                                                               |
| 11 | M/s L N MALVIYA INFRA PROJECTS PVT. LTD                                                                                           | Responsive                                                                                                                     | The score of Road Safety Expert has been rechecked and found 81 instead of 96 so overall score has been changed to 95.24 marks.                                                                                                                                                                                                                                                                              |
| 12 | M/s. Sterling Indo Tech Consultants P Ltd. in association Vital Vertex Value Venture Private Ltd.                                 | Responsive                                                                                                                     | No change                                                                                                                                                                                                                                                                                                                                                                                                    |

5. After all considerations, Committee decided that following 5 Nos. bidders as below are Technically responsive and their Financial Bids may be opened.

| S.No | Name of Bidder                                                                                                                    | Technical Score | Final Technical Evaluation Results |
|------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|
| 1    | M/s. Engineering Consultancy Services JV with JC Technocrats Private Limited in association Jaiman Construction & Consultants LLP | 89.13           | Responsive                         |
| 2    | M/s. Lion Engineering Consultants Pvt. Ltd. in association Synergy Engineers Group Pvt. Ltd.                                      | 95.54           | Responsive                         |
| 3    | M/s L N MALVIYA INFRA PROJECTS PVT. LTD                                                                                           | 95.24           | Responsive                         |
| 4    | M/s. Sterling Indo Tech Consultants P Ltd. in association Vital Vertex Value Venture Private Ltd.                                 | 96.01           | Responsive                         |
| 5    | M/s. ISAN Corporation in association I&R Projects & Consultants                                                                   | 80.68           | Responsive                         |


The meeting ended with vote of thanks to all.

  
07/12/23  
(Aadesh Kumar)  
Executive Engineer  
PWD,NH,Dn-I, Jaipur

  
07/12/23  
(Anupam Gupta)  
Superintending Engineer  
PWD,NH,Circle-Jaipur

  
(Anupama Sharma)  
Financial Advisor  
PWD NH, Rajasthan

  
07/12/23  
(Chandan Singh)  
Addl Chief Engineer (NH)  
PWD,Rajasthan,, Jaipur

  
07/12/23  
(Vikas Dixit)  
Chief Engineer (NH)  
PWD,Rajasthan,, Jaipur