



# भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ संभा.वि.प्रा. राजमंड्री/(अभि-सि .)/मेट रोड रनवे/ 23-24/

Ref. No. AAI/RJY/Engg(C)/ MET RD RWY /2023-24/

दिनांक :18.03.2024

Date: 18.03.2024

सेवा में

एम/एस। बनमाली राउत,  
स्वप्न निवास, #33-15-3ए,  
सीतारम पुरम, विजयवाड़ा, आंध्र प्रदेश - 520 002।

To

M/s. Banamali Rout, Swapna Nivas, #33-15-3A,  
Seetharam puram, Vijayawada, Andhra Pradesh  
- 520 002.

कार्य का नाम : 05/23 की तरफ आरडब्ल्यूवाई के हिस्से का पुनर्निर्माण और राजमंडरी हवाई अड्डे पर एमईटी प्रतिष्ठानों के लिए संपर्क सड़कें प्रदान करना।

Name of Work : Resurfacing of portion of RWY on 05/23 side & providing connecting Roads to MET installations at Rajahmundry Airport.

संदर्भ : निविदा आईडी - 2024\_AAI\_180999\_1 के संदर्भ में विषय कार्य के लिए आपकी 16.02.2024 को खोली गई वित्तीय बोली, और आपका वार्ता प्रस्ताव पत्र दिनांक 07.03.2024।

Ref : Your financial bid for the subject work in reference to **Tender ID - 2024\_AAI\_180999\_1**, opened on 16.02.2024 and your negotiation offer letter dated 07.03.2024.

महोदय/Dear Sir,


- उपर्युक्त कार्य के लिए आपका ई-निविदा अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से आपके द्वारा उपरोक्त संदर्भित पत्र के माध्यम से आपके द्वारा प्रस्तुत बातचीत की गई वस्तु दरों पर कुल रु. 39,49,979.90 (उनतालीस लाख उनतालीस हजार नौ सौ उनहतर नब्बे पैसे मात्र) जो कि निविदा में लगाई गई अनुमानित लागत रु.36,77,117.00/- (जीएसटी को छोड़कर)। से 7.42% कम है।

Your E-tender for the work mentioned above is hereby accepted on behalf of Chairman, Airports Authority of India at the negotiated item rates submitted by you vide above referred letter totalling to **Rs. 39,49,979.90** (Rupees Thirty-Nine Lakhs Forty-nine Thousand nine Hundred and seventy nine ninety paise Only) which is 7.42 % above the estimated cost put to tender of Rs. 36,77,117.00/- (Excluding GST).

- उप. महाप्रबंधक (इंजीनियरिंग-सिविल)-II, एएआई राजमंडरी हवाई अड्डा कार्य का प्रभारी इंजीनियर होगा। आपसे अनुरोध है कि समझौते पर हस्ताक्षर करने और पूरा करने के लिए 02.04.2024 तक उप महाप्रबंधक (इंजीनियरिंग-सिविल)-II, एएआई, राजमंडरी हवाई अड्डे के कार्यालय में उपस्थित हों। समझौते 100/- रुपये मूल्य के गैर-न्यायिक स्टॉप पेपर पर निष्पादित किया जाएगा और स्टॉप पेपर की लागत आपके द्वारा वहन की जाएगी।

Dy. General Manager (Engg-Civil)-II, AAI Rajahmundry Airport shall be the Engineer-in-charge of the work. You are requested to attend the office of Dy. General Manager (Engg-Civil), AAI, Rajahmundry Airport by **02.04.2024** to sign and complete the Agreement. The Contract Agreement shall be executed on a non-judicial stamp paper of value of Rs.100/- and the cost of the stamp paper shall be borne by you.

- इस पत्र के जारी होने की तारीख से 10 दिनों के भीतर सुरक्षा जमा के रूप में रु. 3,94,980/- (तीन लाख रुपये - चौसठ हजार नौ सौ अस्सी मात्र) कृपया जमा करें। जमा करने में विफल रहने पर, अनुबंध दस्तावेज के जीसीसी खंड -17 की शर्तों धारा 1ए के अनुसार कटौती की जाएगी।



# भारतीय विमानपत्तन प्राधिकरण

## AIRPORTS AUTHORITY OF INDIA

Please deposit Rs. 3,94,980/- (Rupees Three lakhs –Ninety four Thousand Nine Hundred and Eighty only) towards security deposit within 10 days from the date of issue of this letter, failing which, the same will be deducted as per condition of Clause 1A on Page GCC-17 of the Contract Document.

4. आपसे अनुरोध है कि आप निविदा दस्तावेज़ जी सी सी खंड सं / 45 धारा 19 में उल्लिखित ठेका 19 श्रम(विनियमन एवं उन्मूलन) अधिनियम 1970, ठेका श्रम केंद्रीय (विनियामना एवं उन्मूलन) 1971 ,अधिनियम, बाल श्रम अधिनियम (निषेध और विनियमन),,1986 निर्माण श्रमिक रोजगार और 1996 (सेवा की शर्तें का विनियमन, भवन और अन्य निर्माण श्रमिक कल्याण उपकार अधिनियम 1996 के साथ केंद्र और राज्य सरकारों की नियमों और शर्तों की अनुपालन करें।

You are requested to comply with the provision of Contract Labour (Regulation and Abolition) Act of 1970 and Contract Labour (Regulation and Abolition) Central Rules 1971, Child Labour (Prohibition and Regulation) Act 1986, Construction Workers (Regulation of Employment and condition of Service) Act 1996, Building and other construction workers Welfare cess Act 1996 as specified in clause no. 19 at page no. 45 of GCC of tender and rules thereof Central and State Governments.

5. आपसे अनुरोध है कि आप निविदा दस्तावेज़ जी सी सी खंड सं 69 और 70/ धारा 46 में उल्लिखित 19 निर्दिष्ट बीमा की नियमों और शर्तों की अनुपालन करें।

You are requested to comply with the Insurance requirements as specified in clause no. 46 at page no. 69 & 70 of GCC of tender and rules.

6. आपको निर्देशित भी किया जाता है कि वरिष्ठ प्रबंधक अभि-सि भा.वि.प्रा, राजमंड्री हवाई अड्डा से तुरंत संपर्क करेंगे जो आप को साइट को सौंपने के लिए व्यवस्था करेंगे।

You are also directed to contact Sr. Manager (Engg-Civil), AAI Rajahmundry Airport immediately who will arrange to handover the site to you.

7. कृपया ध्यान रहे कि कार्य निष्पादन के लिए प्रदत्त समय 6 (बारह) महीने है तथा उसकी गणना इस पत्र के जारी होने के दसवें दिन | इसमें बारिश के लिए माने गए 60 दिन शामिल हैं।

Please note that the time allowed for carrying out the work shall be 06 (Six) Months including 60 days considered for Rains which shall be reckoned from the tenth day after issue of this letter.


8. इस संविदा के संबन्धित आगे की कोई भी पत्राचार सामान्य रूप से प्रभारी अभियंता को संबोधित किया जाएँ।

Any further correspondence in connection with this contract should normally be addressed to the Engineer-in-Charge.

9. कृपया पावती भेजें तथा इसके साथ संलग्नित इस पत्र की दूसरी प्रति पर विधिवत हस्ताक्षर करने के उपरांत प्राप्ति के प्रमाणस्वरूप में इसे अधोहस्ताक्षरी को वापस भेजें।

10. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after duly signing it to the undersigned as a token of acceptance.

भवदीय / Yours faithfully,

  
(सजीव जेवियर) / (Sajeed Xavier)

वरिष्ठ प्रबंधक (अभि-सि.), / Sr. Manager (Engg-Civil)  
भा.वि.प्रा. राजमंड्री हवाई अड्डा / AAI, Rajahmundry Airport  
अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण के लिए व उनकी तरफ से  
For and Behalf of the Chairman, Airports Authority of India.

संलग्न / Enclosure: बातचीत की गई आइटम दर / Negotiated Item rate BOQ .







| NUMBER #             | TEXT #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | TEXT #                                                                                     | NUMBER # | TEXT # | TEXT #                                  | NUMBER #                                                                       | TEXT #                            | NUMBER #                                                                             | NUMBER # | TEXT # |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------|--------|-----------------------------------------|--------------------------------------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------|----------|--------|
| S.No.                | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Item Code / Make                                                                           | Quantity | Units  | Quoted Currency in INR / Other Currency | RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by | TOTAL AMOUNT Without GST in Rs. P | TOTAL AMOUNT In Words without GST.                                                   |          |        |
| 1                    | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3                                                                                          | 4        | 5      | 6                                       | 7                                                                              | 8                                 | 9                                                                                    |          |        |
| 8                    | Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm ) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SH 2/3                                                                                     | 157.51   | Cum    | INR                                     | 1890                                                                           | 297693.90                         | INR Two Lakh Ninety Seven Thousand Six Hundred & Ninety Three and Paise Ninety Only  |          |        |
| 9                    | Providing and applying tack coat using bitumen emulsion conforming to IS:8887, using emulsion pressure distributor including preparing the surface & cleaning with mechanical broom. With rapid setting bitumen emulsion On W.B.M / W.M.M. @ 0.4kg/sqm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | SH 2/4                                                                                     | 700.00   | Sqm    | INR                                     | 54                                                                             | 37800.00                          | INR Thirty Seven Thousand Eight Hundred Only                                         |          |        |
| 10                   | Providing and applying tack coat using bitumen emulsion conforming to IS:8887, using emulsion pressure distributor including preparing the surface & cleaning with mechanical broom. With rapid setting bitumen emulsion On bituminous surface @ 0.25kg/sqm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | SH 2/5                                                                                     | 700.00   | Sqm    | INR                                     | 27                                                                             | 18900.00                          | INR Eighteen Thousand Nine Hundred Only                                              |          |        |
| 11                   | Providing and laying bituminous macadam using crushed stone aggregates of specified grading premixed with bituminous binder, transported to site by tippers, laid over a previously prepared surface with paver finisher to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers as per specifications to achieve the desired compaction and density, complete as per specifications and directions of Engineer-in-Charge. 50 to 100 mm average compacted thickness with bitumen of grade VG-30 @ 3.50% (percentage by weight of total mix) prepared in Drum Type Hot Mix Plant.                                                                                                                                                                                                                                                                                                                                                                                                                                                     | SH 2/6                                                                                     | 40.00    | Cum    | INR                                     | 10710                                                                          | 428400.00                         | INR Four Lakh Twenty Eight Thousand Four Hundred Only                                |          |        |
| 12                   | Providing and laying semi- dense Bituminous concrete using crushed stone aggregates of specified grading, premixed with bituminous binder and filler, transporting the hot mix to work site by tippers, laying with paver finisher to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction and density as per specification, complete and as per directions of Engineer-in-Charge. 25 mm compacted thickness with bitumen of grade VG-30 @ 5% (percentage by weight of total mix assumed as 115 kg/cum for tendering purpose) and lime filler @ 2% (percentage by weight of Aggregate) prepared in Drum Type Hot Mix Plant. Design mix from approved laboratory by EIC or from any Govt Engg College shall be submitted by the contractor at his own cost. If the actual quantity of bitumen varies from the quantity assumed above, necessary cost adjustment for deviation in the quantity of bitumen shall be done as per rate in actual supply voucher from refinery at the time of execution. | SH 2/7                                                                                     | 700.00   | Sqm    | INR                                     | 495                                                                            | 346500.00                         | INR Three Lakh Forty Six Thousand Five Hundred Only                                  |          |        |
| 13                   | Banking excavated earth in layers not exceeding 20 cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller, or wooden or steel rammers, and rolling every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing up, in embankments for roads, flood banks, marginal banks, and guide banks etc., lead upto 50 m and lift upto 1.5 m : All kinds of soil                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | SH 2/8                                                                                     | 60.00    | Cum    | INR                                     | 72                                                                             | 4320.00                           | INR Four Thousand Three Hundred & Twenty Only                                        |          |        |
| 14                   | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | SH 2/9                                                                                     | 3.00     | Cum    | INR                                     | 6210                                                                           | 18630.00                          | INR Eighteen Thousand Six Hundred & Thirty Only                                      |          |        |
| 15                   | Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | SH 2/10                                                                                    | 15.00    | Sqm    | INR                                     | 630                                                                            | 9450.00                           | INR Nine Thousand Four Hundred & Fifty Only                                          |          |        |
| 16                   | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SH 2/11                                                                                    | 1500.00  | Kg     | INR                                     | 88                                                                             | 132000.00                         | INR One Lakh Thirty Two Thousand Only                                                |          |        |
| Total in Figures     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                            |          |        |                                         |                                                                                | 3949979.90                        | INR Three Lakh Forty Nine Thousand Nine Hundred & Seventy Nine and Paise Ninety Only |          |        |
| Quoted Rate in Words |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | INR Thirty Nine Lakh Forty Nine Thousand Nine Hundred & Seventy Nine and Paise Ninety Only |          |        |                                         |                                                                                |                                   |                                                                                      |          |        |