



भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

Ref.No. AAM/ENGG/AMED-VIII/2024/ACDS/Cover-1

Date:24/04/2024

**Corrigendum-1**

**Name of work:-** SITC of Automated Chemical Dosing System at AC Plant at Chennai Airport including supply of chemicals for 4 years and CMC of system for 3 years after 1-year DLP

**Tender ID:-** 2024\_AAI\_192156\_1.

**The Bidders Details:**

| Sl. No. | Name of Agencies                 | Remarks                                                                      | Recommendation                         |
|---------|----------------------------------|------------------------------------------------------------------------------|----------------------------------------|
| 1       | M/s. Wat Tech System.,           | The Documents submitted are not meeting the eligibility criteria as per NIT. | Not eligible for opening of price bid. |
| 2       | M/s. Nalco Water India Pvt. Ltd. | The Documents submitted are not meeting the eligibility criteria as per NIT. | Not eligible for opening of price bid. |

The Cover-I was opened and 02 bidders participated. After scrutiny, both the bidders were found ineligible for opening of Cover-II (Price Bid) as described above.

Hence the above mentioned tender stands cancelled.

(Digitally Signed)  
AGM(Engg-Elect.),AMED-VIII.  
For, JGM(E-E)-I,AAI,AMED,C.I.A