



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

सं.स. : भाविप्रा/वारा/अभि./सामुदायिक केन्द्र/डब्लू-102/ 435-45/6544-54 दिनांक: 20.08.2024  
Ref No.: AAI/VNS/ENGG/Community Centre/W-102/ Date: 20.08.2024

सेवा में,

मेसर्स माँ शारदा इण्टरप्राइजेज  
आराजी भुपतपट्टी, पोस्ट-मुरदगंज  
जौनपुर-222002

M/s Maa Sharda Enterprises  
Araji Bhupatpatti, PO. Muradganj,  
Jaunpur-222002

विषय : एलबीएसआई हवाईअड्डे, वाराणसी में शौचालय, फाल्स सीलिंग, फर्श, दीवार क्लैडिंग और बाहरी क्षेत्र के विकास के साथ सामुदायिक केंद्र का नवीनीकरण।

**Renovation of Community Centre with Toilet, False ceiling, Flooring, Wall cladding and development of outside area at LBSI Airport, Varanasi (Tender ID: 2024\_AAI\_199744\_1)**

संदर्भ : ई-निविदा खुलने की तिथि : 01.08.2024

प्रिय महोदय/Dear Sir,

- 1) उपरोक्त कार्य की, कुल निविदा रकम रुपये 54,32,100.00 (रुपया चौवन लाख बत्तीस हजार एक सौ मात्र) (जी.एस.टी. रहित) की मदद दर निविदा, जो कि कार्य की अनुमानित लागत रुपये 92.79 लाख (जी.एस.टी. रहित) से 41.46% (इक्तालीस दशमलव चार छः प्रतिशत) कम है, आपके द्वारा निविदा प्रपत्र की अनुसूची 'अ' में दर्शायी गयी मददों पर भरी गई है, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत की जाती है।

Your tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the net tender amount Rs. 54,32,100.00 (Rupees Fifty Four Lakhs Thirty Two Thousand One Hundred only) (excluding GST) which is 41.46% (Forty One Point Four Six percent) below to the estimated cost put to tender of Rs. 92.79 lakhs (excluding GST).

- 2) सहायक महाप्रबन्धक (अभि०-सिविल), भा.वि.प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी इस कार्य के कार्य प्रभारी अभियन्ता होंगे तथा सहायक प्रबन्धक (अभि०-सि०), भा.वि. प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी उनके प्राधिकृत प्रतिनिधि होंगे। आपसे अनुरोध है कि दिनांक 14.09.2024 तक सहायक महाप्रबन्धक (अभि०-सिविल) के कार्यालय में उपस्थित होकर निविदा अनुबन्ध को हस्ताक्षरित कर पूर्ण करें। अनुबन्ध 100/- रुपये के गैर न्यायिक स्टाम्प पेपर पर सम्पादित किया जाएगा, स्टाम्प पेपर की कीमत आपके द्वारा वहन की जाएगी।

The AGM(Engg-Civil), AAI, Lal Bahadur Shastri International Airport, Varanasi shall be the Engineer-in-charge of the work and Asstt. Manager (E-C), AAI, Lal Bahadur Shastri International Airport, Varanasi shall be our authorised representative. You are requested to attend the office of the AGM(Engg-Civil) by 14.09.2024 to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs. 100/- and the cost of stamp paper shall be borne by you.

- 3) धरोहर राशि रुपये 1,85,580.00 (रुपया एक लाख पच्चासी हजार पाँच सौ अस्सी मात्र) निविदा प्रपत्र के अनुच्छेद 1ए पेज 16 के अनुसार प्रतिभूति निक्षेप राशि का हिस्सा मानकर उसमें बदल दिया जाएगा। कृपया शेष प्रतिभूति निक्षेप राशि रुपये 3,57,630.00 (रुपया तीन लाख सत्तावन हजार छः सौ तीस मात्र) इस पत्र के निर्गत दिनांक से दस दिनों के भीतर जमा करें अन्यथा उक्त धनराशि की कटौती निविदा प्रपत्र की उक्त संदर्भित शर्त के अनुसार चालू लेखा बिलों से की जाएगी।

The earnest money amount of Rs. 1,85,580.00 (Rupees One Lakh Eighty Five Thousand Five Hundred Eighty only) received along with your tender will be treated and converted as a part of security deposit. Please deposit Rs.3,57,630.00 (Rupees Three Lakhs Fifty Seven Thousand Six Hundred Thirty only), towards balance security deposit within 10 days from the date of issue of this letter, failing which the same will be deducted from the Running Account Bills as per condition GCC 1A on page 16 of the contract document.

शेष पृष्ठ 2 पर....

कार्यालय: निदेशक विमानपत्तन, लाल बहादुर शास्त्री हवाईअड्डा, वाराणसी-221006 टेलीफोन: 2622155, फैक्स नं०. 0542-2622320  
O/o Airport Director, Lal Bahadur Shastri Airport, Varanasi-221006 Phone: 2622155, Fax: 0542-2622320

प्राप्त किया  
[Signature]

01C

स.स.प्र. मो. (सि.)



-2-

- 4) आपसे अनुरोध है कि संविदा श्रमिक प्रावधान (विनिमय एवं उन्मूलन) एक्ट 1970, श्रमिक प्रावधान (विनिमय एवं उन्मूलन)-केन्द्रीय नियम 1971, न्यूनतम मजदूरी अधिनियम एवं इस सम्बन्ध में केन्द्र/राज्य सरकार के नियमों का पालन करना सुनिश्चित करें।  
You are requested to comply with the provisions of Contract Labour (Regulation & Abolition) Act of 1970 and Contract Labour (Regulation & Abolition) Central rules 1971 and Minimum Wages Act & Rules thereof Central and State Governments with upto date amendments.
- 5) आपको निर्देशित किया जाता है कि आप तुरन्त प्रभाव से सहा0 प्रबन्धक (अभि0-सि0), भा. वि.प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी से सम्पर्क करें जो आपको कार्यस्थल सौंपने की व्यवस्था करेंगे।  
You are also directed to contact the Asstt. Manager (E-C), AAI, Lal Bahadur Shastri International Airport, Varanasi, immediately who will arrange to hand over the site to you.
- 6) कृपया ध्यान दें कि कार्य पूर्ण करने की अवधि 04(चार) महीने हैं जो कि दिनांक 30.08.2024 से प्रभावी मानी जाएगी।  
Please note that time allowed for carrying out the work shall be 04 (Four) months and the same shall be reckoned from 30.08.2024
- 7) संविदा के सन्दर्भ में किसी भी प्रकार का पत्राचार सामान्यतः सहा0महाप्रबन्धक (अभि-सिविल), भा.वि.प्रा., लाल बहादुर शास्त्री अन्तर्राष्ट्रीय विमानपत्तन, वाराणसी-221006, को सम्बोधित करें।  
Any further correspondence in connection with the contract should normally be addressed to the AGM (Engg-Civil), AAI, Lal Bahadur Shastri International Airport, Varanasi-221006
- 8) कृपया इस पत्र की पावती भेजें एवं पत्र कि अनुलिपि जो कि संलग्न है को हस्ताक्षरित कर अधोहस्ताक्षरी को स्वीकृत चिन्ह के रूप में वापस करें।  
Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.
- 9) विषयक कार्य से संबंधित अनुसूची-अ, (कुल प्रष्ठ 16 (सिविल एवं विद्युत कार्य रु. 54,32,100.00) संलग्न है।  
Schedule 'A' (total page 16) (Civil & Elect works Rs. 54,32,100.00) of the work is enclosed.

उपरोक्त के हिन्दी पाठ में कोई अन्तर या द्विधार्थकता होने की स्थिति में अंग्रेजी पाठ मान्य होगा।

In case of difference or ambiguity in Hindi and English version, the English version will prevail.

धन्यवाद।

भवदीय

संलग्नक- यथोपरि

Encl:- As above

स.म.प्र.(अभि.-सिविल),  
AGM (Engg-Civil)

अध्यक्ष, भा0वि0प्रा0 के लिए व उनकी तरफ से  
For and on behalf of the Chairman, AAI

सहायक महाप्रबन्धक (अभि.-सिविल)

Asstt. General Manager (Engg.-Civil)

भारतीय विमानपत्तन प्राधिकरण  
Airports Authority of India

लाल बहादुर शास्त्री हवाई अड्डा, वाराणसी



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

प्रतिलिपि:

मूल प्रति पर नहीं (NOO)

अ. बाहरी-

1. महाप्रबन्धक (अभि)-उ०क्ष०, भाविप्रा, नई दिल्ली-110037 : सूचनार्थ
2. सहायक श्रम आयुक्त (सी), 189-ए/4ए, अलोपी बाग, पोस्ट-दारागंज, प्रयागराज : सूचनार्थ
3. श्रम प्रवर्तन अधिकारी (सी), 189-ए/4ए, अलोपी बाग, पोस्ट-दारागंज, प्रयागराज : सूचनार्थ

ब. आंतरिक-

- |                              |   |                        |
|------------------------------|---|------------------------|
| 1. निदेशक विमानपत्तन         | : | सूचनार्थ               |
| 2. प्रभारी (वित्त)           | : | -तदैव-                 |
| 3. सं.म.प्र. (अभि-विद्युत)   | : | -तदैव-                 |
| 4. उ.म.प्र. (अभि-सिविल)      | : | -तदैव-                 |
| 5. सहा० प्रबन्धक (अभि-सिविल) | : | आवश्यक कार्यवाही हेतु। |
| 6. कार्यादेश फाईल            | : |                        |
| 7. अनुबन्ध                   | : |                        |

20/08/2024

स.म.प्र.(अभि.-सिविल),

सहायक महाप्रबन्धक (अभि.-सिविल)  
Asstt. General Manager (Engg.-Civil)  
भारतीय विमानपत्तन प्राधिकरण  
Airports Authority of India  
लाल बहादुर शास्त्री हवाई अड्डा, वाराणसी  
Lal Bahadur Shastri Airport, Varanasi

0/C

Item Rate BoQ

Tender Inviting Authority: Airports Authority of India

Name of Work: Renovation of Community centre with Toilet, False ceiling, Flooring, Wall cladding and development of outside area at LBSI Airport, Varanasi.

Contract No: 2024\_AAI\_199744\_1

Name of the Bidder/ Bidding Firm / Company : Maa sharda Enterprises

PRICE SCHEDULE

| NUMBER #    | TEXT #                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | TEXT #           | NUMBER # | TEXT # | NUMBER #                                                             | NUMBER #                 | TEXT #                                                                     |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|--------|----------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------|
| SI. No.     | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Item Code / Make | Quantity | Units  | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                                   |
| 1           | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3                | 4        | 5      | 7                                                                    | 8                        | 10                                                                         |
| <b>1.00</b> | <b>Civil Works</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |          |        |                                                                      |                          |                                                                            |
| <b>1.01</b> | Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge. All kinds of soil                                                                                                                                                              | Item1            | 43.10    | cum    | 99.00                                                                | 4266.90                  | INR Four Thousand Two Hundred & Sixty Six and Paise Ninety Only            |
| <b>1.02</b> | Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil                                                                                                                                                                                                                                                                                     | Item2            | 2050.00  | sqm    | 10.00                                                                | 20500.00                 | INR Twenty Thousand Five Hundred Only                                      |
| <b>1.03</b> | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1.5:3 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size                                                                                                                                                                                                                               | Item3            | 16.88    | cum    | 4999.00                                                              | 84383.12                 | INR Eighty Four Thousand Three Hundred & Eighty Three and Paise            |
| <b>1.04</b> | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)                                                                                                                                                                        | Item4            | 7.46     | cum    | 4321.00                                                              | 32234.66                 | INR Thirty Two Thousand Two Hundred & Thirty Four and Paise Sixty Six Only |
| <b>1.05</b> | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)                                                                                                                            | Item5            | 3.36     | cum    | 5999.00                                                              | 20156.64                 | INR Twenty Thousand One Hundred & Fifty Six and Paise Sixty Four Only      |
| <b>1.06</b> | Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) | Item6            | 1.08     | cum    | 7111.00                                                              | 7679.88                  | INR Seven Thousand Six Hundred & Seventy Nine and Paise Eighty Eight Only  |

20/08/2024  
 24.4.9 2105 (12)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                                                          |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------|
| 1.07    | Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Item7            | 7.44     | sqm   | 199.00                                                            | 1480.56               | INR One Thousand Four Hundred & Eighty and Paise Fifty Six Only                |
| 1.08    | Centering and shuttering including strutting, propping etc. and removal of form for Columns, Pillars, Piers, Abutments, Posts and Struts                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Item8            | 12.96    | sqm   | 599.00                                                            | 7763.04               | INR Seven Thousand Seven Hundred & Sixty Three and Paise Four                  |
| 1.09    | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.                                                                                                                                                                                                                                                                                                                                                                                                 | Item9            | 236.14   | kg    | 79.00                                                             | 18655.06              | INR Eighteen Thousand Six Hundred & Fifty Five and Paise Six Only              |
| 1.10    | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)                                                                                                                                                                                                                                                                                                                                                                                                                                          | Item10           | 27.60    | cum   | 4599.00                                                           | 126932.40             | INR One Lakh Twenty Six Thousand Nine Hundred & Thirty Two                     |
| 1.11    | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)                                                                                                                                                                                                                                                                                                                                                                                 | Item11           | 11.06    | cum   | 4999.00                                                           | 55288.94              | INR Fifty Five Thousand Two Hundred & Eighty Eight and Paise Ninety Four       |
| 1.12    | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red Area of slab over 0.50 sqm | Item12           | 50.00    | sqm   | 1699.00                                                           | 84950.00              | INR Eighty Four Thousand Nine Hundred & Fifty Only                             |
| 1.13    | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.                                                                                     | Item13           | 130.09   | sqm   | 649.00                                                            | 84428.41              | INR Eighty Four Thousand Four Hundred & Twenty Eight and Paise Forty One Only  |
| 1.14    | Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). 1) Sal wood                                                                                                                                                                                                                                                                                                                                | Item14           | 1.04     | sqm   | 49999.00                                                          | 51998.96              | INR Fifty One Thousand Nine Hundred & Ninety Eight and Paise Ninety Six Only   |
| 1.15    | Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws                                                                                                                                                                                                                         | Item15           | 57.08    | sqm   | 1699.00                                                           | 96978.92              | INR Ninety Six Thousand Nine Hundred & Seventy Eight and Paise Ninety Two Only |

20/08/2024  
 स. य. प्र. म. म. (प्र.)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                                  |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|--------------------------|---------------------------------------------------------------------------|
| 1.16    | Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Item16           | 7.20     | sqm   | 1599.00                                                              | 11512.80                 | INR Eleven Thousand Five Hundred & Twelve and Paise Eighty Only           |
| 1.17    | Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :300x16 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Item17           | 28.00    | each  | 99.00                                                                | 2772.00                  | INR Two Thousand Seven Hundred & Seventy Two Only                         |
| 1.18    | Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete :300x10 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Item18           | 56.00    | each  | 49.00                                                                | 2744.00                  | INR Two Thousand Seven Hundred & Forty Four Only                          |
| 1.19    | Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :125                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Item19           | 56.00    | each  | 199.00                                                               | 11144.00                 | INR Eleven Thousand One Hundred & Forty Four Only                         |
| 1.20    | Providing and fixing factory made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance $\pm 1$ mm), with wall thickness 2.0 mm ( $\pm 0.2$ mm), corners of the door frame to be Jointed with galvanized brackets and stainless steel screws, joints mitred and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm ( $\pm 0.1$ mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineerin- chargeExtruded section profile size 48x40 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Item20           | 32.27    | sqm   | 299.00                                                               | 9648.73                  | INR Nine Thousand Six Hundred & Forty Eight and Paise Seventy Three Only  |
| 1.21    | Providing and fixing to existing door frames. 24 mm thick factory made PVC door shutters made of styles and rails of a uPVC hollow section of size 59x24 mm and wall thickness 2 mm ( $\pm 0.2$ mm) with inbuilt edging on both sides. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 20x20 mm and 1 mm ( $\pm 0.1$ mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x24 mm and 2 mm ( $\pm 0.2$ mm) wall thickness, fixed to the shutter styles by means of plastic/galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm ( $\pm 0.1$ mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. (For W.C. and bathroom door shutter). | Item21           | 9.01     | sqm   | 2499.00                                                              | 22515.99                 | INR Twenty Two Thousand Five Hundred & Fifteen and Paise Ninety Nine Only |

  
 20/08/2024  
 अ.म.प्र. अभि. (रि.)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT<br>Rs. P | TOTAL AMOUNT In Words                                                            |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------|
| 1.22    | Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete. With 2nd class teak wood beading 62X19 mm                                                                                                                                                                                                                                                                        | Item22           | 66.83    | sqm   | 799.00                                                               | 53397.17              | INR Fifty Three Thousand Three Hundred & Ninety Seven and Paise Seventeen Only   |
| 1.23    | Providing and fixing in wall lining medium density fibre board IS: 14587:1998 marked, Pre-laminated one side decorative lamination and other side balancing lamination, with necessary fixing arrangement and screws etc. complete. 1)18mm thick.                                                                                                                                                                                                                                                                                         | Item23           | 368.56   | sqm   | 649.00                                                               | 239195.44             | INR Two Lakh Thirty Nine Thousand One Hundred & Ninety Five and Paise Forty Four |
| 1.24    | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.                                                                                                                                                                                                                                                                                                                         | Item24           | 5339.07  | kg    | 71.00                                                                | 379073.97             | INR Three Lakh Seventy Nine Thousand & Seventy Three and Paise                   |
| 1.25    | Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with :5.0 mm thick glass panes (weights not less than 12.50 kg/ sqm)                                                                                                                                                                                                                                                                                                                                                | Item25           | 175.59   | sqm   | 555.00                                                               | 97452.45              | INR Ninety Seven Thousand Four Hundred & Fifty Two and Paise Forty Five Only     |
| 1.26    | 52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete. | Item26           | 600.00   | sqm   | 222.00                                                               | 133200.00             | INR One Lakh Thirty Three Thousand Two Hundred Only                              |
| 1.27    | Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :25 mm thick                                                                                                                                                                                                                                                               | Item27           | 50.00    | sqm   | 888.00                                                               | 44400.00              | INR Forty Four Thousand Four Hundred Only                                        |
| 1.28    | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc. complete.                                                                                                    | Item28           | 24.58    | sqm   | 666.00                                                               | 16370.28              | INR Sixteen Thousand Three Hundred & Seventy and Paise Twenty Eight Only         |
| 1.29    | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.                                                                                                                                                                                                                                                                                                | Item29           | 24.50    | mtr   | 333.00                                                               | 8158.50               | INR Eight Thousand One Hundred & Fifty Eight and Paise Fifty Only                |
| 1.30    | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend                                                                                                                                                                                                                                              | Item30           | 14.00    | each  | 111.00                                                               | 1554.00               | INR One Thousand Five Hundred & Fifty Four Only                                  |

20/08/2024  
अ.प्र.स.स. (अ.प्र.)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                                                                 |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------|
| 1.31    | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.110 mm Shoe                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Item31           | 14.00    | each  | 99.00                                                             | 1386.00               | INR One Thousand Three Hundred & Eighty Six Only                                      |
| 1.32    | Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. 1)GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient ) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum). including factory painted after bending and perforation, and backed | Item32           | 255.29   | sqm   | 1111.00                                                           | 283627.19             | INR Two Lakh Eighty Three Thousand Six Hundred & Twenty Seven and Paise Nineteen Only |
| 1.33    | 12 mm cement plaster : 1:6 (1 cement : 6 coarse sand)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Item33           | 253.77   | sqm   | 199.00                                                            | 50500.23              | INR Fifty Thousand Five Hundred and                                                   |
| 1.34    | 15 mm cement plaster on rough side of single or half brick wall of mix:1:6 (1 cement: 6 coarse sand)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Item34           | 77.99    | sqm   | 199.00                                                            | 15520.01              | INR Fifteen Thousand Five Hundred & Twenty and Paise One Only                         |
| 1.35    | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Item35           | 424.38   | sqm   | 69.00                                                             | 29282.22              | INR Twenty Nine Thousand Two Hundred & Eighty Two and Paise Twenty Two                |
| 1.36    | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Item36           | 1831.91  | sqm   | 29.00                                                             | 53125.39              | INR Fifty Three Thousand One Hundred & Twenty Five and Paise Thirty Nine Only         |

  
20/08/2024  
अ. स. प्र. अभि. (वि.)



| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                                    |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|----------------------------------------------------------|
| 1.46    | Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests                                                                | Item46           | 5.00     | each  | 4999.00                                                           | 24995.00              | INR Twenty Four Thousand Nine Hundred & Ninety Five Only |
| 1.47    | Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :W.C. pan with ISI marked white solid plastic seat and lid                                                                                                 | Item47           | 1.00     | each  | 4999.00                                                           | 4999.00               | INR Four Thousand Nine Hundred & Ninety Nine Only        |
| 1.48    | Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clampscomplete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required One urinal basin with 5 litre white P.V.C. automatic flushing cistern                                                                        | Item48           | 4.00     | each  | 4999.00                                                           | 19996.00              | INR Nineteen Thousand Nine Hundred & Ninety Six Only     |
| 1.49    | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. Brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps                                                                                                                                                                                                                      | Item49           | 7.00     | each  | 1999.00                                                           | 13993.00              | INR Thirteen Thousand Nine Hundred & Ninety Three Only   |
| 1.50    | Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.                                                                                                                                                                                                                                                                                                                                                                                                     | Item50           | 7.00     | each  | 1333.00                                                           | 9331.00               | INR Nine Thousand Three Hundred & Thirty One Only        |
| 1.51    | Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.                                                                                                                                                                                                                                                                                                                                     | Item51           | 8.00     | each  | 666.00                                                            | 5328.00               | INR Five Thousand Three Hundred & Twenty Eight Only      |
| 1.52    | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with onestep CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.15 mm nominal dia Pipes | Item52           | 100.00   | mtr   | 349.00                                                            | 34900.00              | INR Thirty Four Thousand Nine Hundred Only               |
| 1.53    | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with onestep CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.20 mm nominal dia Pipes | Item53           | 100.00   | mtr   | 399.00                                                            | 39900.00              | INR Thirty Nine Thousand Nine Hundred Only               |

20/08/2024  
म.स.प्र.समि.(रि.)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                                                    |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------|
| 1.54    | Providing and fixing plasticised PVC connection pipe with brass unions :45 cm lengtha) 15 mm nominal bore                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Item54           | 6.00     | each  | 55.00                                                             | 330.00                | INR Three Hundred & Thirty Only                                          |
| 1.55    | Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.<br>a) 15 mm dia nominal bore                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Item55           | 10.00    | each  | 666.00                                                            | 6660.00               | INR Six Thousand Six Hundred & Sixty Only                                |
| 1.56    | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :For fixed portion Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) | Item56           | 2511.29  | kg    | 311.00                                                            | 781011.19             | INR Seven Lakh Eighty One Thousand & Eleven and Paise Nineteen Only      |
| 1.57    | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)                                                          | Item57           | 110.81   | kg    | 321.00                                                            | 35570.01              | INR Thirty Five Thousand Five Hundred & Seventy and Paise One Only       |
| 1.58    | Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).                                                                                                                                                                                                                                                                                                                              | Item58           | 107.22   | kg    | 444.00                                                            | 47605.68              | INR Forty Seven Thousand Six Hundred & Five and Paise Sixty Eight Only   |
| 1.59    | Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Item59           | 331.76   | sqm   | 22.00                                                             | 7298.72               | INR Seven Thousand Two Hundred & Ninety Eight and Paise Seventy Two Only |

20/08/2024  
समय सीमा (20)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                                    |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------------|
| 1.60    | Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. 1)Double charge vitrified tile polished finish of size Size of Tile 600 x 600 mm                                                                                                                                                            | Item60           | 21.48    | sqm   | 999.00                                                               | 21458.52                 | INR Twenty One Thousand Four Hundred & Fifty Eight and Paise Fifty Two Only |
| 1.61    | Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required 1)Kitchen sink with drain board 510x1040 mm bowl depth 250 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Item61           | 2.00     | each  | 4444.00                                                              | 8888.00                  | INR Eight Thousand Eight Hundred & Eighty Eight Only                        |
| 1.62    | Removing and Fixing in position Phenol bonded Bamboowood in flooring or Wall with planks of sizes 14mm thick, 1800mm length (minimum) and 130 mm wide(minimum), in approved colour, texture and finish, having Performance Appraisal Certificate (PAC) issued by Building Materials & Technology Promotion Council (BMTPC). The flooring shall be fixed with tongue and groove interlocking system, The bamboowood planks shall have minimum density of 1000 Kg/cum & minimum Hardness 1000 Kgf. with Eco friendly UV coating, all complete as per direction of the Engineer incharge. ( material will be supplied by department)                                                                                                                                                                                                                                                                                               | Item62           | 98.00    | sqm   | 199.00                                                               | 19502.00                 | INR Nineteen Thousand Five Hundred & Two Only                               |
| 1.63    | Providing & fixing of white vitreous China wall mounting cascade type water closet American standard Acacia E double vortex WC 2/4.2 L 3119 WT/ Proguard (sc.seat&cover),KHOLER Vitreous 99994IN-0, ROCA The GAP RS346477460 & RE801472464, JAQUAR O PS-WHT-15951 with CP bolts, nuts, CI chair hanging arrangements, bakelite seat & cover with CP hinges & rubber buffers, CP brass screw, washer with all accessories with WC connector with Rubber Lip / Buffer and side gap filled with silicon sealant wherever required with flush valve American standard /Grohe WC 38987000,Kohler 7702IN-P-NA, Jaquar JCS-WHT-2400 Flushing cistern GD 2 & 38732000 Skate Cosmopolitan Wall plate/Kholer 8857IN-M-MS1 ROCA RE890195001 Jaquar JCP-CHR-392415 approved including brass / SS screws and washer complete including cutting, making good the walls, floors, slab wherever required as per direction of Engineer-Incharge. | Item63           | 2.00     | EACH  | 1555.00                                                              | 3110.00                  | INR Three Thousand One Hundred & Ten Only                                   |
| 1.64    | Providing and fixing ISI marked boiled water proof plywood of approved brand like kitply, greenply or equivalent with necessary screws, nails and nuts wherever necessary etc. complete as per direction of Engineer-in-charge 12 mm thick ISI boiled water proof plywood                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Item64           | 46.34    | sqm   | 1555.00                                                              | 72058.70                 | INR Seventy Two Thousand & Fifty Eight and Paise Seventy Only               |
| 1.65    | Providing & fixing 4mm thick ACP sheet of white or any other colour on existing board with necessary screws as per specification and as directed by E. I. C.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Item65           | 27.98    | sqm   | 1111.00                                                              | 31085.78                 | INR Thirty One Thousand & Eighty Five and Paise                             |

20/08/2024  
24-8-24 (12P)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                  | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                               |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------|
| 1.66    | Providing & laying Selection no. 1 doob grass turf with earth 50mm to 60mm thickness of existing ground prepared with proper level and ramming with required tools wooden and than rolling the surface with light roller make the surface smoothen and light watering the same and maintenance for 30 days or more till the grass establish properly, as per direction of the Engineer-In-Charge. | Item66           | 1812.38  | sqm   | 49.00                                                                | 88806.62                 | INR Eighty Eight Thousand Eight Hundred & Six and Paise Sixty Two Only |
| 1.67    | Supplying and plantation of hedge (Minimum 1 feet height) at site including cast of manure or sludge after removal of unserveiceable material's as per direction of Engineer in charge.                                                                                                                                                                                                           | Item67           | 5000.00  | each  | 19.00                                                                | 95000.00                 | INR Ninety Five Thousand Only                                          |
| 1.68    | Supplying and plantation of Trees of Bottle plam/Champa/Molshree /Mor pankh/ Orchid (Minimum 4 feet height) at site including cast of manure or sludge after removal of unserveiceable material's as per direction of Engineer in charge.                                                                                                                                                         | Item68           | 200.00   | each  | 149.00                                                               | 29800.00                 | INR Twenty Nine Thousand Eight Hundred Only                            |
| 1.69    | Providing & fixing C.P. hand spray with lever control (health faucet) American Standard TP 405, KHOLER 12925IN-CP, ROCA RF9060A1, JAQUAR ALD-CHR-573 or approved equivalent) and flexible hose 1 m long connection with C.P. holder for hand spray complete in all respects as per direction of Engineer-Incharge.                                                                                | Item69           | 9.00     | each  | 1666.00                                                              | 14994.00                 | INR Fourteen Thousand Nine Hundred & Ninety Four Only                  |
| 1.70    | Providing & fixing 15 mm dia C.P. brass angle valve American Standard FLR 5053N A-4400, KHOLER 80155IN-4-CP CUFF, ROCA RF525159700, JAQUAR AQT-CHR-3057 with C.P. brass wall flange with any other items complete including cutting and making good the walls wherever required as per direction of Engineer-Incharge.                                                                            | Item70           | 27.00    | each  | 1333.00                                                              | 35991.00                 | INR Thirty Five Thousand Nine Hundred & Ninety One Only                |
| 1.71    | Dismantling existing concertina coil in fencing including making rolls and stacking within 50 metres lead.                                                                                                                                                                                                                                                                                        | Item71           | 2875.00  | metre | 11.00                                                                | 31625.00                 | INR Thirty One Thousand Six Hundred & Twenty Five Only                 |
| 1.72    | Providing and fixing 12 mm thick frameless toughened glass of approved brand and manufacture, including providing and fixing top & bottom pivot & fixing necessary arrangement and making necessary holes etc, all complete as per direction of Engineer-in-charge.                                                                                                                               | Item72           | 18.47    | sqm   | 2666.00                                                              | 49241.02                 | INR Forty Nine Thousand Two Hundred & Forty One and Paise Two Only     |

  
 20/08/2024  
 H. H. H. H. H. (H)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In Words                                       |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|--------------------------|-------------------------------------------------------------|
| 1.73    | Supplying and placing in position of the king size mattress of size:- (W)915mm +25 mm X (D)1980mm + 100 mmX (H)150 + 5 mm as per image. Breathable soft-touch high GSM fabric keeps you cool throughout the night.Premium high-resilient memory foam offers pressure-relieving comfort.Medium soft firmness, suitable for all generations.3-layer construction maintains the natural curve of the spine.Motion isolation makes it ideal for active sleepers.Non-allergenic, anti-microbial properties promise odourless & hygienic sleep surface.100-Night free trial assures you for blissful sleeping experience.Ideal for people with joint aches, arthritis, or osteoporosis.No flip required.Available in 6 inches thicknesses in Single bed size.. OEM should also be a member of BIFMA, GREENGUARD (certified by UL LAB/UK Cert) AND/OR GREENPRO (by CII).OEM should also have GRIHA and IGBC certifications. OEM name should be visible on relevant authentic websites of Green guard by UL/UK Cert AND/OR GREENPRO by CII,BIFMA, GRIHA and IGBC. OEM certifications required include AIOTA, ISO 45001, 50001, 9001 and 14001 from NABCB/IAF accredited certifying agency.Note: Colour should be approved at the later stage by Engineer In-Charge. | Item73           | 8.00     | each  | 11111.00                                                             | 88888.00                 | INR Eighty Eight Thousand Eight Hundred & Eighty Eight Only |
| 1.74    | Supplying and Placing in Potision of Bed Side Table in size : (W) 500mm + 15 X (D) 450mm + 10mm X (H) 450mm + 10mm Table Top Thickness : 17mm. Understated and tailored, the Nina collection features its tailored profile and streamlined shapes. Wrapped in a dark cherry finish, it celebrates the unique grain patterns.Designed with a combination of shelf and drawer, it offers abundant storage for your essentials. Masterfully crafted of premium quality material. Abundant storage offers ample space for your bedtime essentials. Smooth finished edges eliminate moisture seepage, prevent warping and make it last longer. Levelers offer stability on uneven surfaces. OEM should also be a member of BIFMA, GREENGUARD (certified by UL LAB/UK Cert) AND/OR GREENPRO (by CII).OEM should also have GRIHA and IGBC certifications. OEM name should be visible on relevant authentic websites of Green guard by UL/UK Cert AND/OR GREENPRO by CII,BIFMA, GRIHA and IGBC. OEM certifications required include AIOTA, ISO 45001, 50001, 9001 and 14001 from NABCB/IAF accredited certifying agency.Note: Colour should be approved at the later stage by Engineer In-Charge.                                                                   | Item74           | 8.00     | each  | 11111.00                                                             | 88888.00                 | INR Eighty Eight Thousand Eight Hundred & Eighty Eight Only |

  
 20/08/2024  
 स.म.प्रमोद (स.म.)


| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                             |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------|
| 1.75    | Supplying and Placing in Position of Solid Wood Single Size Bed, size : (W) 1070mm + 50 mm X (D) 2080mm + 100 mm X (H) 950 mm + 50mm . Crafted with sustainably sourced solid wood, each silhouette celebrates distinctive wood grains finished in classic Dark Oak. The slatted headboard and wooden feet are tapered to perfection. Combined with the smooth curved edges, it makes the bed a statement piece. Masterfully crafted of solid wood in a Dark Oak finish. Classic slatted headboard makes it a statement piece. Tapered legs add an airy appeal. Moisture-resistant 12mm thick premium plywood mattress board. An intensive 6-step polish process lends a velvety finish. Premium polish with low chemical emission ensures healthy indoor air for your family. Smooth finished edges eliminate moisture seepage, prevent warping and make it last longer. 10mm high buffers offer ground clearance for easy cleaning. OEM should also be a member of BIFMA, GREENGUARD (certified by UL LAB/UK Cert) AND/OR GREENPRO (by CII). OEM should also have GRIHA and IGBC certifications. OEM name should be visible on relevant authentic websites of Green guard by UL/UK Cert AND/OR GREENPRO by CII, BIFMA, GRIHA and IGBC. OEM certifications required include AIOTA, ISO 45001, 50001, 9001 and 14001 from NABCB/IAF accredited certifying agency. Note: Colour should be approved at the later stage by Engineer In-Charge. | Item75           | 8.00     | each  | 22222.00                                                             | 177776.00                | INR One Lakh Seventy Seven Thousand Seven Hundred & Seventy Six Only |
| 1.76    | Supplying and Placing in Potition of Hopper Solid Wood Coffee Table size (W)1130mm + 75mm X (D)630mm + 50 mm X (H)410mm + 25mm . Inspired by the mid-century modern era, the Hopper collection flaunts clean silhouettes with tapered legs. Crafted with solid beech wood, the dark oak finish accentuates the distinctive wood grains. While the clear glass tabletop flaunts the charming wooden accent. The glass tabletop is made with sturdy glass, beautifully bordered by a solid wood frame. Designed for modern Indian homes, it makes a perfect spot to enjoy cozy talks over a cup of coffee, 8 mm Glass Top, Solid Wood Legs, Dark Oak Finish, Contemporaray Design. OEM should also be a member of BIFMA, GREENGUARD (certified by UL LAB/UK Cert) AND/OR GREENPRO (by CII). OEM should also have GRIHA and IGBC certifications. OEM name should be visible on relevant authentic websites of Green guard by UL/UK Cert AND/OR GREENPRO by CII, BIFMA, GRIHA and IGBC. OEM certifications required include AIOTA, ISO 45001, 50001, 9001 and 14001 from NABCB/IAF accredited certifying agency. Note: Colour should be approved at the later stage by Engineer In-Charge.                                                                                                                                                                                                                                                      | Item76           | 4.00     | each  | 22222.00                                                             | 88888.00                 | INR Eighty Eight Thousand Eight Hundred & Eighty Eight Only          |
| 1.77    | Providing and fixing vertical blinds as per approved color and design as per satisfaction of EIC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Item77           | 17.28    | sqm   | 777.00                                                               | 13426.56                 | INR Thirteen Thousand Four Hundred & Twenty Six                      |
| 1.78    | Providing and fixing of Indoor badminton court with 7mm cushion, PVC Mat thickness 4.5mm , flooring will be fixed with adhesive (permanent) , rolls would be joined with PVC heat welding including 7mm thick cushioning etc all include as per direction and satisfaction of EIC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Item78           | 108.00   | sqm   | 1111.00                                                              | 119988.00                | INR One Lakh Nineteen Thousand Nine Hundred & Eighty Eight Only      |

  
 20/08/2024  
 स.स.प्र.सोम (सि.)

| Sl. No. | Item Description                                                                                                                                                              | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In<br>Words                                              |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|----------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------|
| 1.79    | Providing of Movable Badminton poles made of 47*47 mm MS Pipe ,65 to 70 kg counter weight on each side with Garware net all include as per direction and satisfaction of EIC. | Item79           | 1.00     | Pair  | 11807.23                                                             | 11807.23                 | INR Eleven Thousand Eight Hundred & Seven and Paise Twenty Three Only |

  
 20/08/2024  
 H.H.S. HANU (H)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                                                                                                | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                     |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|-------------------------------------------|
| 2.00    | <b>Electrical works :</b>                                                                                                                                                                                                                                                                                                                                                                                       |                  |          |       |                                                                   |                       |                                           |
| 2.01    | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required.(Group C)                                                          | Item91           | 6.00     | Point | 99.00                                                             | 594.00                | INR Five Hundred & Ninety Four Only       |
| 2.02    | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required<br>2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire                                                                                                                                                                         | Item92           | 50.00    | Mtr   | 20.00                                                             | 1000.00               | INR One Thousand Only                     |
| 2.03    | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required<br>2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire                                                                                                                                                                         | Item93           | 50.00    | Mtr   | 25.00                                                             | 1250.00               | INR One Thousand Two Hundred & Fifty Only |
| 2.04    | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required<br>2 X 4 sq. mm + 1 X 4 sq. mm earth wire                                                                                                                                                                             | Item94           | 50.00    | Mtr   | 20.00                                                             | 1000.00               | INR One Thousand Only                     |
| 2.05    | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required<br>4 X 4 sq. mm + 2 X 4 sq. mm earth wire                                                                                                                                                                             | Item95           | 50.00    | Mtr   | 40.00                                                             | 2000.00               | INR Two Thousand Only                     |
| 2.06    | Supplying and fixing following modular switch/ socket/Telephone/TV socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.<br>5/6 amps switch                                                                                                                                                                                                     | Item96           | 3.00     | Each  | 10.00                                                             | 30.00                 | INR Thirty Only                           |
| 2.07    | Supplying and fixing following modular switch/ socket/Telephone/TV socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.<br>Supplying and fixing following modular switch/ socket/Telephone/TV socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.3 pin 5/6 amp socket outlet | Item97           | 3.00     | Each  | 10.00                                                             | 30.00                 | INR Thirty Only                           |

  
 20/08/2024  
 स. म. प्र. अधिकारी (रक.)

| Sl. No. | Item Description                                                                                                                                                                                                                                                                                                                     | Item Code / Make | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words                          |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------|-------------------------------------------------------------------|-----------------------|------------------------------------------------|
| 2.08    | Supplying and fixing following modular switch/ socket/Telephone/TV socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.<br>15/16 amp switch                                                                                                                         | Item98           | 3.00     | Each  | 10.00                                                             | 30.00                 | INR Thirty Only                                |
| 2.09    | Supplying and fixing following modular switch/ socket/Telephone/TV socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.<br>6 pin 15/16 amp socket outlet                                                                                                            | Item99           | 3.00     | Each  | 99.00                                                             | 297.00                | INR Two Hundred & Ninety Seven Only            |
| 2.10    | Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required.<br>1 or 2 Module (75mmX75mm)                                                                                                                                                               | Item100          | 2.00     | Each  | 200.00                                                            | 400.00                | INR Four Hundred Only                          |
| 2.11    | Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required.<br>3 Module (100mmX75mm)                                                                                                                                                                   | Item101          | 6.00     | Each  | 200.00                                                            | 1200.00               | INR One Thousand Two Hundred Only              |
| 2.12    | Installation, testing and commissioning of pre-wired, LED Recess, etc of above fixtures with all accessories including nut bolt washer, connecting wire and hanging/fixing arrangements,required framing if required directly on existing in False ceiling / wall / surface/ cieling as including connection as per site requirement | Item102          | 40.00    | Each  | 299.00                                                            | 11960.00              | INR Eleven Thousand Nine Hundred & Sixty Only  |
| 2.13    | Supply of single phase metallic exhaust fan of size 225/230 mm with louvers/front grill, RPM - 2200 minimum suitable to operate on 230 V, 50 Hz power supply. The model of exhaust fan with louver/front grill shall be suitable for installation as per the existing opening available.                                             | Item103          | 10.00    | Each  | 1500.00                                                           | 15000.00              | INR Fifteen Thousand Only                      |
| 2.14    | Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.                                                                                                                                                                                          | Item104          | 10.00    | Job   | 333.00                                                            | 3330.00               | INR Three Thousand Three Hundred & Thirty Only |
| 2.15    | Supply of MCB protected socket (Single Pole) of rating 25 Amp with Plug top and sheet steel enclosure for power supply to Air conditioner units. (Havells 20 A MCB DBOXX COMBO or equivalent).                                                                                                                                       | Item105          | 3.00     | Each  | 333.00                                                            | 999.00                | INR Nine Hundred & Ninety Nine Only            |

*Handwritten signature*  
20/08/2024  
29.8.24 (130)

| Sl. No.              | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                               | Item Code / Make                                                                 | Quantity | Units | RATE (excluding GST) In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in<br>Rs. P | TOTAL AMOUNT In Words                                                       |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------|-------|----------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------------|
| 2.16                 | Supply & installation of Water cooler, of storage capacity - 80 ltr, 40 ltr/hour water flow, refrigerant R134a, SS concealed Body, with 02 No. of faucets, suitable to operate at 230+10%V, 50 Hz supply, including suitable capacity RO system for filtration to maintain water flow rate, along with all the accessories for installation of the same complete as per site requirement.                                                                      | Item106                                                                          | 2.00     | Each  | 20999.00                                                             | 41998.00                 | INR Forty One Thousand Nine Hundred & Ninety Eight Only                     |
| 2.17                 | Supply of Industrial/Tent Jumbo Coolers of 215 watt (minimum) & made out of Robust weather resistant body, including tank capacity 90 litres minimum with 500 mm (minimum) sweep, minimum air delivery capacity 8500 cum/hr exhaust fan with preferably Copper Winding with metallic blade, pump, switches for fan and pumps, suitable stand as per OEM etc. suitable to work on 230V, 50Hz, AC Supply etc complete as required as per conditions of Contract. | Item107                                                                          | 4.00     | Nos.  | 13389.00                                                             | 53556.00                 | INR Fifty Three Thousand Five Hundred & Fifty Six Only                      |
| Total in Figures     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                  |          |       |                                                                      | 5432100.00               | INR Fifty Four Lakh Thirty Two Thousand & Ninety Nine and Paise One Hundred |
| Quoted Rate in Words |                                                                                                                                                                                                                                                                                                                                                                                                                                                                | INR Fifty Four Lakh Thirty Two Thousand & Ninety Nine and Paise One Hundred Only |          |       |                                                                      |                          |                                                                             |

  
 20/08/2024  
 स. न. प्र. भस्मि (रि.)