



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

(ISO 9001 - 2015 & 14001 - 2015 प्रमाणित / CERTIFIED)

AAI/MDU/CIVIL/702/2024/ 19711

Date: 25.09.2024

सेवा मे/To,

M/S.K.S.ELECTRICALS,
2/424, Sivasakthi Nagar,
Airport Road,
Perungudi,
Madurai-625 022

By Email/Speed Post

Name of Work: A/R & M/O Civil works at Madurai Airport during 2024-25.
SH: Repairs works of pavements and joints of Apron Phase-1 at Madurai Airport.

संदर्भ Ref. : 1) Your e-tender (Cover-II Financial bid) opened on: 06.09.2024.

2) Tender ID: 2024_AAI_202949_1.

श्रीमान / Dear Sir,

1. Your e-Tender for the work mentioned above is hereby accepted on behalf of Chairman, AAI, at the item rates quoted by you totaling to **Rs.11,39,200.00** (Rupees Eleven Lakh Thirty Nine Thousand Two Hundred Only) (Exclusive of GST) which is 19.87% below the estimated cost put to tender **Rs.14,21,777.00** (Exclusive of GST).
2. Senior Manager (E-C), AAI, Madurai Airport, Madurai-625022 shall be the Engineer-in-Charge of the work. You are requested to attend the office of Senior Manager (E-C), AAI, Madurai Airport, Madurai by 10.10.2024 to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper value of **Rs.100.00 (Rupees One Hundred Only)** and the cost of the stamp paper shall be borne by you.
3. As per Clause No.1A on page No: 75 of tender document, please deposit **Rs.1,13,920.00 (Rupees One Lakh Thirteen Thousand Nine Hundred Twenty Only)** towards security deposit within 10 days from the date of issue of this letter failing which, the same will be deducted from your running bill as per GCC Clause 1A at page No: 75 of tender document.

Contn...2

विमानपत्तन निदेशक का कार्यालय, मदुरै हवाई अड्डा, मदुरै - 625 022.

O/o The Airport Director, Madurai Airport, Madurai - 625 022.

दूरभाष / Tel : 0452-2690717 / फैक्स / Fax : 0452 - 2690151, 2690305 E-mail : apdmadurai@aai.aero



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

(ISO 9001 - 2015 & 14001 - 2015 प्रमाणित / CERTIFIED)

//2//

4. You are requested to comply with the provision of Contract labour (Regulation and Abolition) Act 1970 and contract labour (Regulation and Abolition) Central rules 1971 Child Labour (Prohibition & Regulation) Act 1986, Construction Workers (Regulation of Employment and Condition of Service) Act 1996, Building and other construction Workers Welfare Cess Act 1996 as specified in Clause 19 on page No.123 of GCC of tender and rules of Central and State Government.
5. You are also directed to contact Manager (Engg-Civil), AAI, Madurai Airport immediately who will arrange to handover the site to you.
6. Please note that time allowed for carrying out the work shall be **03 (Three) Months** and same shall be reckoned from the **10th day of after issue of this letter.**
7. Any further correspondence in connection with the contract should normally be addressed to Engineer-In-Charge.
8. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Encl.: Price Schedule.

Yours faithfully,

**Senior Manager (Engg-Civil),
Engineer-In-charge,
For and on behalf of the Chairman,
Airports Authority of India,
Madurai Airport,
Madurai-625 022.**

Copy to:

Asst.Labour Commissioner, No:5 Lady Doak college road, Chinnachokkikulam, Madurai.

विमानपत्तन निदेशक का कार्यालय, मदुरै हवाई अड्डा, मदुरै - 625 022.

O/o The Airport Director, Madurai Airport, Madurai - 625 022.

दूरभाष / Tel : 0452-2690717 / फैक्स / Fax : 0452 - 2690151, 2690305 E-mail : apdmadurai@aaiaero

Validate

Print

Help


Item Rate BoQ

Tender Inviting Authority: Senior Manager (Engg-Civil), Airports Authority of India, Madurai Airport, Madurai – 625 022

Name of Work: A/R & M/O Civil works at Madurai Airport during 2024-25. SH: Repairs works of pavements and joints of Apron Phase-1 at Madurai Airport.

Contract No: AAI/MDU/CIVIL/702/2024/

Name of the Bidder/ Bidding Firm / Company :	M/s K.S.ELECTRICALS, MADURAI-625022					
PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values Only)						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
1	Removing and cleaning the existing joint filling sealant in the expansion/ construction/ dummy joints by running cutting machine with worn/ used blades, cutting the edges of the grooves to a regular straight edge wherever required, preparing the surface for joint filling including disposal of rubbish to the dumping ground within 2km lead and all lifts as per the direction of EIC. Providing and laying in position Thioflex 600 or Shaliseal PS PG two- part Polysulphide sealant of approved make conforming to BS-5212-1990 , ASTM C920 or equivalent as per manufacture specification. Density of the sealant shall be 1.60 to 1.65kg/lit with 100% solid content in expansion/ construction/ dummy joints including rounding off edges, providing back-up using compressed polyethylene foam backup rod to get the required shape and standard depth for filling sealant, applying of approved primer compatible with the brand of Polysulphide and preparing the surface and applying masking tape along the edge of joint to prevent accidental spillage of sealant on top surface and to give neat finish to the sealant and removing the masking tape after application of sealant etc. complete as per direction of Engineer in- Charge & particular specifications. [Note: For purpose of payment, quantity (Length (m) x Width (mm) x Depth(mm)) of Polysulphide sealant only will be measured. The cost shall include all activities like preparation of joint, providing backup rod, primer, sealant etc. For the purpose of payment, the depth of sealant shall be restricted to the standard depth of the joint to be corrected by backup rod]. Expansion joints of size 25mm wide and 10 mm deep over 30mm dia closed-cell polyethylene foam back-up rod, as per manufacturers' specifications. Construction joints of size 10mm wide and 10mm deep over 12mm-dia closed-cell polyethylene foam back-up rod, as per manufacturers' specifications. Dummy joints of size 10mm wide and 10mm deep over 12mm dia closed-cell polyethylene foam back-up rod, as per manufacturers' specifications.	3,00,400.00	cucm	2.00	600800.00	INR Six Lakh Eight Hundred Only



Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
2	Preparing the existing surface of concrete area by cutting and chipping to a proper geometric pattern and cleaning by wire brushing, airblower etc, to remove all foreign contaminants, loosely adhered aggregates, cementitious layer etc to expose clean sound base concrete substrate. The concrete surface shall be cleaned if required with water jet until the surface shall be free from any dust, unsound concrete, grease oil etc., Repair and rehabilitation of existing rigid pavement by applying Nitobond AR or approved pot hole bonding agent and packing and finishing of pot holes with PATCHROC or equivalent as per manufacture specification and all complete as per the directions of the Engineer in charge. The application shall be as per the manufacture's recommendation and methodology. [Note: For purpose of payment, quantity (Length (m) x Width (m) x Depth(m)) of concreting quantity only will be measured. The cost shall include all activities like cutting and chipping of rigid pavement in proper geometric design, cleaning the surface, filling with Primer and PATCHROC or equivalent material as per manufacture specification and direction of EIC.	4.64	Cum	60000.00	278400.00	INR Two Lakh Seventy Eight Thousand Four Hundred Only
3	Material for Preparation of damaged/broken concrete/Asphalt Runway,Taxiway,surface and applying 'RUN-PATCH' self adhesive ,cold applied,polymer modified,hightak bitumious spread sheet of 1 meter x 10 meter rolls having bound strength of 04 MPS,impermeable and low temperature spread of 5.8MM, for instant repair and sealing of potholes/cracks on runway,taxiway for both asphalt and concrete surfaces,special strenghtener-included with the material and forming a high strength water-proof layer complete as all specified as per manufactrer's instructions and as directed. Pothole filling is required with aggregate (cold)if the crack/polhole is more then 6mm. Make: Srijan Pvt Ltd or its equivalent.	80.00	Sqm	2000.00	160000.00	INR One Lakh Sixty Thousand Only
4	Injection Grouting for crack treatment: Preparing the surface by opening the groove size of 20 mm x 20mm and sealing with polyester based repair mortar Nitomortar PE . Supply and grouting of Low viscous epoxy resin Conbextra EP10 or equivalent as per manufacture specification in all the cracked areas. Mixing and injection of grout using mechanical grouting pumps and with GI based NRV packers of minimum 10mm dia used to epoxy grouting. The rate inclusive of all machineries labour charges and fixing the packers with Nitomortar PE. The application shall be as per the manufacture's recommendation and methodology and as per the directions of the Engineer in charge.	50.00	Litre	2000.00	100000.00	INR One Lakh Only
Total in Figures					1139200.00	INR Eleven Lakh Thirty Nine Thousand Two Hundred Only
Quoted Rate in Words		INR Eleven Lakh Thirty Nine Thousand Two Hundred Only				

Signature Not Verified

Digitally signed by Yedukondalu Polagani
Date: 2024.09.30 15:28:25 IST
Location: eProcurement System for Central PSUs



Handwritten signature and initials in blue ink.