



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

भाविप्रा / भोपाल / अभि.-सि. / रि - टेंडलेट / 24-25 / 1481(1-8)
सेवा में / To,

दिनांक:- 19.12.2024

मेसर्स क्लासीकॉन प्रोजेक्ट्स प्राइवेट लिमिटेड
जी-21, सोलारिस, एल एण्ड टी गेट नं. 6,
साकी विहार रोड, पवई, मुम्बई - 400076
(महाराष्ट्र)

M/s. CLASSICON PROJECTS INDIA PVT. LTD.
G-21, SOLARIS II, L & T GATE NO.6, SAKI VIHAR ROAD,
POWAI, MUMBAI - 400076 (MAHARASHTRA)

विषय :- राजा भोज विमानतल, भोपाल पर मौजूदा शौचालयों का नवनीकरण एवं आरक्षित विश्राम कक्ष का प्रावधान।

Subject:- Renovation of existing toilets and provision of reserved lounge at Raja Bhoj Airport, Bhopal.

सन्दर्भ:- आपकी निविदा संख्या 2024_AAI_211224_1 दिनांक 14/11/2024 को खोला गया।

Ref: Your E-tender No. 2024_AAI_211224_1, opened on dated 14/11/2024.

महोदय/Dear Sir (S),

1. अध्यक्ष भारतीय विमानपत्तन प्राधिकरण की ओर से उपरोक्त वर्णित कार्य को आपकी मद मूल्यों पर आधारित ई-निविदा कुल राशि रु. 2,83,05,785.00/- (रुपये दो करोड त्रैयासी लाख पाँच हजार सात सौ पिचायसी मात्र, बिना जी.एस.टी.) तथा रु. 3,34,00,826.00/- (रुपये तीन करोड चौतीस लाख आठ सौ छबीस मात्र, जी.एस.टी. सहित) होगी, जोकि अनुमानित लागत रु. 3,66,28,399.00/- (रुपये तीन करोड छियासठ लाख अठ्ठाईस हजार तीन सौ निन्यानवे मात्र) (बिना जी.एस.टी.) तथा रु. 4,32,21,510.00/- (रुपये चार करोड बत्तीस लाख इक्कीस हजार पाँच सौ दस मात्र) (जी.एस.टी. सहित) से (-) 22.72% (बाईस दशमलव सात दो) नीचे हैं, स्वीकृत की जाती हैं।

Your E-tender for the above-mentioned work is hereby accepted on behalf of the Chairman, Airports Authority of India, at the item rate quoted by you totaling to Rs. 2,83,05,785.00/- (Rupees Two Crore Eighty - Three Lacs Five Thousand Seven Hundred Eighty - Five Only) (Without GST) and Rs. 3,34,00,826.00/- (Rupees Three Crore Thirty - Four Lacs Eight Hundred Twenty - Six Only) (Including GST @18%) which is (-)22.72% (Twenty - Two Point Seven Two Percent) below the estimated cost put to the tender i.e. Rs. 3,66,28,399.00/- (Rupees Three Crore Sixty - Six Lacs Twenty-Eight Thousand Three Hundred Ninety - Nine Only) (without GST) and Rs. 4,32,21,510.00/- (Rupees Four Crore Thirty - Two Lacs Twenty - One Thousand Five Hundred Ten Only) (including GST @18%).

2. उप महाप्रबंधक (अभि-सिविल) भाविप्रा, राजा भोज एयरपोर्ट, भोपाल इस कार्य के इंजीनियर प्रभारी होंगे। आपसे अनुरोध है कि आप उप महाप्रबंधक अभियांत्रिकी (सिविल) कार्यालय भाविप्रा राजा भोज एयरपोर्ट भोपाल में दिनांक 03/01/2025 तक उपस्थित होकर करारनामे पर हस्ताक्षर कर पूरा करें। यह करारनामा रु 500/- (पाँच सौ रुपये) मूल्य के गैर-न्यायिक स्टाम्प पेपर पर निष्पादित किया जायेगा और स्टाम्प पेपर की लागत आपके द्वारा वहन की जाएगी।

DGM (E - C), AAI, Raja Bhoj Airport, Bhopal, shall be the Engineer-in-Charge of the work and you are requested to attend the office of DGM (E - C), AAI Raja Bhoj Airport, Bhopal by 03/01/2025 to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs. 500.00/- (Rupees Five Hundred only) and the cost of the stamp paper shall be borne by you.

3. आपकी निविदा के साथ प्राप्त धरोहर राशि रु. 7,32,568.00/- (रुपये सात लाख बत्तीस हजार पाँच सौ अड़सठ मात्र) CPP पोर्टल के माध्यम से मुक्त हो जाएगी इस पत्र के जारी होने की तारीख से 10 दिनों के भीतर सुरक्षा निधि राशि रु. 28,30,578.00/- (रुपये अठ्ठाईस लाख तीस हजार पाँच सौ अठ्ठतर मात्र) जमा करें। असफल होने पर अनुबंध की पृष्ठ संख्या जी.सी.सी. - 16 पर क्लॉज संख्या 1 (अ) की शर्तों के अनुसार सुरक्षा निधि राशि को बिलों से काटा जायेगा।

The earnest money for an amount of Rs. 7,32,568.00/- (Rupees Seven Lacs Thirty – Two Thousand Five Hundred Sixty - Eight Only) received along with your tender will be refunded to you through CPP portal. Please deposit amount of Rs. 28,30,578.00/- (Rupees Twenty - Eight Lacs Thirty Thousand Five Hundred Seventy – Eight Only) towards security deposit within 10 days from the date of issue of this letter failing which, the same will be deducted from your R/A bills as per condition of Clause no 1 (A) at page no GCC -16 of contract document.

4. आपसे निवेदन है कि आप विभिन्न लागू वैधानिक अधिनियमन जैसे कर्मचारी भविष्य निधि व विविध प्रावधान अधिनियम 1952, कर्मचारीराज्य बीमा(ESI) अधिनियम, 1948, ठेका श्रमिक (रोजगार व सेवा की शर्त) अधिनियम, 1979 न्यूनतम मजदुरी अधिनियम 1948, मजदुरी भूगतान अधिनियम, 1936, श्रमिक प्रतिपूर्ति अधिनियम, 1923 एवं अन्य संगत नियम व अधिनियम, अनुदेश इत्यादि जो समय समय पर जारी/प्रवर्तित किया जाते हैं उक्त वैधानिक अधिनियम व प्रावधानों का नियमित अनुपालन व इनके अंतर्गत सारी विधिक बाध्यताओं का पूर्ण प्रेक्षण आपका एकल दायित्व होगा।

You are requested to comply with the provisions under various applicable statutory enactments including the employees Provident Fund & Miscellaneous Provisions Act, 1952, the Employees State Insurance (ESI) Act, 1948, the Contract Labour (Regulation & Abolition) Act, 1970, the Inter-State Migrant workmen (Regulation of employment & conditions of Service) Act, 1979, the Minimum Wages Act, 1948, the Payment of Wages Act, 1936, the workmen's Compensation Act, 1923 and other relevant Act, Rules and Regulations, instructions etc. issued/enforced from time to time. It shall be your sole liability to abide with and fully observing the legal obligations under the aforesaid statutory acts and provisions.

5. आपको निर्देश दिया जाता है कि आप तुरंत वरिष्ठ प्रबंधक (अभि.-नागर) से संपर्क करें जो आपको कार्यस्थल को सौंपने की व्यवस्था करेंगे।

You are also directed to contact Sr. Mgr. (Engg. – Civil) immediately who will arrange to hand over the site to you.

6. कृपया ध्यान दें कि कार्य को पूरा करने के लिए अनुमानित समय 05 (पाँच) महीने होगा और इसकी गणना इस पत्र के जारी होने के 10 वें दिन से की जायेगी।

Please note that the time allowed for carrying out the work shall be 05 (Five) months and same shall be reckoned from the 10th day after issue of this letter.

7. यह संदर्भित पत्र अनुबंध का एक हिस्सा होगा ।

This letter under reference shall form part of agreement.

8. इस अनुबंध के संबंध में आगे का कोई भी पत्राचार प्रभारी अभियंता के पते पर किया जाए।

Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-Charge.


9. कृपया अपनी अभिस्वीकृती भेजे तथा सहमति के लिये डुप्लीकेट कापी, जोकि इस पत्र के साथ संलग्न है, हस्ताक्षर करके अधोहस्ताक्षरी को भेजे।

Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

10. यदि कोई विसंगति पाई जाती है तो अंग्रेजी संस्करण को ही सही रूप में लिया जाएगा ।

In case any discrepancy is found then English version will be taken as correct.

भवदीय/Yours faithfully



उप महाप्रबंधक (अभि.-नागर)

DGM (Engg. Civil)

राजा भोज विमानतल भोपाल,

Raja Bhoj Airport, Bhopal

अध्यक्ष - भा.वि.प्रा. की ओर से

(For and on behalf of the Chairman-AAI)

संलग्नक/ Encl.

i) Schedule 'A' (BoQ)

Government eProcurement System
Created By: VIKAS SHRIVASTAVA
Created Date/Time: 06-Dec-2024 01:21 PM
Tender Title: AAI/BHO/ENGG-C/RE_TOILET/24-25
Tender ID: 2024_AAI_211224_1

Tender Inviting Authority: Sr. Mgr. (Engg. - C)

Name of Work: Renovation of existing toilets and porvision of reserved lounge at Raja Bhoj Airp

Contract No: AAI/BHO/ENGG-C/RE_TOILET/24-25

SCHEDULE OF WORK / ITEM(S)

SI.No	Description of Work / Item(s)	No.of Qty	Units	Classicon Projects India Pvt. Ltd. (GSTN-NA) BID ID -762605	
				Rate	Amount
1.00	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	1823.00	sqm	75.00	136725.00
2.00	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	74.00	sqm	100.00	7400.00
3.00	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge.	1092.00	sqm	110.00	120120.00
4.00	Dismantling W.C. Pan,wash basin ,urinals of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.	260.00	each	100.00	26000.00
5.00	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	120.00	each	100.00	12000.00
6.00	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	512.00	sqm	10.00	5120.00
7.00	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar	19.00	cum	1000.00	19000.00
8.00	Dismantling cubicle partition work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	100.00	each	250.00	25000.00
9.00	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, dado and walls over average 3mm thick cement based high polymer	1588.00	sqm	1750.00	2779000.00

10.00	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand)	593.00	sqm	1750.00	1037750.00
11.00	Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix of 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg), including filling / grouting and finishing complete as per direction of Engineer-in-charge.	2181.00	sqm	200.00	436200.00
12.00	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1	7.00	sqm	4300.00	30100.00
13.00	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	137.00	each	300.00	41100.00
14.00	Providing and fixing cramps of required size & shape in RCC/ CC / Brick masonry backing with cement mortar 1:2 (1 cement :2 coarse sand), including drilling necessary hole in stones and embedding the cramp in the hole (fastener to be paid separately).	365.00	kg	700.00	255500.00
15.00	Providing and fixing expansion hold fasteners on C.C. /R.C.C./Brick masonry surface backing including drilling necessary holes and the cost of bolt etc complete. Wedge expansion type Fastener with threaded dia 12 mm	292.00	each	60.00	17520.00
16.00	Providing and fixing brass tile specer C-channel of size 3mm wide made out of 0.5mm thick sheet with glossy finish all complete as approved by architect or engineer in charge	2516.00	rmt	60.00	150960.00
17.00	Providing and fixing 18mm thick gang saw cut mirror polished Engineered quartz stone(premoulded and prepolished) machine cut for kitchen platforms, Wash basin counters, window sills , facias and similar locations of required size of approved shade, colour and texture laid over 20mm thick base	59.00	sqm	4300.00	253700.00
18.00	Brick work with common burnt clay machine moulded perforated bricks of class designation 3.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand) : With Modular bricks	26.00	cum	6500.00	169000.00
19.00	12 mm cement plaster of mix : 1:6 (1 cement : 6 sand)	217.00	sqm	300.00	65100.00
20.00	15 mm cement plaster on the rough side of single or half brick wall of mix 1:6 (1 cement : 6 sand)	217.00	sqm	320.00	69440.00
21.00	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	1550.00	sqm	90.00	139500.00
22.00	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour Two coats	1550.00	sqm	160.00	248000.00

23.00	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture lum sum qty of MS grill or Ventilator grill	7.00	sqm	225.00	1575.00
24.00	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.	27.00	sqm	2800.00	75600.00
25.00	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	27.00	sqm	500.00	13500.00
26.00	Extra for providing vision panel not exceeding 0.1 sqm in all type of flush doors (cost of glass excluded) (overall area of door shutter to be measured):Rectangular or square	27.00	sqm	200.00	5400.00
27.00	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality.	198.00	sqm	900.00	178200.00
28.00	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete : 250x10 mm	26.00	each	500.00	13000.00
29.00	Providing and fixing bright finished brass door latch with necessary screws etc. complete : 250x16x5 mm	26.00	each	500.00	13000.00
30.00	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	24.00	each	900.00	21600.00
31.00	Providing and fixing chromium plated brass 50 mm cupboard or wardrobe knobs with nuts complete.	24.00	each	500.00	12000.00
32.00	Providing and fixing chromium plated brass handles with necessary screws etc. complete: 125 mm	24.00	each	300.00	7200.00
33.00	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid door/window/Clerestory windows & other Frames/ Chowkhat comprising of virgin PVC polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/ wheat	56.00	meter	450.00	25200.00
34.00	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid board one side white color and other side of board laminted with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive for cup boards, work stations and bathroom/ kitchen	38.00	sqm	2500.00	95000.00

35.00	Providing and fixing SLIDING MECHNISM of :-Ebco Hi Slide Twin Sliding Mechanism For Single door Sliding Shutters & Bi - parting doors. Top Running Twin Wheel Design for Load capacity. Minimum shutter thickness required - 25 mm.	9.00	each	5000.00	45000.00
36.00	Providing and fixing 16 - 18mm thick gang saw cut mirror polished premoulded and prepolished machine cut Granite of approved shade, colour and texture of Granite Door frame. in cement mortar 1:3 (1 cement :3 sand) including pointing with an admixture of pigment to match the shade including fixing of	75.00	rmt	450.00	33750.00
37.00	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary	137.00	kg	600.00	82200.00
38.00	Providing and fixing mineral fibre false ceiling tiles at all heights of size 595X595mm of approved texture, design and pattern. The tiles should have Humidity Resistance (RH) of 99%, Light Reflectance ? 85%, Thermal Conductivity k = 0.052 - 0.057 w/m K, Fire Performance as per (BS 476 pt - 6	1354.00	sqm	1250.00	1692500.00
39.00	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm	431.00	sqm	900.00	387900.00
40.00	Providing and fixing frame work for partitions/ wall lining etc. made of 50x25x2mm hollow MS tube, placed along the walls, ceiling and floor in a grid pattern with spacing @ 60 cm centre to centre both ways (vertically and horizontally) or at required spacing near opening, with necessary welding at junctions and	2016.00	kg	120.00	241920.00
41.00	Providing and fixing plywood 4 mm thick, one side decorative veneer conforming to IS: 1328 (type-1), for plain lining / cladding with necessary screws, including priming coat on unexposed surface with : Decorative veneer facings of approved manufacture	50.00	sqm	2000.00	100000.00
42.00	Melamine polishing on wood work (one or more coat).	50.00	sqm	1000.00	50000.00
43.00	Providing and fixing 12 mm thick panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed	100.00	sqm	2200.00	220000.00
44.00	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all	5.00	sqm	8500.00	42500.00
45.00	Providing and fixing wood work in frames, false ceiling, partition wall etc. sawn, polished smooth including primer etc. complete as directed by Engineer - In - Charge with necessary stainless steel screw. Sal wood	1.00	cum	70000.00	70000.00
46.00	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with color /bronze /metallic coated frame of approved make and shade with 8 mm thick hard board backing :	73.00	sqm	5200.00	379600.00

47.00	Providing and fixing 6mm thick fluted glass of superior glass (of approved quality) and of required shape and size including all necessary accessories all complete as per direction of engineer incharge.	55.00	sqm	2500.00	137500.00
48.00	Providing and fixing 75 Cm high, 23 Cm deep and 18 mm thick Urinal Partition made of Seamless Stainless Steel frame in which poly carbonate sheet is encroached in frosted finish , fixed by drilling and mounting on the wall with necessary self drilling screws.	22.00	sqm	1500.00	33000.00
49.00	Providing and fabricating Toilet Cubicles works using 12mm thick both side high pressure compact laminate board of required colour and shade for restroom cubicles of sizes as per the drawing including bottom gap of (Besco by Merino) or approved equivalent make with accessories like Top rail, Coat	100.00	each	6500.00	650000.00
50.00	Providing and fixing stainless steel toilet symbol plates 200mm X 300mm X 2mm Thick embosed with English (Capital) and Hindi letters in standard pattern and prevailing ladies ,gents,Handicap toilet symbols in approved patterns including fixing with SS fittings all complete as per direction of	29.00	each	1900.00	55100.00
51.00	Providing and fixing Wall mounted water closet connector assembly. Make :- KOHLER Model No. 1527926 or Equivalent Description - COMPACT OUTLET CONNECTOR ASSEMBLY . As approved by Engineer in charge	100.00	each	250.00	25000.00
52.00	Providing and fixing wall mounted EWC, With quite close seat cover, 346mm x 557mm x 400mm (H) . Make :- KOHLER Model No. 26998IN-0 or Equivalent Description - KOHLER VIVE WH TOILET WITH SEAT . As approved by Engineer in charge	100.00	each	16000.00	1600000.00
53.00	Providing and fixing Flush Valve Range:Allied,Material:Brass,Description:Flush Valve WC 40mm Make :- EURONICS or Equivalent. As approved by Engineer in charge. Model No. AL002D	100.00	each	3500.00	350000.00
54.00	Providing, Fixing and Providing of UNDER COUNTER BASIN (WITHOUT COLLAR), Dimension (mm) 380(L) x 490(W) x 170(H) Shape : Rectangle, Colour: White, Warranty: 10 years Make :- EURONICS MODEL NO. C016-WB or Equivalent. As approved Engineer in charge	105.00	each	3600.00	378000.00
55.00	Providing and fixing Touch less urinal with back inlet, 335mm x 335mm x 642mm , With infused germ shield technology, 1 Ltr per flush. Make :- KOHLER Model No. 16321IN-SS-0 or Equivalent Description - PATIO TOUCHLESS URINAL, WATERSAVING . As approved Engineer in charge	88.00	each	32500.00	2860000.00
56.00	Providing and fixing of Sensor Faucet , The flow rate of the water-saving model is 0.5GPM (1.9L/min), and the flow rate of the super water-saving model can be customized to 0.35GPM (1.3L/min) to help the project achieve 'green building' status. Model No. KUMIN 18656IN Make :- KOHLER or Equivalent.	105.00	each	11000.00	1155000.00
57.00	Providing and fixing KOHLER finishes resist corrosion and tarnishing, exceeding industry durability standards two times, SASO complies-WEL. Make :- KOHLER Model No. 12927IN-CP or Equivalent Description - HEALTH FAUCET W/SDSPRAY, METAL HOSE . As approved by Engineer in	100.00	each	2300.00	230000.00
58.00	Providing and fixing W 100, D 100, H 70 mm, T-type automatic sealing. Make :- KOHLER Model No. 7275IN-CP or Equivalent Description - FLOOR DRAIN . As approved by Engineer in charge	165.00	each	1200.00	198000.00

59.00	Providing, Fixing and Supplying of Stainless Steel JUMBO ROLL TISSUE DISPENSER Cabinet : 18-8, Type-304, Stainless Steel, Finish : Stainless Steel Satin, Application : WC Area, Length of Roll: 250 – 300 Mtrs Make :- EURONICS, Model No. EJ01 or Equivalent. As approved by	100.00	each	3200.00	320000.00
60.00	Providing, Fixing and Supplying of BABY DIAPER CHANGING STATION - Equipped With Safety Belt To Secure Baby When Changing Diapers, Material : High Quality HDPE, Unit Dimensions : 823mm (W) x 457mm (H), Depth (Open) : 470 mm, Maximum Load : 25 Kgs Make :- EURONICS,	18.00	each	11750.00	211500.00
61.00	Providing, Fixing and Supplying of AUTO SANITIZER DISPENSER: Operation: Automatic Infra-Red Sensor, Material: 304 Stainless Steel, Capacity: 1100 ML, Power: Battery (4 x AA Alkaline Duracell), Sensing Range: 5~15 CM, Warranty: 6 months Make :- EURONICS,	100.00	each	4300.00	430000.00
62.00	Providing and Fixing of WASHROOM PANEL/RECESSED/STAINLESS STEEL (3IN1) MANUAL PAPER DISPENSER / HIGH SPEED HAND DRYER / WASTE RECEPTACLE), Capacity : 600 C-Fold or 800 Multi Fold Paper Towel, Hand Dryer : 1350W, Waste Container : 18-	18.00	each	45000.00	810000.00
63.00	Providing, Fixing and Supplying of STAINLESS STEEL PAPER DISPENSER (CAPACITY: 450 - 500 PAPER TOWELS)(MADE IN INDIA) Cabinet : 18-8, Type-304, Stainless Steel, Finish : Stainless Steel Satin, Application : Washbasin Area, Capacity : 450 C-fold, 600 Multifold Make :- EURONICS,	55.00	each	3400.00	187000.00
64.00	Providing, Fixing and Supplying of UNDER-COUNTER AUTOMATIC SOAP DISPENSER: Operation : Automatic Infra-Red Sensor, Power : Electircity or Battery (4 x D Size Alkaline), Capacity : 1000 ML, Dispense Volume : One Drop 2 ML, Sensing Range : 5 – 150 mm, Soap Refill: From the Top,	105.00	each	7300.00	766500.00
65.00	Providing, Fixing and Supplying of SANITARY PAD & SANITARY POUCH DISPENSER Combination : Sanitary pad & Sanitary Pouch Dispenser, Stainless Steel, Sanitary Napkin Capacity : 20-25 Pcs, Disposable Bags Capacity : 50 Bags (Made in India) Make :- EURONICS, Model No. ESN05 or	13.00	each	4300.00	55900.00
66.00	Providing, Fixing and Supplying of SWING HANDICAP GRAB BAR - STAINLESS STEEL Material : 18-8 S, Type-304, Stainless Steel, Operation : Movable (Horizontally & Vertically), Diameter : 32mm, Application : WC Area (Made in India) Make- Euronics, Model No. EGR S02 As approved by	9.00	each	5200.00	46800.00
67.00	Providing, Fixing and Supplying of DISABLED GRAB BAR (U SHAPE) - (SET OF 2) Material : 18-8 S, Type-304, Stainless Steel, Application : Washbasin or Urinal Area, Diameter : 32 mm Application : WC Area (Made in India) Make- Euronics, Model	9.00	each	7800.00	70200.00
68.00	Providing, Fixing and Supplying of Euronics EGR04 L-Shape Grab bar material : 18-8 S, Type-304, Stainless Steel, Application : WC Area, Diameter : 32 mm Warranty: 1 year (Made in India) Make- Euronics, Model No. EGR04 As approved by Engineer in charge. Make :- EURONICS or	9.00	each	3500.00	31500.00
69.00	Providing, Fixing and Supplying of Disabled Grab Bar Material : Stainless Steel Tube Coated with Nylon, Application: WC Area, Diameter : 32 mm, Color : Ivory Make- Euronics, Model No. NGR05 As approved by Engineer in charge. Make :- EURONICS or Equivalent	9.00	each	1800.00	16200.00
70.00	Providing and fixing fragrance dispenser (LCD-with Digital Programming (Timer)). Construction - 304 Grade Stainless Steel Battery - 2 x AA Size Spray Interval - Digital Programming (Timer)	18.00	each	3900.00	70200.00

71.00	PLANTERS WITH HEALTHY PLANTS -Providing/Supplying & Installing Fibre Reinforced Plastic (FRP) Planters (Size-16 inch dia.x15 inch height) of approved model (Circular/Rectangular),colour,Texture and including Coco Peat Soil with Healthy plants of approved species as per site and	40.00	each	7500.00	300000.00
72.00	PLANTERS WITH HEALTHY PLANTS -Providing/Supplying & Installing Fibre Reinforced Plastic (FRP) Planters (Size-4 inch dia.x5 inch height) of approved model (Circular/Rectangular),colour,Texture and including Coco Peat Soil with Healthy plants of approved species as per site and	102.00	each	700.00	71400.00
73.00	Providing and fixing factory made 18 mm thick single extruded WPC (Wood Polymer Composite) solid plain white colour board Jali CNC (Computer numeric control) routed of approved design by Engineer-in -charge which are machine cut for duct/shaft covering, partitions and facades comprising	63.00	sqm	3800.00	239400.00
74.00	Providing and fixing wall painting on canvas/ plyboard/canson sheet/hand made sheet with oil/ acrylic/water color/ fabric colors including framing the painting with second class teak wood Frame carved out of 2"x1.5" section Fixed over 8mm commercial plywood (Green ply / Black berry / Century /	17.00	sqm	8000.00	136000.00
75.00	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter	850.00	mtr	300.00	255000.00
76.00	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	850.00	mtr	400.00	340000.00
77.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	90.00	7650.00
78.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	110.00	9350.00
79.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	90.00	7650.00
80.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	120.00	10200.00
81.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	160.00	13600.00
82.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	200.00	17000.00

83.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	160.00	13600.00
84.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	200.00	17000.00
85.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	100.00	8500.00
86.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	130.00	11050.00
87.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	90.00	7650.00
88.00	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.	85.00	each	120.00	10200.00
89.00	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings	18.00	each	4500.00	81000.00
90.00	Providing and fixing CP Brass 32mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in- Charge.	238.00	each	1500.00	357000.00
91.00	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 40 mm dia	119.00	each	80.00	9520.00
92.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings	200.00	mtr	300.00	60000.00
93.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the	200.00	mtr	350.00	70000.00
94.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the	1500.00	mtr	400.00	600000.00

95.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the	500.00	mtr	450.00	225000.00
96.00	Providing and fixing brass stop cock of approved quality : 15 mm nominal bore	119.00	each	650.00	77350.00
97.00	Providing and fixing uplasticised PVC connection pipe with brass unions :45 cm length 15 mm nominal bore	476.00	each	150.00	71400.00
98.00	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	1.00	each	1500.00	1500.00
99.00	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	51.00	each	800.00	40800.00
100.00	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	204.00	each	1300.00	265200.00
101.00	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore	204.00	each	900.00	183600.00
102.00	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in- Charge.	204.00	each	80.00	16320.00
103.00	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with	390.00	sqm	600.00	234000.00
104.00	Providing and fixing Dual flow hexagonal 425mm x 330mm rainpanel in polished chrome. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 29959IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	95000.00	285000.00
105.00	Providing and fixing Providing and fixing Recessed thermostatic mechanical 4 outlet trim in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 26348IN-9-BV or Equivalent As approved Engineer-in- Charge.	3.00	each	76000.00	228000.00
106.00	Providing and fixing Providing and fixing Recessed mechanical thermostatic 4 outlet valve. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 26342IN-NA or Equivalent As approved by Engineer-in- Charge.	3.00	each	38000.00	114000.00
107.00	Providing and fixing Providing and fixing Oblong vichy body spray in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 26300IN-CP or Equivalent As approved by Engineer-in- Charge.	3.00	each	8500.00	25500.00

108.00	Providing and fixing Providing and fixing Bath spout with diverter in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 23511IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	5700.00	17100.00
109.00	Providing and fixing Providing and fixing Hand shower in brushed bronze. As approved by Architect or Engineer in charge Make :-Kohler. Model No. 98445IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	4600.00	13800.00
110.00	Providing and fixing Providing and fixing Shower hose, 1.5M in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 12067IN-V or Equivalent As approved by Engineer-in- Charge.	3.00	each	1500.00	4500.00
111.00	Providing and fixing Providing and fixing Hand shower bracket in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 9038IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	800.00	2400.00
112.00	Providing and fixing Providing and fixing Floor drain in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 7275IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	1800.00	5400.00
113.00	Providing and fixing Providing and fixing Wall mount lavatory faucet trim + valve in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No.24280IN-4ND-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	15000.00	45000.00
114.00	Providing and fixing Providing and fixing 600mm edge vessel basin without faucet hole in white. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 21226IN-SS-0 or Equivalent As approved by Engineer-in- Charge.	3.00	each	17500.00	52500.00
115.00	Providing and fixing Providing and fixing Grid drain in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No.20746IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	600.00	1800.00
116.00	Providing and fixing Providing and fixing 350mm bottle trap in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No.75823IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	2200.00	6600.00
117.00	Providing and fixing Providing and fixing Wall hung toilet with Quiet- Close™ UF seat cover in white. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 27902IN-SS-0 As approved by Engineer-in- Charge.	3.00	each	30000.00	90000.00
118.00	Providing and fixing Providing and fixing CONNECTOR. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 1046327-S or Equivalent As approved by Engineer-in- Charge.	3.00	each	180.00	540.00
119.00	Providing and fixing Providing and fixing INSTAFIT+® NXT GEN - PNEU IN WALL TANK. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 26353IN-P-NA or Equivalent As approved by Engineer-in- Charge.	3.00	each	6700.00	20100.00

120.00	Providing and fixing Providing and fixing In-line stop valve trim in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 16087IN-4-CP As approved by Engineer-in- Charge.	3.00	each	700.00	2100.00
121.00	Providing and fixing Providing and fixing In-line stop valve G13mm. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 16088IN-NA or Equivalent As approved by Engineer-in- Charge.	3.00	each	1000.00	3000.00
122.00	Providing and fixing Providing and fixing Pneumatic faceplate in white with actuation button in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 24151IN-F-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	5400.00	16200.00
123.00	Providing and fixing Providing and fixing Health faucet with hose and bracket in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 97258IN-CP As approved by Engineer-in- Charge.	3.00	each	2600.00	7800.00
124.00	Providing and fixing Providing and fixing Angle valve G13mm (2 pcs per box) in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 16086IN-4-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	3400.00	10200.00
125.00	Providing and fixing Providing and fixing Floor drain in brushed bronze. As approved by Architect or Engineer in charge Make :- Kohler. Model No. 7275IN-BV or Equivalent As approved by Engineer-in- Charge.	3.00	each	1800.00	5400.00
126.00	T.V. unit 1.8x2.1M and 600x300mm deep box.-Providing and fixing T.V. Unit Panel frame made of 18mm.thick antitermite & waterproof Ply Board frame (Section size 75mm X 18 mm (to level the surface) at centre to centre distance of 600 mm both ways on Wall with the help of Fasteners/Screws etc.as	3.00	sqm	23000.00	69000.00
127.00	25 mm wooden planking, tongued and grooved in flooring, including fixing with iron screws complete with : Second class teak wood	93.00	sqm	4000.00	372000.00
128.00	"Providing and fixing of texture fabric translucent or blackout roller blind on windows opening, the rate shall be inclusive all necessary hardware complete. The blind will be operated manually / mechanism.All work shall be carried out as per detail drawing and instruction of Engineer-in-charge. Remote	4.00	sqm	1400.00	5600.00
129.00	WALL PAPER -Providing & fixing Wall paper (Heavy Vinyl Coated) of reputed brand. (Exel/ Green/Asian or equivalent) on existing smooth surface of Wall/Panelling i/c applying of adhesive & Powder,fixing on wall and matching the Joints /Design pattern as per the approval of the Engineer In charge	9.00	sqm	1500.00	13500.00
130.00	2 SEATER SOFA (SIZE 1340X675X450/750mm)- S & F sofa made of 18mm thick. Anti termite & Waterproof ply board fixed on frame work made of second class Teak Wood of cross section 50x50mm. Seat is provided with 18mm.thick Anti termite & Waterproof comm. ply & back is provided with	7.00	each	20000.00	140000.00
131.00	3 SEATER SOFA-(SIZE 1900X750X400/750) 3 SEATER SOFA- (As per design/ drawing) S & F sofa made of 18mm thick. Anti Termite & Waterproofing ply board fixed on frame work made of second class Teak Wood of cross section 50x50mm. Seat is provided with 19mm.thick Anti Termite &	2.00	each	30000.00	60000.00

132.00	Providing and fixing of wooden center table of size (800 mm length x 800 mm width x 400/450 mm high) Square or Round equivalent size or as per design, table top made with 18/19 mm BWR plywood and finish with 4mm thick decorative veneer or table top frame made with first class quality	4.00	each	9000.00	36000.00
133.00	Providing & Placing of Executive High Back Chair : The seat should be made of Injection molded Plastic outer & Inner. Plastic Inner should be upholstered with pure leather and moulded High Resilience Polyurethane foam of Density 45 +/- 2 kg/m3, and hardness load 16 +/- 2 kgf as per IS: 7888 for 65%.	6.00	each	7000.00	42000.00
134.00	Providing and Placing CONFERENCE TABLE- Overall Size- 7200x2700x750. Table top will be 25 mm thick with 50 mm edge effect made up of Ply wood. The table top is provided with flapper and raceway, all visible open edge are covered with 2 mm PVC edge bidding and non visible edge are	1.00	each	220000.00	220000.00
135.00	Providing and fixing in position best Indian single Lever Auto Mixing Diverter (Cartridge Size 47mm, nickel plating 0.10 micron and chrome plating 0.3 micron) for Shower area use only. (Premium Range)	2.00	each	5000.00	10000.00
136.00	Providing and fixing in position best Indian shower rose 200mm dia body and face chrome plated, brass made body, Silicon based Rubbit cleaning nozzles .(Premium Range)	2.00	each	3000.00	6000.00
137.00	Credit for taking away of all sizes including disposal of dismantled SS fittings materials all complete as per directions of Engineer-in- Charge.	15.00	kg	25.00	-375.00
138.00	Credit for taking away Dismantling of all sizes including disposal of dismantled CI pipe materials all complete as per directions of Engineer-in- Charge.	1600.00	kg	25.00	-40000.00
139.00	Credit for taking away Dismantling of all sizes including disposal of dismantled CP Brass fittings materials all complete as per directions of Engineer-in- Charge.	50.00	kg	350.00	-17500.00
140.00	Credit for taking away Dismantling of all sizes including disposal of dismantled Aluminium items materials all complete as per directions of Engineer-in- Charge.	15.00	kg	150.00	-2250.00
141.00	Credit for taking away Dismantal Vitrified WC pan, wash basin, urinals all complete as per directions of Engineer-in- Charge.	260.00	Each	10.00	-2600.00
142.00	Wiring for light point/ fan point/ exhaust fan point / call bell point with 1.5 sq.mm FRLSH PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLSH PVC insulated copper	159.00	point	800.00	127200.00
143.00	Wiring for group controlled (looped) light point / fan point/exhaust fan point/ call bell point (without independent switch etc.) with 1.5 sq. mm FRLSH PVC insulated copper conductor single core cable in surface/ recessed steel conduit, and earthing the point with 1.5 sq. mm FRLSH PVC insulated	247.00	point	500.00	123500.00

144.00	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLSH PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2 X 2.5 sq. mm +1 X 2.5 sq. mm earth wire	350.00	meter	250.00	87500.00
145.00	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLSH PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2 X 4 sq. mm +1 X 4 sq. mm earth wire	600.00	meter	320.00	192000.00
146.00	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 A & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.	153.00	each	750.00	114750.00
147.00	Supply & Installation of 15 Watt Deep Recessed LED Downlighter, made up of pressure die cast aluminum housing with high efficiency with independent electronic LED driver and fixture should have minimum efficacy at System level ≥ 115 lumens / watt with Minimum system Lumens 1725 & max	300.00	each	1000.00	300000.00
148.00	Supply & Installation of 2 Watt Up-Down Light (Single Light), IP 65 with optimum brightness uniformity of light, Lumen maintenance, CCT of 3000K, CRI Ra ≥ 80 , PF > 0.9 complete etc as required.	53.00	each	600.00	31800.00
149.00	Supply & Installation of 24V / 2Amp, IP 65 Flexible LED Strip with optimum brightness uniformity of light for perfect Cove light, with electronic LED driver, Lumen maintenance, CCT of 3000K, CRI Ra ≥ 80 , PF > 0.9 complete etc as required.	165.00	meter	300.00	49500.00
150.00	Providing and fixing Occupancy Sensors Lighting Color-Pure White Install Style-Suspended Brand-Philips Frequency-50 Hz IP Rating-IP41 Voltage-230 V Max Pressure-1000 Bar Model Number-LRM1071 Current-Max 23 mA Ambient Temperature-0-50 Degree C Operating Temperature- -1 to 80 Degree C	86.00	each	2000.00	172000.00
151.00	Supplying & Fixing of Recess Hand Dryer: Voltage: AC 220-240V, Phase: Single-phase, Input :1150w – 1350w, Wind Speed: 53m/s, Heating Power: 650w, Motor: Brush motor, Sensing Distance: 9-15cm, Speed: 25000 rpm, Protection class: IPX1 complete etc as required.	33.00	each	20000.00	660000.00
152.00	Supplying & Fixing Fully Automatic Shoe Shining Machine Material: Stainless Steel / Satin Finish, Voltage: 220V / 50Hz, Rated Power: 40 W, RPM: 1400, Time Protection: 15 sec, Polish capacity: 200 ML complete etc. as required. Make: - EURONICS, Model: KSM5 or Equivalent as approved	13.00	each	21000.00	273000.00

Total in Figures

28305785.00

Lowest Amount Quoted BY: Classicon Projects India Pvt. Ltd.(28305785.00)