

ISO 9001:2015, ISO 14001:2015 & CHSAS 18001:2007 CERTIFIED AIRPORT

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

No. AAM/ENGG/ELEC/AMED-IX/Ceremonial Lounge/24-25/A-39

Date: 16.12.2024

M/s. Delite Systems Engineering India Pvt Ltd.,
201, Shalaka, Plot No: 32, TPS II,
Juhu Road, Santacruz (West),
Mumbai - 400 054.



Name of Work: Replacement of peripheral light fittings in Ceremonial lounge at Chennai Airport.

Ref: Tender ID- 2024_AAI_213072_1

Dear Sir(s),

1. Your E-tender for the above-mentioned work has been accepted by the Competent Authority on behalf of the Chairman, Airports Authority of India, at the item rates quoted by you totaling to ₹ 11,26,861.00 (Rupees Eleven Lakh Twenty Six Thousand Eight Hundred and Sixty One Only) excluding GST which is 18.18% below the Estimated cost of ₹ 13,77,174.00 (Rupees Thirteen Lakh Seventy Seven Thousand One Hundred and Seventy Four Only) excluding GST put to tender.
2. Joint General Manager (Engg-Elect.), AAI, Chennai Airport, Chennai - 600 016 shall be the Engineer-in-Charge of the work. You are requested to attend to the Office of Joint General Manager (Engg-Elect.), AAI, Chennai Airport by 25.12.2024 to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value ₹100.00 (Rupees One Hundred only) and the cost of the stamp paper shall be borne by you.
3. Please deposit an amount of ₹ 1,12,686.00 (Rupees One Lakhs Twelve Thousand Six Hundred Eighty Six Only) towards Security Deposit within 10 days from the date of issue of this letter, failing which, the same will be deducted as per Clause 1A of Contract Document. Earnest Money Deposit amount will be returned back to your account after deducting equal amount of EMD against Security Deposit from your bill
4. You are requested to comply with the provision of Contract Labour (Regulation and Abolition) Act 1970 and Contract Labour (Regulation and Abolition) Central Rules 1971 and Minimum Wages Act and Rules there of Central and State Governments.
5. Please note that the time allowed for carrying out the work shall be 03 (Three Months) and the same shall be reckoned with effect from 26.12.2024.

फैक्स: 044 - 2256 0008 ईपीएबीएक्स: 2256 0551, चेन्नईहवाईअड्डे, चेन्नई - 600 016.
Fax: 044 - 2256 0008 EPABX: 2256 0551, Chennai Airport, Chennai - 600 016.



CHENNAI AIRPORT

ISO 9001:2015, ISO 14001:2016 & CHSAS 18001:2007 CERTIFIED AIRPORT

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

6. You are also directed to contact Asst. Gen. Manager Engg. (Elect.), Airport Maintenance Electrical Division-IX, Airports Authority of India, Operational Offices, Chennai Airport immediately for the execution of the above-mentioned work
7. Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-Charge.
8. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Yours faithfully

(A. Mariappan)

Joint General Manager (Engg. -Elect.)

For and on behalf of the Chairman
Airports Authority of India, Chennai Airport.

Encl: Schedule of Work (03 Pages)

Distribution:

External

1. The Commercial Tax Officer, Chennai – 600 006.
2. Income Tax Officer, Chennai – 600 034.
3. The Labour Commissioner, Chennai – 600 006.

Internal

1. G.M. Engg. (Elect.), AAI, Chennai Airport, Chennai.
2. G.M. (F&A), AAI, Chennai Airport, Chennai.
3. Asst. Gen. Manager Engg. (Elect.)-AMED-IX, AAI, Chennai Airport, Chennai.
4. Agreement.

AIRPORTS AUTHORITY OF INDIA
CHENNAI AIRPORT::CHENNAI 600 016
SCHEDULE OF WORK

NAME OF WORK : Replacement of peripheral light fittings in Ceremonial lounge at Chennai Airport					
Sl. No.	Description of Item	Qty	Unit	Basic Rate (Excluding GST)	Amount (Excluding GST)
SH:I	SH: I LIGHT FIXTURES				
	COVE LIGHT - ROOMS				
1	SITC of 5 meter LED flexible strip having efficacy of 100 lm/W and minimum lumen output of 740 lumens per meter, LED Colour Temp. from 3000K/4000K with Minimum 50000 burning hours life, operating at a temperature of -10°C to +50° C, IP 20 protected, complete as required and meeting the techno commercial specifications. Make: Philips ; Model No : STRIP LIGHT -LS170S LED8S 830/840 IP20 L5000 PRO or Equivalent	72	Each	2599.00	1,87,128.00
2	SITC of IP20 - 100W / 24V Driver for the above mentioned cove light along with necessary components complete as required.	32	Each	999.00	31,968.00
3	Supply and Fixing of 16 mm x 6 mm Aluminium Profile of 18 gauge thickness in extruded aluminium 6063, finish-anodized silver with accessories - side cap and clip including polycarbonate diffuser for better distribution of light complete as required.	350	Mtr	799.00	2,79,650.00
4	Supply and laying of following size of 1.1 KV grade multistrand Copper conductor PVC insulated flexible cable.				
4.01	3 Core X 1.5 sq.mm Copper Flexible cable	400	Mtr	299.00	1,19,600.00
	POST TOP-LANTERN				
5	SITC of LED Post Top Lantern made of die cast aluminium housing landscape luminaire with lumen efficacy not less than 85 lm/W and minimum lumen output of 2300 lumens suitable to operate 220-240 V AC supply, LED Colour Temp. from 3000K with Minimum 50000 burning hours life, operating at a temperature of -10°C to +50° C, IP 65 protected, complete as required and meeting the techno commercial specifications. Make: Philips ; Model No :POST TOP RING LIGHT -BGP161 LED2300/W W PSU 220-240V or Equivalent	10	Each	9200.00	92,000.00



Sl. No.	Description of Item	Qty	Unit	Basic Rate (Excluding GST)	Amount (Excluding GST)
	CANOPY LIGHT				
6	SITC of surface mounted round LED downlighter made of die cast aluminium housing with lumen efficacy not less than 100 lm/W and minimum lumen output of 3800 lumens suitable to operate 220-240 V AC supply, LED Colour Temp. from 4000K with Minimum 50000 burning hours life, operating at a temperature of -10°C to +50° C, IP 65 protected, complete as required and meeting the techno commercial specifications. Make : Philips ; Model No : SM294C LED40/840 PSU WP WH GM or Equivalent	9	Each	5999.00	53,991.00
	BOLLARD -LANDSCAPE				
7	SITC of LED landscape Bollard made of die-cast aluminium base with opal acrylic diffuser and inbuilt driver with system wattage of maximum 10W and minimum lumen output of 300 lumens suitable to operate 150 – 270V AC supply, LED Colour Temp. from 3000K with Minimum 50000 burning hours life, operating at a temperature of -10°C to +50° C, IP 65 protected including making foundation with minimum 450mm below ground level with nut bolts of sufficient size as per the bollard fixture complete with all accessories and meeting the techno commercial specifications as required Make : Philips ; Model No : LANDSCAPE BOLLARD - BCP151 LED150 / WW PSU 220 - 240 V 7043 or Equivalent	20	Each	3999.00	79,980.00
	DOWNLIGHT				
8	SITC of recess mount round LED downlighter made of die-cast aluminium with polycarbonate diffuser having luminaire efficacy of not less than 110 lm/W and minimum lumen Output of 2200 lumens suitable to operate 150 – 270V AC supply, LED Colour Temp. from 4000K with Minimum 50000 burning hours life, operating at a temperature of -10°C to +50° C, IP 20 protected, complete as required and meeting the techno commercial specifications. Make : Philips ; Model No : DOWN LIGHT - DN296B LED20S 4000 PSE WH S2 or Equivalent	21	Each	1999.00	41,979.00

