



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA
गोवा अंतरराष्ट्रीय एयरपोर्ट
GOA INTERNATIONAL AIRPORT
गोवा -403801
GOA - 403 801

संख्या : भा.वि.प्रा./गोवा/ अभि (सि)/ एप्रोन /2024-25/279
No: AAI/ GOA/Engg(C)/Apron/2024-25/279

दिनांक/ Date: 03.03.2025

द्रुतगति डाक द्वारा /By Speed Post

सेवा मे,
✓ मेसर्स. एस.एस. कंस्ट्रक्शन,
दुकान नंबर 1,2, आर.आर.कॉम्प्लेक्स,
रिलायंस ऑफिस के पास, सुविधा विहार कॉलोनी,
न्यू एयरपोर्ट रोड, भोपाल-462036
ईमेल:- ssconstructionbpl25@gmail.com

To,
M/s. S.S Construction,
Shop No.1,2, R.R.Complex, Near Reliance
Office, Suvidha Vihar Colony, New Airport
Road, Bhopal-462036
e-mail:- ssconstructionbpl25@gmail.com

विषय :- गोवा हवाई अड्डे पर इंटरलेयर डामर सुदृढीकरण प्रणाली और बिटुमिनस ओवरले के साथ एप्रन की मरम्मत.

Subject :- Repair of Apron with interlayer Asphalt reinforcement system and bituminous overlay at Goa Airport.

संदर्भ/Ref :- आपकी दिनांक 03.02.2025 को खोली गई ई निविदा (निविदा क्र . 2024_AAI_220541_1)
Your e-tender for the subject work opened on 03.02.2025.
(Tender ID : -2024_AAI_220541_1)

महोदय/ Dear Sir (s),

- उपर्युक्त कार्य के लिए ई निविदा संलग्न अनुसूची के अनुसार उद्धृत कुल रु. 6,06,96,870/- (बिना जी एस टी जोड़े) (रुपए छह करोड़ छह लाख छियानबे हजार आठ सौ सत्तर मात्र मात्र) जो अनुमानित लागत रु. 7,12,89,228/- (बिना जी एस टी जोड़े) (रुपए सात करोड़ बारह लाख उन्व्यासी हजार दो सौ अट्ठाईस मात्र) से 14.85% (चौदह दशमलव आठ पांच प्रतिशत) से नीचे, की नियत मद दर पर, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकार की जाती है।
1. Your E-tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India, at the item rates quoted by you totalling to Rs. 6,06,96,870/- (Excluding GST) (Rupees Six Crore Six Lakh Ninety-Six Thousand Eight Hundred and Seventy Only) which is 14.85 % (Fourteen Point Eight Five Percent) below the estimated cost put to tender of Rs. 7,12,89,228/- (Excluding GST) (Rupees Seven Crore Twelve Lakh Eighty-Nine Thousand Two Hundred and Twenty-Eight Only).
2. वरिष्ठ प्रबंधक (अभि-सि), भा वि प्रा, गोवा अंतरराष्ट्रीय विमानक्षेत्र, दाबोलिम, गोवा इस कार्य के अभियंता प्रभारी होंगे। आपसे अनुरोध है कि आप संविदा करार पर हस्ताक्षर करने एवं उसे पूरा करने हेतु 13.03.2024 से पहले वरिष्ठ प्रबंधक(अभि-सि), भा वि प्रा, गोवा अंतरराष्ट्रीय विमानक्षेत्र, दाबोलिम, गोवा के कार्यालय में उपस्थित हो। संविदा करार 100/- (रुपये एक सौ मात्र) के न्यायिकेतर स्टैम्प पेपर पर निष्पादित किया जाएगा और पेपर की लागत आप द्वारा वहन की जाएगी।

5m (S-C)
03/3/2025

2. **Senior Manager (Engg-C), AAI, Goa International Airport, Dabolim, Goa** shall be Engineer-in-Charge of the work. You are requested to attend the office of the Senior Manager (Engg-C), AAI, Goa International Airport, Dabolim, Goa before **13.03.2025** to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs.100/- (Rupees One hundred only) and the cost of the stamp paper shall be borne by you.
3. आपकी निविदा के साथ रु 14,25,780/- (रुपये चौदह लाख पच्चीस हजार सात सौ अस्सी मात्र) ऑनलाइन सी पी पी पोर्टल के स्टेट बैंक ऑफ इंडिया पेमेंट गेटवे के जरिये प्राप्त अग्रिम धन राशि को निविदा शर्तों के तहत लौटाया जाएगा। कृपया इस पत्र के जारी होने की तिथि से 30 दिनों के भीतर प्रतिभूति के रूप में रु 30,34,844/- (रुपये तीस लाख चौतीस हजार आठ सौ चवालीस मात्र) जमा करें। अन्यथा इस राशि की कटौती संविदा कागजात के पृष्ठ 16 (जी सी सी) के खंड 1ए के अनुसार कर ली जाएगी।
3. The earnest money amount of **Rs. 14,25,780/- (Rupees Fourteen Lakh Twenty-Five Thousand Seven Hundred and Eighty Only)** received along with your tender through State Bank of India payment gateway in CPP Portal will be refunded as per tender conditions. Please deposit **Rs. 30,34,844/- (Rupees Thirty Lacs Thirty-Four Thousand Eight Hundred and Forty-Four Only)** towards Security Deposit within 30 days from the issue of this letter, failing which, the same will be deducted as per condition of clause 1 A on page 16 (GCC) of the contract agreement.
4. आपसे अनुरोध है कि आप कोन्डक्ट लेबर (रेग्युलेशन एंड अबोलीशन) एक्ट 1970, कोन्डक्ट लेबर (रेग्युलेशन एंड अबोलीशन) सेंट्रल रूल 1971, बाल मजदूरी (प्रोहिबिशन एंड रेग्युलेशन) एक्ट 1986, कंस्ट्रक्शन वर्कर्स (रेग्युलेशन ऑफ एम्प्लोयमेंट एंड कंडीशन ऑफ सर्विस) एक्ट 1996, बिल्डिंग एवं कंस्ट्रक्शन वर्कर्स वेल्फर सेस एवं कंडीशन ऑफ सर्विस) एक्ट 1996, बिल्डिंग एवं अन्य कंस्ट्रक्शन वर्कर्स वेल्फर सेस, एक्ट 1996 के प्रावधानों एवं जी सी सी टेंडर खंड 19 पृष्ठ क्र. 49 और केंद्रीय व राज्य सरकारों के तदसंबंधी नियमों का अनुपालन करें।
4. You are requested to comply with the provisions of Contract Labour (Regulation and Abolition) Act 1970 and Contract Labour (Regulation and Abolition) Central Rules 1971 Child Labour (Prohibition & Regulation), Act 1986, Construction workers (Regulation of Employment and condition of service) Act 1996, Building and other Construction workers welfare cess Act 1996 as specified in clause 19-page no. 49 of GCC tender and rules of Central and State Government.
5. आपको वरिष्ठ प्रबंधक (अभि-सि), भा. वि. प्रा. गोवा अंतरराष्ट्रीय विमानपत्तन, दाबोलिम, गोवा से तत्काल संपर्क करने का निर्देश दिया जाता है जो आपको कार्य स्थल सौंपेंगे।
5. You are also directed to contact **Sr Manager (Engg-Civil), Airports Authority of India, Goa International Airport, Dabolim, Goa** immediately who will arrange to hand over the site to you.



SM (E-C)
03/3/2025

6. कृपया ध्यान दे कि कार्य पूरा करने के लिए आपको 03 (तीन) महिने का समय प्रदान किया जाता है। जो इस पत्र के जारी होने की तारीख के बाद दसवे दिन से माना जाएगा।
6. Please note that the time allowed for carrying out the work shall be 03 (Three) Months and same shall be reckoned from tenth day after the date of issue of this letter.
7. अनुबंध के संबंध में कोई भी पत्राचार सामान्य रूप से अभियंता प्रभारी को संबोधित किया जाना चाहिए।
7. Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-charge.
8. कृपया पत्र की पावती भेजे और इस पत्र नकल पर स्वीकृति की निशानी के रूप में हस्ताक्षर करने के बाद हमें भेजे।
8. Please acknowledge the receipt & return the duplicate of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.
9. यदि कोई विसंगति अंग्रेजी या हिन्दी संस्करण में पाई जाती है तो अंग्रेजी संस्करण को सही रूप में लिया जाएगा।
9. In case any discrepancy is found between English or Hindi version then English version will be taken as correct.

धन्यवाद /Thanking you.

अनुलग्नक/ Encl: Schedule -A (BOQ)

भवदीय/Yours faithfully,



Senior Manager (Engg-C)

वरिष्ठ प्रबंधक (अभि-सि)

कृते तथा ओर से अध्यक्ष,

For and on behalf of chairman,

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

Government eProcurement System Created By: Vinay Hedao Created Date/Time: 03-Feb-2025 05:41 PM Tender Title: Repair of Apron with interlayer Asphalt reinforcement system and bituminous overlay at Goa Airport Tender ID: 2024_AAI_220541_1					
Tender Inviting Authority: Dy.Gen.Manager (Engg-C), AAI, Goa Airport					
Name of Work: Repair of Apron with interlayer Asphalt reinforcement system and bituminous overlay at Goa Airport					
Contract No: 2024_AAI_220541_1					
SCHEDULE OF WORK / ITEM(S)					
Sl.No	Description of Work / Item(s)	No.of Qty	Units	S S CONSTRUCTION (GSTN-23ABQFS0322L1Z4) BID ID -800108	
				Rate	Amount
1.00	Providing, laying and fixing in position Asphalt reinforcement system- Composite Glass Grid (CG200) of Adfors Saint-Gobain/Maccaferri/Technofab/Giridhar Techfab/ Terrain Infratech/Flexituff/Supreme or equivalent make and composed of high strength glass filament yarns of mesh size not exceeding 25mm x 19mm with tensile strength (MD x CMD) $\geq 100 \times 200$ kN/m. The Composite Glass Grid shall have nonwoven backing with 150g/m², allowing interlayer installation on tack coated rough asphalt/concrete surface with the ability to allow issue-free bond of compacted asphalt layers,with manufacturers specification. Asphalt reinforcement system (Composite Glass Grid) after laying on tack coated surface shall be pressed firmly with pneumatic roller or rubber tired roller to stick to existing surface. Before laying of tack coat and Glass Grid the existing surface shall be cleaned throughly and to be free from dust and other foreign impurities. Existing joints, cracks and potholes shall be filled with suitable solution 12-24 Hrs prior to the placement of Glass grid. Transverse joints must be lapped in the direction of the paver not less than 150 mm and longitudinal joints must be lapped not less than 50 mm. The item should be completed in all respect to the satisfaction and direction of Engineer - in - charge. *Note- Applying of tack coat and repair of cracks/joints/pot holes shall be paid saperately in respective items.	63217.00	Sqm	260.00	16436420.00
2.00	Providing and applying tack coat using hot straight run bitumen of grade VG - 10, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications : On Concrete surface @ 0.75 Kg / sqm	63217.00	Sqm	50.00	3160850.00
3.00	Providing and applying tack coat using hot straight run bitumen of grade VG - 10, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications : On bituminous surface @ 0.50 Kg / sqm	8070.00	Sqm	40.00	322800.00


 S.M. E.C.
 03/3/2025

4.00	Providing and laying of Hot Mix Dense Asphaltic Concrete (DAC) using crushed stone aggregate of quality, size and grading as specified and 2% Cement filler as specified and Viscosity Grade Bitumen (supplied in bulk) in proportions as per job mix formula and laid to specified levels, grade and camber as per specification, drawings and as directed by the Engineer-in-Charge including compacting with 8-10 tonne, preferably vibratory road roller of adequate capacity to achieve the specified values of compaction, strength, surface accuracy complete [for tendering purpose VG bitumen of grade (VG-30) content shall be taken as 135 kg/m ³ of mix supplied in bulk produced by Govt. Refineries and 2% cement by weight of aggregates as filler material].	3460.00	Cum	11400.00	39444000.00
5.00	Painting runway/taxi track/apron marking with adequate nos of coats to give uniform finish with road marking paint of superior make as approved by the Engineer-in-charge, i/c cleaning the surface of all dirt, scales, oil, grease and other foreign material etc. and lining out complete. New work (Two or more coats)	5400.00	Sqm	120.00	648000.00
6.00	Steel work welded in builtup sections/Framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc as required in gratings, frames, guard bars, ladder, railings brackets, gates and similar works.	5165.00	Kg	120.00	619800.00
7.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	275.00	Sqm	100.00	27500.00
8.00	Providing and filling in position bitumen based hot sealing compound of approved brand and manufacture for sealing of cracks and pot holes etc in the concrete surface as per direction and satisfaction of the Engineer-in-charge.	250.00	Kg	150.00	37500.00
Total in Figures (Rs.)					60696870.00

Lowest Amount Quoted BY: S S CONSTRUCTION(60696870.00)

[Signature]
03/3/2025