

1. Due to technical error, link for uploading of Excel file on the CPPP portal was not available. Hence all bidders were not able to upload the excel file. As uploading of excel is mandatory as per the NIT part 2 clause 15.10. Therefore it is proposed to cancel the existing tender and initiate retendering. Competent authority may kindly approve.
2. New revised bid has been prepared and placed opposite at pages from 554 to 804. Competent authority may kindly approve.
3. User group may attach latest GeM unavailability report as same is to be uploaded on CPPP portal.

Omkar
03/01/25
(ओमकार चतुर्वेदी)

वै.अधि./ई (सीएमएम-कार्य समुह)

प्रभारी अभि.-2 (सीएमएम-कार्य समुह)

03/01/2025

प्रमुख (सीएमएम-कार्य समुह)

on leave.

f shivan
04/01/25 EN2-1

PE(EM)

may A. attach Gem unavailability report
Sh. S.K. Chaturvedi
SD/EM/1000 *Surek*
4.1.25

AD(E&US)

A { *It is proposed for start biddings of 12 days^{as} the bid is under re-tendering process.*
Gem non availability report are enclosed

Surek
4/1/25

→ PE(EM)

MLU
4.1.25

Station Director, RRS-5&6

AD(E&US)

06.01.25

SD, RRS-546

"A" & "B" are approved.

→ Head (CMM-WS) *f shivan*
06/01/25 EN2-1

→ Enc-II/ Sh. Omkar Chaturvedi
06/01/25

Rajesh Rose
06.01.25