

5.0 Observations & Deliberation.

5.1 BEC committee observed that two round clarification was sought from bidder against the subject tender. Even after 2 round clarifications, Bidder is techno-commercially not acceptable.

6.0 Recommendations: In view of the above committee recommends as under: -

- 6.1 To reject the offer from M/s. All Hydraulic Services, New Delhi (1/1) being techno-commercially not acceptable against the tender, as deliberated under para# 2.1.3 above.
- 6.2 To cancel the instant tender as brought out at para # 5.0 above.

Submitted for approval.

Estimated sanction value: Rs 17,72,360.00/- against PR no. 2010158382

CPA: Third level MM under chapter 24.1 (a) of BDP 2015

CA: Second level MM as per para 14.3.1 (b)

SAURABH KUMAR
(Sr.M.M.Officer)

Recommended & Electronically Signed by:
SAURABH KUMAR - 134306 (Sr.M.M.Officer)
URAN MM - URAN
On : 21/02/2025(16:02:18)

ALKA NAMDEO DHENDE
(Ch.Manager (F & A))

Recommended & Electronically Signed by:
ALKA NAMDEO DHENDE - 92666 (Ch.Manager (F & A))
URAN FINANCE - URAN
On : 21/02/2025(16:04:18)

As there is no TA/CA bid available, tender is tantamount as cancelled.

PEC recommendation approved.

Approved & Electronically Signed by:
SUBHASH KUMAR - 125926 (Manager (M.M))
URAN MM - URAN
On: 21/02/2025(16:32:43)

Electronically Signed & Submitted by :
DILIP YADAV - 139853 (M.M.Officer)
URAN MM - URAN
On:24/02/2025(11:54:35)