



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ सं.: एएआई/ डीजीएम -डब्ल्यू (सिविल-इंजी)42/2024-25
AAI/CBE/DGM (ENGG-CIVIL)/W-42/2024-25

दि: 10.03.2025
Date: 10.03.2025

//
सेवामें / To

BY SPEED POST//

मैसर्स. एसपी एंटरप्राइजेज / 'M/s. SP Enterprises, H. No. 1084,
मकान नंबर 1084/ House No. 1084
दतला एसपी हाउस/ Datla SP House,
ग्राम सचिवालय के बगल में/ Beside Grama Sachivalayam,
पेद्दागुम्मलुरु गांव और पोस्ट/ Peddagummuluru Village and Post,
एस रायवरम, मंडल/ S Rayavaram, Mandal,
विशाखापत्तनम जिला/ Visakhapatnam District,
आंध्र प्रदेश - 531 083/ Andhra Pradesh - 531 083.

Name of Work: कोयंबतूर अंतरराष्ट्रीय हवाई अड्डे पर कोल्ड स्टोरेज सुविधा, डोम के सामने कैनोपी का निर्माण, इन-के लिए अन्य अतिरिक्त कार्य। (सिविल वर्क्स) बाउंड कार्गो और कार्गो कॉम्प्लेक्स/ Construction of Cold Storage Facility, Canopy in front of Dom. In Bound Cargo and Other Additional works for Cargo complex (Civil Works) at Coimbatore International Airport.

Reference: उपरोक्त कार्य हेतु आपकी निविदा दिनांक 20.02.2025 को खुली /Your Tender for the above work opened on Dated 20.02.2025. संदर्भ: निविदा आईडी- 2024_एएआई_224245_1) / (Tender ID No: 2024_AAI_224245_1).

महोदय / Dear Sir,

- उपरोक्त कार्य के लिए आपके ई-निविदा में आपके द्वारा उद्धृत मद दरों पर कुल रु. 9875790.23 रुपये (अठानवे लाख पचहत्तर हजार सात सौ नित्यानवे तैतीस पैसे मात्र) प्लस 18% की दर से लागू जीएसटी को भारतीय विमानपत्तन प्राधिकरण के अध्यक्ष की ओर से एतद्वारा स्वीकार की जाती है, जो कि निविदा में रखी गई अनुमानित लागत 135.46 लाख रुपये (जीएसटी को छोड़कर) से 27.09% कम है। / Your E-tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the item rates quoted by you totaling to **Rs. 9875790.23/- (Rupees Ninety-Eight Lakhs Seventy-Five Thousand Seven Hundred and Ninety Point Two Three paise Only) plus applicable GST @ 18%**, which is 27.09% below the estimated cost put to tender of **Rs.135.46 Lakhs (Excl. GST)**.
- भा.वि.प्रा. कोयंबतूर अंतरराष्ट्रीय हवाई अड्डा के सहायक महाप्रबंधक (इंजी-वि), कार्य के प्रभारी इंजिनियर होंगे। आपसे अनुरोध है कि ठेका करार पर हस्ताक्षर करने और उसे पूरा करने के लिए कार्य शुरू होने की निर्धारित तिथि से 15 दिनों के भीतर सहायक महाप्रबंधक (इंजीनियरिंग-सिविल)-II, भा.वि.प्रा. कोयंबतूर अंतरराष्ट्रीय हवाई अड्डा, कोयंबतूर के कार्यालय में उपस्थित हों। ठेका करार 100/- रुपये (केवल एक सौ रुपये) मूल्य के गैर-न्यायिक स्टाम्प पेपर पर निष्पादित किया जाएगा और स्टाम्प पेपर की लागत आपके द्वारा

कोयंबतूर अंतरराष्ट्रीय हवाई अड्डा / Coimbatore International Airport, कोयंबतूर / Coimbatore - 641014
Phone : 0422 - 2571941, 2571956, 2573603, 2573602, 2573561, Fax : 0422 - 2592384 / 2573223
Email: apdcoimbatore@aai.aero



Recycled & Crafted by
AAI Paper Recycling Unit
ISO 14001 : 2004 CERTIFIED UNIT

RE THINK → REDUCE → RE USE → RE CYCLE

Amr
10/3/25



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

वहन की जाएगी। / Asst. General Manager (Engg-Civil)-II, AAI, Coimbatore International Airport, shall be the Engineer-in-charge of the work. You are requested to attend the office of the **Asst. General Manager (Engg-Civil)-II, AAI, Coimbatore International Airport, Coimbatore** within 15 days from the stipulated date of start of work to sign and complete the Contract Agreement. The Contract Agreement shall be executed on a non-judicial stamp paper of value of **Rs.100/-** (Rupees One Hundred only) and the cost of stamp paper shall be borne by you.

- आपको इस पत्र के जारी होने की तारीख से 10 दिनों के भीतर सुरक्षा जमा के रूप में रु. 987579 (नौ लाख अस्सी हजार पांच सौ उनहत्तर मात्र) जमा करने का निर्देश दिया जाता है, अन्यथा, निविदा दस्तावेज के पृष्ठ संख्या 41 पर खण्ड संख्या 1(ए) की जीसीसी के अनुसार किए गए कार्य के मूल्य का 10% सुरक्षा जमा के रूप में चालू खाता बिलों से काट लिया जाएगा। सीपीपी पोर्टल के माध्यम से आपके टेंडर के साथ ऑनलाइन भुगतान प्राप्त की गई बयाना मासिक राशि रु. 270913/- (दो लाख सत्तर हजार नौ सौ तेरह रुपए मात्र) सुरक्षा जमा के जमा होने के बाद या चालू बिलों से सुरक्षा जमा के रूप में ईएमडी राशि की कटौती के बाद वापस कर दी जाएगी। / You are directed to deposit **Rs. 987579 /-** (Rupees Nine Lakhs Eighty-Seven Thousand Five Hundred and Seventy-Nine Only) towards security deposit within 10 days from the date of issue of this letter, failing which, 10% of value of work done will be deducted from the running account bills as security deposit as per GCC of Clause No. 1(A) on page No. 41 of the Tender Document. The Earnest Mondy Amount of **Rs. 270913 /-** (Rupees Two Lakhs Seventy Thousand Nine Hundred and Thirteen only) received online payment through CPP portal along with your tender will be refunded after depositing of security deposit or after deduction of the EMD amount as Security deposit from the running bills.
- आपसे अनुरोध है कि आप ठेका श्रम (विनियमन एवं उन्मूलन) अधिनियम 1970 तथा ठेका श्रम (विनियमन एवं उन्मूलन) केन्द्रीय नियम 1971, बाल श्रम (प्रतिषेध एवं विनियमन) अधिनियम 1986, निर्माण श्रमिक (रोजगार विनियमन एवं सेवा शर्त) अधिनियम 1996, भवन एवं अन्य निर्माण श्रमिक कल्याण उपकर अधिनियम 1996, जैसा कि निविदा की जीसीसी के पृष्ठ 74 पर खण्ड 19 में निर्दिष्ट है, न्यूनतम मजदूरी अधिनियम तथा केन्द्रीय एवं राज्य सरकारों के नियमों के प्रावधानों का अनुपालन करें। / You are requested to comply with the provisions of Contract Labour (Regulation and Abolition) Act of 1970 and Contract Labour (Regulation and Abolition) Central Rules 1971 Child Labour (Prohibition & Regulation) Act 1986, Construction workers (Regulation of Employment and Condition of Service) Act 1996, Building and other Construction workers welfare Cess Act 1996 as specified in Clause 19 on page 74 of GCC of tender, Minimum Wages Act and rules of Central and State Governments.
- आपको यह निर्देश दिया जाता है कि आप तत्काल नीचे हस्ताक्षरकर्ता से संपर्क करें, जो की आपको साइट सौंपने की व्यवस्था करेंगे। / You are also directed to contact the undersigned immediately who will arrange to hand over the site to you.

कोयम्बतूर अन्तरराष्ट्रीय हवाई अड्डा / Coimbatore International Airport, कोयम्बतूर / Coimbatore - 641014

Phone : 0422 - 2571941, 2571956, 2573603, 2573602, 2573561, Fax : 0422 - 2592384 / 2573223

Email: apdcoimbatore@aai.aero



RE THINK → REDUCE → RE USE → RE CYCLE

Signature
10/3/24
Amey



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

6. कृपया ध्यान दें कि कार्य करने के लिए स्वीकृत समय 09 (नौ) महीने होगा, जिसमें बारिश के लिए 02 महीने शामिल होंगे तथा इसकी गणना इस पत्र के जारी होने की तारीख से 10 वें दिन से की जाएगी। / Please note that the time allowed for carrying out the work shall be **09 (Nine) Months including 02 Months considered for rain** and same shall be reckoned from the 10th day from the date of issue of this letter,
7. ठेका से संबंधित कोई भी आगे के पत्राचार को सामान्यतः प्रभारी इंजीनियर को संबोधित किया जाना चाहिए। / Any further correspondence in connection with the contract should normally be addressed to the Engineer-in-charge.
8. कृपया पावती भेजें और यहां संलग्नित पत्र को हस्ताक्षर के बाद उसके प्रतिलिपि को अधोहस्ताक्षरी को प्राप्ति के तौर पर भेजें। / Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned, as a token of acceptance.

वदीय / Yours faithfully,

-----Sd-----

सहा महाप्रबंधक (इंजी-सि भ विल) /
Asst. General Manager (Engg-Civil)

Encl: 1. Schedule of Quantities.


2. Form -III

Copy to:

1. GM (Engg-Civil), AAI, Chennai Airport, Chennai-28.
2. GM Cargo, AAI, Chennai Airport, Chennai-28
3. Jt.G.M. (Vigilance), S/R, AAI, Chennai Airport, Chennai-27.
4. The Labor Enforcement Officer, Room No: 3 & 4, Corporation office Complex, Raju Street, Sivanandha Colony, Tatabad, Coimbatore - 12.

Internal:

1. The Airport Director, AAI, Coimbatore International Airport, Coimbatore-14.
2. The DGM (Engg-Civil), AAI, Coimbatore International Airport, Coimbatore-14.
3. The DGM (Engg-Elect), AAI, Coimbatore International Airport, Coimbatore-14.
4. The DGM (Cargo), AAI, Coimbatore International Airport, Coimbatore-14.
5. The AGM (Fin), AAI, Coimbatore International Airport, Coimbatore-14.
6. The Asst.General Manager (E-C), AAI, Coimbatore International Airport, Coimbatore-14.
7. File.
8. Agreement.


मुरली कृष्ण टी / Murali Krishna T
सहा महाप्रबंधक (इंजी-सि भ विल) / AGM (Engg-Civil)-II
भारतीय विमानपत्तन प्राधिकरण / Airports Authority of India
कोयंबतूर अंतर्राष्ट्रीय हवाई अड्डा / Coimbatore International Airport
कोयंबतूर / Coimbatore- 641 014

कोयंबतूर अंतर्राष्ट्रीय हवाई अड्डा / Coimbatore International Airport, कोयंबतूर / Coimbatore - 641014

Phone : 0422 - 2571944, 2571956, 2573603, 2573602, 2573561, Fax : 0422 - 2592384 / 2573223

Email: apdcoimbatore@aai.aero



Recycled & Crafted by
AAI Paper Recycling Unit
ISO 14001 : 2004 CERTIFIED UNIT

RE THINK → REDUCE → RE USE → RE CYCLE

Sl. No.	Item Description	Quantity	Units	BASIC RATE (Excl. GST) in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excl. GST) in Figures Rs. P	TOTAL AMOUNT (Excl. GST) In Words
7	Centering and shuttering including strutting, propping etc. and removal of form for : Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	180.00	Sqm	400.00	72000.00	INR Seventy Two Thousand Only
8	Centering and shuttering including strutting, propping etc. and removal of form for : Suspended floors, roofs, landings, balconies and access platform	72.00	Sqm	450.00	32400.00	INR Thirty Two Thousand Four Hundred Only
9	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	15242.40	kg	75.00	1143180.00	INR Eleven Lakh Forty Three Thousand One Hundred & Eighty Only
10	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	1800.00	kg	110.00	198000.00	INR One Lakh Ninety Eight Thousand Only
11	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	21.60	Sqm	800.00	17280.00	INR Seventeen Thousand Two Hundred & Eighty Only
12	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 25 mm thick.	21.60	Sqm	2500.00	54000.00	INR Fifty Four Thousand Only
13	Providing and laying factory made chamfered edge Cement Concrete paver blocks In foot path, park & lawns driveway or light & traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of coarse sand, compacting and proper embedding/ laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, all complete as per manufacturer's specifications & direction of Engineer in-Charge. 80mm thick Cement concrete paver block of M-30 grade with approved colour, design & pattern.	1026.00	Sqm	850.00	872100.00	INR Eight Lakh Seventy Two Thousand One Hundred Only
14	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	900.00	Sqm	340.00	306000.00	INR Three Lakh Six Thousand Only
15	Laying old cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer in-charge. (Old CC paver blocks shall be supplied by the department free of cost).	630.00	Sqm	150.00	94500.00	INR Ninety Four Thousand Five Hundred Only

Handwritten signature and date:
 10/12/20
 Times 21

Tender Inviting Authority: Asst. Gen. Manager (Engg-civil) - II, AAI, Coimbatore International Airport

Name of Work: Construction of Cold Storage Facility, Canopy in front of Dom. In-Bound Cargo and Other Additional Works for Cargo Complex (Civil Works) at Coimbatore International Airport

Contract No: 42/2024-25/DGM(E-C)/CBE

Tender Ref No. 2025_AAI_224245_1


Name of the Bidder/	SP ENTERPRISES					
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
NUMB	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE (Excl. GST) in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excl. GST) in Figures Rs. P	TOTAL AMOUNT (Excl. GST) In Words
1	2	4	5	13	53	55
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth, 1.5m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth, lead up to 50m and lift up to 1.5m,as directed by Engineer-in-Charge. All kinds of soil	456.75	Cum	200.00	91350.00	INR Ninety One Thousand Three Hundred & Fifty Only
2	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth, lead up to 50 m and lift up to 1.5m, as directed by Engineer-in-Charge. Ordinary rock	137.00	Cum	300.00	41100.00	INR Forty One Thousand One Hundred Only
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	26.53	Cum	5500.00	145915.00	INR One Lakh Forty Five Thousand Nine Hundred & Fifteen Only
4	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	151.36	Cum	6500.00	983840.00	INR Nine Lakh Eighty Three Thousand Eight Hundred & Forty Only
5	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III)derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	18.00	Cum	7000.00	126000.00	INR One Lakh Twenty Six Thousand Only
6	Centering and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete	280.80	Sqm	350.00	98280.00	INR Ninety Eight Thousand Two Hundred & Eighty Only

Handwritten signature and date: 10/12/24

Sl. No.	Item Description	Quantity	Units	BASIC RATE (Excl. GST) in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excl. GST) in Figures Rs. P	TOTAL AMOUNT (Excl. GST) In Words
16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes.	30263.90	kg	105.70	3198894.23	INR Thirty One Lakh Ninety Eight Thousand Eight Hundred & Ninety Four and Paise Twenty Three Only
17	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	1464.00	Sqm	680.00	995520.00	INR Nine Lakh Ninety Five Thousand Five Hundred & Twenty Only
18	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Ridges plain (500 - 600mm)	50.00	Metre	400.00	20000.00	INR Twenty Thousand Only
19	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Flashings/ Aprons.(Upto 600 mm)	52.00	Metre	800.00	41600.00	INR Forty One Thousand Six Hundred Only
20	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Gutter (600 mm over all girth)	60.00	Metre	800.00	48000.00	INR Forty Eight Thousand Only
21	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia. 4 mm, PVC coated to achieve outer dia not less than 5 mm in required colour and shade	76.80	Sqm	1400.00	107520.00	INR One Lakh Seven Thousand Five Hundred & Twenty Only
22	Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge. With material conforming to Grade-III(size range 26.5 mm to 0.075 mm) having CBR Value-20	189.00	Cum	2500.00	472500.00	INR Four Lakh Seventy Two Thousand Five Hundred Only

Chak
10/12/15
Asm

Sl. No.	Item Description	Quantity	Units	BASIC RATE (Excl. GST) in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excl. GST) in Figures Rs. P	TOTAL AMOUNT (Excl. GST) In Words
23	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge.	233.40	Cum	2515.00	587001.00	INR Five Lakh Eighty Seven Thousand & One Only
24	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. On steel work	550.00	Sqm	200.00	110000.00	INR One Lakh Ten Thousand Only
25	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	99.00	Metre	190.00	18810.00	INR Eighteen Thousand Eight Hundred & Ten Only
Total in Figures					9875790.23	INR Ninety Eight Lakh Seventy Five Thousand Seven Hundred & Ninety and Paise Twenty Three Only
Quoted Rate in Words		INR Ninety Eight Lakh Seventy Five Thousand Seven Hundred & Ninety and Paise Twenty Three Only				


 10/12/2025
 Agency
 (Stamp)
 (Stamp)
 (Stamp)



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ सं.: एएआई/ डीजीएम (इंजी-सिविल) डब्ल्यू-42/2024-25
AAI/CBE/DGM (ENGG-CIVIL)/W-42/2024-25

दि: 10.03.2025
Date: 10.03.2025

FORM - III

Under rule of 21(2) of the Contract Labour (Regulation & Abolition) Central Rules,
1971 & rule 7(3) of the Inter - State Migrant Workmen (Regulation of Employment and
Conditions of Service) Central Rules 1980.

FORM OF CERTIFICATE BY PRINCIPAL EMPLOYER

Certified that:

- 1) I have engaged the applicant **M/s. SP Enterprises, H. No. 1084, House No. 1084/ Datla SP House, Beside Grama Sachivalayam, Peddagummuluru Village and Post, S Rayavaram, Mandal, Visakhapatnam District, Andra Pradesh - 531 083** as a contractor in my establishment for the work of **"Construction of Cold Storage Facility, Canopy in front of Dom. In Bound Cargo and Other Additional works for Cargo complex (Civil Works) at Coimbatore International Airport."**
- 2) I undertake to be bound by all the provisions of the Contract Labour (Regulation & Abolition) Act 1970 (37 of 1970) and the Contract Labour (Regulation & Abolition) Central Rules 1971 / the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Central Rules 1980 in so far as the provisions are applicable to me in respect of the employment of Contract Labour / Inter State- Migrant Workmen by the applicant in my establishment.
- 3) The engagement of contract labour in the said work is not prohibited under sub-section of section 10 of the Contract Labour (Regulation & Abolition) Act 1970 (37 of 1970) or an award or a settlement.

Signature of Principal Employer

(ENGINEER-IN-CHARGE) - CIVIL

मुरली कृष्ण टी/ Murali Krishna T

सहा महाप्रबंधक (इंजी-सि भ विल / AGM (Engg-Civil)-II

भारतीय विमानपत्तन प्राधिकरण / Airports Authority of India

कोयंबतूर अंतर्राष्ट्रीय हवाई अड्डा / Coimbatore International Airport

कोयंबतूर / Coimbatore- 641 014

Principal Employer Regn No: R.02/2013-A/M Dt 18.02.2013.

कोयंबतूर अन्तरराष्ट्रीय हवाई अड्डा / Coimbatore International Airport, कोयंबतूर / Coimbatore - 641014

Phone : 0422 - 2571941, 2571956, 2573603, 2573602, 2573561, Fax : 0422 - 2592384 / 2573223

Email: apdcoimbatore@aai.aero



Recycled & Crafted by
AAI Paper Recycling Unit
ISO 14001 : 2004 CERTIFIED UNIT

RE THINK → REDUCE → RE USE → RE CYCLE

