



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

(ISO 9001 - 2015 & 14001 - 2015 प्रमाणित / CERTIFIED)

AAI/MDU/CIVIL/716/2025/19966

Date: 25.03.2025

सेवा मे/To,

Shri.V.VIJAYAKUMAR

99 A, NORTH PERUMAL MAISTRY STREET,

MADURAI - 625 001.

By Email/Speed Post

Name of work: A/R & M/O Civil Works at Madurai Airport during 2024-25. SH: Renovation of Canteen, Public Toilet and New Construction of Pre-fabricated Toilet at STP area.

संदर्भ Ref. : 1) Your e-tender (Cover-II Financial bid) opened on: 12.03.2025.

2) Tender ID: 2025_AAI_224947_1.

श्रीमान / Dear Sir,

1. Your e-Tender for the work mentioned above is hereby accepted on behalf of Chairman, AAI, at the item rates quoted by you totaling to **Rs. 32,58,572.00** (Rupees Thirty Two Lakh Fifty Eight Thousand Five Hundred Seventy Two Only) (exclusive of GST) which is 30.34% below the estimated cost put to tender **Rs. 46,77,937.00** (exclusive of GST).
2. Senior Manager (E-C), AAI, Madurai Airport, Madurai shall be the Engineer-in-Charge of the work. You are requested to attend the office of Senior Manager (E-C), AAI, Madurai Airport, Madurai by **09.04.2025** to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper value of **Rs.100.00 (Rupees One Hundred Only)** and the cost of the stamp paper shall be borne by you.
3. As per Clause No.1A on page No: 75 of tender document, please deposit **Rs.3,25,857.00** (Rupees Three Lakh Twenty Five Thousand Eight Hundred Fifty Seven Only) towards security deposit within 10 days from the date of issue of this letter failing which, the same will be deducted from your running bill as per GCC Clause 1A at page No: 75 of tender document.
4. You are requested to comply with the provisions of Contract Labour (Regulation and Abolition) Act 1970 and Contract Labour (Regulation and Abolition) central rules 1971,

विमानपत्तन निदेशक का कार्यालय, मदुरै हवाई अड्डा, मदुरै - 625 022.

O/o The Airport Director, Madurai Airport, Madurai - 625 022.

दूरभाष / Tel : 0452-2690717 / फैक्स / Fax : 0452 - 2690151, 2690305 E-mail : apdmadurai@aai.aero



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

मदुरै हवाई अड्डा, मदुरै - 625 022.

MADURAI AIRPORT, MADURAI - 625 022.

(ISO 9001 - 2015 & 14001 - 2015 प्रमाणित / CERTIFIED)

Child Labour (Prohibition & Regulation) Act 1986, Construction workers (Regulation of Employment and Conditions of Service) Act 1996, Building and other Construction workers welfare cess Act 1996 as specified in clause-19 on Page no.123 of tender and rules of central and state Govt.

5. You are also requested to contact Manager (Engg-Civil), AAI, Madurai Airport, Madurai immediately who will arrange to handover the site to you.
6. Please note that time allowed for carrying out the work shall be **04 (Four) Months** and same shall be reckoned from the 10th day of after issue of this letter.
7. Any future correspondence in connection with the contract should normally be addressed to the Engineer-in-Charge.
8. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Encl.: Price Schedule

Yours faithfully,

Senior Manager (Engg-Civil),
Engineer-in-Charge
AAI, Madurai Airport,

For and on behalf of the Chairman, AAI.

वि. यदु कंडालु
वरिष्ठ प्रबंधक (ई-सी)
P. YEDU KONDALU
Sr. Manager (E-C)
AAI / Madurai Airport

Copy to:

Asst.Labour Commissioner, No:5 Lady Doak college road, Chinnachokkikulam, Madurai.


Item Rate BoQ

Tender Inviting Authority: Senior Manager (Engg-Civil), Airports Authority of India, Madurai Airport, Madurai – 625 022


Name of Work: A/R & M/O Civil Works at Madurai Airport during 2024-25. SH: Renovation of Canteen, Public Toilet and New Construction of Pre-fabricated Toilet at STP area.

Contract No: AAI/MDU/CIVIL/716/2025/


Name of the Bidder/ Bidding Firm / Company :		V.Vijayakumar				
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values Only)						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
1	Carriage of materials: By Mechanical Transport including loading, unloading and stacking - Earth - 5KM	110.00	Cum	50.00	5500.00	INR Five Thousand Five Hundred Only
2	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-incharge. All kinds of soil	7.00	Cum	50.00	350.00	INR Three Hundred & Fifty Only
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	5.00	Cum	3000.00	15000.00	INR Fifteen Thousand Only
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	4.00	Cum	2000.00	8000.00	INR Eight Thousand Only
5	Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	15.00	Cum	5000.00	75000.00	INR Seventy Five Thousand Only


 पि. येदु कोण्डालु
 वरिष्ठ प्रबंधक (ई-सी)
P. YEDU KONDALU
 Sr. Manager (E-C)
 AAI / Madurai Airport

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
6	Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in super structure above plinth level up to floor V level in : Cement mortar 1:6 (1 cement : 6 Coarse sand)	8.00	Cum	5000.00	40000.00	INR Forty Thousand Only
7	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32 mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	50.00	Mtr	395.00	19750.00	INR Nineteen Thousand Seven Hundred & Fifty Only
8	Providing and fixing to existing door frames, 30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	20.00	Sqm	2420.00	48400.00	INR Forty Eight Thousand Four Hundred Only
9	Providing and fixing of structural steel work for GI roofing support using single section, hollow tubes, square pipes ,angles etc fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	3870.00	Kg	82.50	319275.00	INR Three Lakh Nineteen Thousand Two Hundred & Seventy Five Only
10	Providing and laying Vittrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Glazed Vittrified tiles Matt/Antiskid finish of size. Size of Tile 600 x 600 mm. Base price considered: 900/sqm. Price adjustment (plus or minus) shall be done based on tile selection by EIC with reference to base price.	160.00	Sqm	850.00	136000.00	INR One Lakh Thirty Six Thousand Only
11	Providing and laying of Heat Resistance wall tiles with different sizes (thickness to be specified by the manufacturer) for kitchen area, approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 to 10mm thickness, including grouting of joints. Base price considered: 2500/sqm. Price adjustment (plus or minus) shall be done based on tile selection by EIC with reference to base price.	30.00	Sqm	1300.00	39000.00	INR Thirty Nine Thousand Only


 पि. येदु कोंडलु
 वरिष्ठ प्रबंधक(ई-सी)
 P. YEDU KONDALU
 Sr Manager (E-C)
 AAI / Madurai Airport

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
12	Providing and laying Vitrified tiles of wall dado with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 to 10mm thickness, including grouting of joints. Size of Tile 600 x 600 mm. Base price considered: 900/sqm. Price adjustment (plus or minus) shall be done based on tile selection by EIC with reference to base price.	300.00	Sqm	1200.00	360000.00	INR Three Lakh Sixty Thousand Only
13	Providing and laying Polished Granite flooring /wall in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 to 10mm thickness, including grouting of joints, pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. Base price considered: 1800/sqm. Price adjustment (plus or minus) shall be done based on tile selection by EIC with reference to base price.	16.00	Sqm	2163.00	34608.00	INR Thirty Four Thousand Six Hundred & Eight Only
14	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter	30.00	Mtr	162.00	4860.00	INR Four Thousand Eight Hundred & Sixty Only
15	Providing and laying PVC in sewer line, vent pipe conforming to IS. Joining as per standards as directed by EIC with required adhesive special etc. This includes jointing of pipes & fittings with one step PVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 110mm dia (working pressure 10kg/sqcm)	29.00	meter	253.00	7337.00	INR Seven Thousand Three Hundred & Thirty Seven Only
16	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 75 mm	30.00	Nos	250.00	7500.00	INR Seven Thousand Five Hundred Only
17	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	210.00	Sqm	509.00	106890.00	INR One Lakh Six Thousand Eight Hundred & Ninety Only


 P. YEDU KONDALU
 Sr. Manager (E-C)
 AAI / Madurai Airport


Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
18	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Ridges plain (500 - 600mm)	20.00	Mtr	346.00	6920.00	INR Six Thousand Nine Hundred & Twenty Only
19	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Gutter (600 mm over all girth)	10.00	Mtr	906.00	9060.00	INR Nine Thousand & Sixty Only
20	12 mm cement plaster of mix : 1:6 (1 cement: 6 coarse sand)	338.00	Sqm	237.00	80106.00	INR Eighty Thousand One Hundred & Six Only
21	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	200.00	Sqm	107.00	21400.00	INR Twenty One Thousand Four Hundred Only
22	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour One coat	150.00	Sqm	60.00	9000.00	INR Nine Thousand Only
23	Wall painting with acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coat	130.00	Sqm	89.00	11570.00	INR Eleven Thousand Five Hundred & Seventy Only
24	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	360.00	Sqm	65.00	23400.00	INR Twenty Three Thousand Four Hundred Only
25	Dismantling of IWC with water storage tank and all associated fittings like long body bib cock, tap, bottle trap, tissue holder, towel rod etc without any damage and stacking of serviceable materials and disposal of unserviceable material as per the direction of EIC or his representative within the airport premises.	7.00	Each	100.00	700.00	INR Seven Hundred Only
26	Demolishing cement concrete manually/ by mechanical means including disposal of material his representative within the airport premises as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	1.00	Cum	1000.00	1000.00	INR One Thousand Only


 पि. येदु कंडलु
 वरिष्ठ प्रबंधक (ई-सी)
F. YEDU KONDALU
 Sr. Manager (E-C)
 AAI / Madurai Airport

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
27	Dismantling of toilet wash basin with faucet, fittings, bottle trap and waste couplings without any damage and stacking of serviceable materials and disposal of unserviceable material as per the direction of EIC or his representative within the airport premises.	6.00	Each	40.00	240.00	INR Two Hundred & Forty Only
28	Dismantling of EWC with water storage tank and all associated fittings like health faucet, long body bib cock, tap, bottle trap, tissue holder, towel rod etc. without any damage and stacking of serviceable materials and disposal of unserviceable material as per the direction of EIC or his representative within the airport premises.	2.00	Each	150.00	300.00	INR Three Hundred Only
29	Dismantling of toilets Wooden/FRP/WPC doors with frame and shutter without any damage including all fittings, holdfasts etc. and stacking of serviceable materials and disposal of unserviceable material as per the direction of EIC or his representative within the airport premises. Of area 3 sq. metres and below	9.00	Each	100.00	900.00	INR Nine Hundred Only
30	Demolishing tile work in floors/walls with laid in cement mortar or chemical adhesive manually/ by mechanical means and stacking of serviceable materials and disposal of unserviceable material as per the direction of EIC or his representative within the airport premises. Thickness of tiles: 10 mm to 25 mm	400.00	Sqm	30.00	12000.00	INR Twelve Thousand Only
31	Demolishing granite work in table mount wash basin with laid in cement mortar or chemical adhesive manually/ by mechanical means and stacking of serviceable materials and disposal of unserviceable material as per the direction of EIC or his representative within the airport premises. Thickness of granite: 16mm to 30mm	4.00	Sqm	25.00	100.00	INR One Hundred Only
32	Providing and laying of natural stone grass paver in footpath, parks and lawns using m-sand or other suitable material, compaction of soil using compactor etc and all inclusive., size and color as per the direction EIC. The rate inclusive of mexican grass between the natural stone of minimum 75mm to 100mm with suitable garden soil and manure etc. Measurement shall be made in square metre along with mexican grass. Thickness of natural stone -50mm. Base price considered for natural stone Rs. 900/sqm and mexican grass Rs.400/sqm. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price. Note: After completion of work, the agency have to maintain this Garden area for a period of minimum One month for grass establishment properly.	510.00	Sqm	1170.00	596700.00	INR Five Lakh Ninety Six Thousand Seven Hundred Only
33	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured to calculate volume for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	15.00	Cum	6000.00	90000.00	INR Ninety Thousand Only


 पि. येडु कोंडलु
 वरिष्ठ प्रबंधक (ई-सी)
P. YEDU KONDALU
 Sr. Manager (E-C)
 AAI / Madurai Airport


Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
34	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests. Base price considered: Rs. 2600/No. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	5.00	Each	5820.00	29100.00	INR Twenty Nine Thousand One Hundred Only
35	Providing and fixing Floor mount type water closet (European Type) of approved make with seat cover, suitable concealed full frame inwall tank, plastic outlet connector including all fittings nuts, bolts, frames, wall plates and gasket etc including making connection with the existing drainage system, complete in all respect as per directions of Engineer-in-Charge. Base price considered for EWC with seat cover and inwall tank: Rs. 18000/No. Price adjustment (plus or minus) shall be done based on fitting selection by EIC with reference to base price.	2.00	Each	16774.00	33548.00	INR Thirty Three Thousand Five Hundred & Forty Eight Only
36	Providing and fixing of wash basin as per approved brand and site condition complete as per the direction of EIC. Base price considered: Rs. 3100/No. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	6.00	Each	2774.00	16644.00	INR Sixteen Thousand Six Hundred & Forty Four Only
37	Providing and fixing stainless steel (Grade 304) hand wash sink made of plates, hollow tubes, channels etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size as per approval of Engineer-in charge.	300.00	Kg	650.00	195000.00	INR One Lakh Ninety Five Thousand Only
38	Providing and fixing of 12 mm thick HPL urinal partition with necessary fittings of approved make as per the direction of EIC	4.00	Nos	3299.00	13196.00	INR Thirteen Thousand One Hundred & Ninety Six Only
39	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.25 mm nominal dia Pipes	30.00	Meter	433.00	12990.00	INR Twelve Thousand Nine Hundred & Ninety Only
40	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work 25 mm nominal dia Pipes	90.00	Mtr	245.00	22050.00	INR Twenty Two Thousand & Fifty Only
41	Providing and fixing of approved make Long Body bibcock in polished chrome or equivalent complete as per the direction of EIC. Base price considered: Rs. 1500/No. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	27.00	Nos	1406.00	37962.00	INR Thirty Seven Thousand Nine Hundred & Sixty Two Only


 पि. येंदु कंडलु
 वरिष्ठ प्रबंधक (ई-सी)
P. YEDU KONDALU
 Sr. Manager (E-C)
 AAI / Madurai Airport

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
42	Providing and fixing angle valve in polished chrome of approved make complete as per the direction of EIC.. Base price considered: Rs. 1200/No. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	15.00	Each	1194.00	17910.00	INR Seventeen Thousand Nine Hundred & Ten Only
43	Providing and fixing of approved make health faucet with side spray, metal hose in polished chrome or equivalent complete as per the direction of EIC. Base price considered: Rs. 1600/No. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	2.00	Each	1414.00	2828.00	INR Two Thousand Eight Hundred & Twenty Eight Only
44	Providing and fixing Bottle trap of approved make all complete as per the directions of EIC. Base price considered: 2000/No. Price adjustment (plus or minus) shall be done based on tile selection by EIC with reference to base price.	6.00	Each	1899.00	11394.00	INR Eleven Thousand Three Hundred & Ninety Four Only
45	Providing and fixing of pillar tap in polished chrome as per approved brand and complete as per the direction of EIC. Base price considered: Rs.2200/No. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	6.00	Each	2000.00	12000.00	INR Twelve Thousand Only
46	Providing & Fixing of PVC connection pipe of size 2.00 ft including nuts and washers -ISI MAKE	4.00	Each	110.00	440.00	INR Four Hundred & Forty Only
47	Providing and fixing of C.P urinal connection push cock of approved quality as per direction of EIC	4.00	Each	1100.00	4400.00	INR Four Thousand Four Hundred Only
48	Providing and fixing of Urinal Assembly (spreader 15mm) of approved quality as per direction if EIC	4.00	Each	396.00	1584.00	INR One Thousand Five Hundred & Eighty Four Only
49	Providing and fixing S.S floor gratings of size 150 x 150mm with grating as per the directions of EIC.	8.00	Each	200.00	1600.00	INR One Thousand Six Hundred Only
50	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	2.00	Nos	250.00	500.00	INR Five Hundred Only
51	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	4.00	Each	1760.00	7040.00	INR Seven Thousand & Forty Only
52	Providing & fixing in position of natural stone cladding for plain wall surface area in cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 to 10mm thickness, including grouting of joints, material and labour cost as per direction of the Engineer in-charge. Base price considered: 900.00/sqm. Price adjustment (plus or minus) shall be done based on selection by EIC with reference to base price.	60.00	Sqm	1175.00	70500.00	INR Seventy Thousand Five Hundred Only

पि. येडु कुण्डलु
 वरिष्ठ प्रबंधक (सी)
 P. YEDU KUNDALU
 Sr. Manager (E-C)
 A-1 / Madurai Airport

Sl. No.	Item Description	Quantity	Units	Rate (Excluding GST) Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT (Excluding GST) in Rs. P	TOTAL AMOUNT (Excluding GST) In Words
1	2	3	4	5	6	7
53	Providing and laying Mexican grass turf with garden soil and manure of required thickness. The existing ground shall be ploughed of minimum 200mm depth and levelled properly using ramming and necessary equipments to make the surface uniform and smoothen and watering the surface etc. The top of the grass surface shall be trimmed and rolled properly and main till grass establish properly and as per satisfaction of EIC. Note: After completion of work, the agency have to maintain this Garden area for a period of minimum One month for grass establishment properly.	560.00	Sqm	350.00	196000.00	INR One Lakh Ninety Six Thousand Only
54	Providing and supplying aluminium extruded tubular and other aluminium sections as per the architectural drawings and approved shop drawings, the aluminium quality as per grade 6063 T5 or T6 as per BS 1474, including super durable powder coating of 60-80 microns conforming to AAMA 2604 of required colour and shade as approved by the Engineer-in-Charge. (The item includes cost of material such as cleats, sleeves, screws etc. necessary for fabrication of extruded aluminium frame work. Nothing extra shall be paid on this account). The weight of aluminium extruded section shall be taken for purpose of payment.	230.00	Kg	310.00	71300.00	INR Seventy One Thousand Three Hundred Only
55	Providing and fixing Aluminum Composite Panel with size of 2440x1220mm with 3mm thickness backing or studding with wooden, screws ect. complete as per direction of Engineer In Charge	20.00	Sqm	981.00	19620.00	INR Nineteen Thousand Six Hundred & Twenty Only
56	Providing and fixing factory made 18 mm thick single extruded WPC (Wood Polymer Composite) solid plain white colour board Jali, CNC (Computer numeric control) routed of approved design by Engineer-in-charge which are machine cut for duct/shaft covering, partitions and facades comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives(maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with properties of being termite/borer proof, water/moisture proof and fire retardant and fixing on M.S (mild steel) frame made of 25 x 25 x 1.5 mm square hollow box section including applying a priming coat of approved steel primer, placed at grid made at 1.0 x 1.0 m or as per requirement at site with necessary stainless steel fasteners and SS screws etc., all complete as per direction of Engineer-In- Charge. (Note: M.S (mild steel) framework with priming coat and necessary SS fasteners and SS screws shall be paid separately.	130.00	Sqm	2370.00	308100.00	INR Three Lakh Eight Thousand One Hundred Only
57	Supply and erection of Portable Puff Panel Toilet Cabin of size 4' - 0" x 4' - 0" x 7' - 0" with all fittings like water closet, flushing tank, health faucet, bibcock wash basin with pillar tap, bottle trap, outlet pipe connection etc. provision for electrical lights and exhaust fan to be provided and as per direction of EIC. Rate inclusive of all fittings and nothing extra shall be paid to agency.	1.00	Nos	82000.00	82000.00	INR Eighty Two Thousand Only
Total in Figures					3258572.00	INR Thirty Two Lakh Fifty Eight Thousand Five Hundred & Seventy Two Only
Quoted Rate in Words		INR Thirty Two Lakh Fifty Eight Thousand Five Hundred & Seventy Two Only				


 पि. येदु कंडालु
 वरिष्ठ प्रबंधक (ई.सी.)
 P. YEDU KONDALU
 Sr. Manager (E-C)
 AAI / Madurai Airport

FORM-III

(Under rule 21(2) of the Contract Labour (Regulation and Abolition) Central Rules, 1971;

And

Rule 7(3) of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service Central Rules, 1980)

Form of Certificate by Principal Employer

Certified that:

1. I have engaged the applicant **Shri.V.VIJAYAKUMAR**, 99 A, NORTH PERUMAL MAISTRY STREET, **MADURAI – 625 001** as a contractor in my establishment for the work **“A/R & M/O Civil Works at Madurai Airport during 2024-25. SH: Renovation of Canteen, Public Toilet and New Construction of Pre-fabricated Toilet at STP area”** to be carried out from **04.04.2025 to 03.08.2025**.
2. I undertake to be bound by all the provisions of the Contract Labour (Regulation and Abolition) Act, 1970 (37 of 1970) and the Contract Labour (Regulation and Abolition) Central Rules, 1971* / the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979 (30 of 1979) and the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Central Rules, 1980* in so far as the provisions are applicable to me in respect of the employment of contract Labour/inter-state migrant workmen* by the applicant in my establishment.
3. The engagement of contract Labour in the said work is not prohibited under sub section (1) of section 10 of the Contract Labour (Regulation and Abolition) Act, 1970 (370 of 1970) or an award or a settlement*.

Place : Madurai
Date : 25.03.2025

Signature of Principal Employer
SM(Engg-Civil),
Engineer-In-Charge
Airports Authority of India,
Madurai Airport,
Madurai – 625022.

(Reg No.CLRA/RLCMADURAI/2024/125177/R-20)

पि. यदु कण्डलु
वरिष्ठ प्रबंधक (ई.सी.)
P. YEDU KONDALU
Sr. Manager (E-C)
AAI / Madurai Airport