



75  
आज़ादी का  
अमृत महोत्सव

भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA  
सूरत एयरपोर्ट, सूरत-394550  
SURAT AIRPORT, SURAT-394550

सन्दर्भ संख्या : - भाविप्रा/सूरत/ सहा. महाप्र.(अभि-वि)-I/स्ट्रीट लाइट /2024-25/W-09/1351-1360  
Ref. No: - AAI/SURAT/AGM (E-E)-I/Street light /2024-25/W-09/1351-1360

दिनांक :- 07/03/2025

Date:- 07/03/2025

(कार्य आदेश / Work Order)

सेवा में,

मेसर्स, एसेंट इलेक्ट्रिफिकेशन इंजीनियर्स,  
241, स्वामीनारायण नगर,  
रामकृष्ण आश्रम के सामने,  
हलार हाउस के पीछे, जामनगर-361001  
E-Mail ID: harsh@ascentengrs.com

To,

M/s. Ascent Electrification Engineers,  
241, Swaminarayan Nagar,  
Opp. Ramkrishna Ashram,  
B/h Halar House, Jamnagar-361001  
E-Mail ID : harsh@ascentengrs.com

कार्य का नाम: सूरत अंतर्राष्ट्रीय हवाई अड्डे पर मुख्य प्रवेश निकास मार्ग का चौड़ीकरण।

एसएच: स्ट्रीट लाइटिंग का प्रावधान और उससे जुड़े कार्य।

Name of Work: Widening of main entry exit road at Surat International Airport.

SH: Provision of street lighting and its associated works.

संदर्भ / Reference 1 :- आपकी निविदा / Your tender for 2025\_AAI\_225378\_1  
(Financial bid opening on Dt: 04.03.2025)

1. उल्लेखित कार्य हेतु आपकी निविदा के संबंध में, आपके द्वारा उद्धृत कुल ₹ 41,37,370.00 (रुपए: इकतालीस लाख सैंतीस हजार तीन सौ सत्तर मात्र जी.एस.टी. छोड़कर) जो की निविदा की न्यायोचित लागत राशि ₹ 76,13,368.00 से 45.66% कम है, को अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत किया जाता है।

Your tender for the above-mentioned work is hereby accepted on behalf of the Chairman, Airports Authority of India at the item rates quoted by you totaling to Rs.41,37,370.00(Rupees: Forty-One Lakh Thirty-Seven Thousand Three Hundred Seventy Only excluding GST). which is 45.66% below the justified cost Rs.76,13,368.00

2. सहायक महाप्रबंधक (अभि-वि)-I भाविप्रा, सूरत एयरपोर्ट, सूरत - 394550, उपरोक्त कार्य के प्रभारी होंगे। आपसे निवेदन है कि आप के अधिकृत प्रतिनिधि, जिन्हें आपकी ओर से ठेका करार पर हस्ताक्षर करने का अधिकार हो, को दिनांक: 24/03/2025 तक सहायक महाप्रबंधक (अभि-वि)-I के कार्यालय में भेजकर करार पर हस्ताक्षर करने तथा करार की कार्यवाही पूर्ण कराने का कष्ट करें। ठेका करार का निष्पादन तीन सौ रुपए मूल्य के गैर अदालती स्टैम्प पेपर (गुजरात) पर किया जाएगा तथा स्टैम्प पेपर का खर्च आपके द्वारा वहन किया जायेगा।

AGM(Engg-Elect)-I AAI, Surat Airport, Surat - 394550, shall be the Engineer-in-charge of the work. You are requested to depute your accredited representative, empowered to sign the contract agreement on your behalf to attend the office of the AGM (Engg-Elect)-I, AAI, Surat Airport, Surat by the 24/03/2025 to sign and complete the agreement. The contract agreement shall be executed on a Non-Judicial Stamp Paper (Gujarat) of value ₹ 300/- and the cost of the same shall be borne by you.

अक्षय  
7/03/2025

3. कृपया इस पत्र के जारी होने के 10 दिनों के अन्दर प्रतिभूति जमा के रूप में ₹ 4,13,737/- (रुपये: चार लाख तेरह हजार सात सौ सैंतीस), की राशि इस कार्यालय में जमा करा दें अन्यथा संविदा की सामान्य शर्तों के पृष्ठ संख्या 29 पर दी गई शर्त 1 (ए), के अनुसार उक्त राशि आपके चालू बिल से काट ली जाएगी।

Please deposit **Rs 4,13,737/- (Rupees: Four lakh Thirteen Thousand Seven Hundred Thirty-Seven Only)** towards security deposit within 15 days from the date of issue of this letter, failing which, the same will be deducted from your running bills as per General Terms & Conditions Clause 1 (A) on page 29 of the contract document.

4. आपसे अनुरोध है कि आप ठेका श्रमिक (विनियम एवं अन्मुलन) अधिनियम 1970 के उपबन्धों का अनुपालन करें। साथ ही ठेका श्रमिक (विनियम एवं अन्मुलन) केन्द्रीय नियमावली 1971 एवं केन्द्रीय एवं राज्य सरकारों के न्यूनतम वेतन तथा उससे सम्बन्धित अन्य नियमों का पालन करें।

You are requested to comply with the provisions of contract labour (Regulation and Abolition) Act of 1970 and contract labour (Regulation and Abolition) Central Rules 1971 and Minimum Wages Act and Rules there of Central and State Governments.

5. आपको यह भी निर्देश दिया जाता है कि आप प्रबंधक (अभि.-वि), भा.वि.प्रा., सूरत से अविलम्ब सम्पर्क करें जो आपको कार्यस्थल सौंपने की व्यवस्था करेंगे।

You are directed to contact **Manager (Engg.-E)**, AAI, Surat immediately who will arrange to hand over the site to you.

6. कृपया यह भी भली भाँति नोट कर लें की निविदा के अनुसार कार्य निष्पादन हेतु अनुमत समय **03 (तीन)** माह है जो **08/03/2025** से गिना जाएगा।

Please note that the time allowed for carrying out the work shall be **03 (Three)** Months, and same shall be reckoned from **08/03/2025**.

7. इस ठेके से संबंधित किसी भी प्रकार के पत्र व्यवहार के लिए सहायक महाप्रबंधक (अभि.-वि)-I, भारतीय विमानपत्तन प्राधिकरण, सूरत एयरपोर्ट, सूरत-394 550 को संबोधित करेंगे।

Any further correspondence in connection with the contract should normally be addressed to the AGM (Engg. -Elect)-I, Airports Authority of India, Surat Airport, Surat – 394 550.


8. संविदा दस्तावेज की अनुसूचि "E" के पृष्ठ संख्या 144 के अनुसार दोष दायित्व अवधि **कार्य समाप्ति की तिथि से 1 वर्ष, एलईडी लाइटिंग फिक्सचर को छोड़कर जिसके लिए डीएलपी 5 वर्ष है।**

The defect liability period is **1 Year from the date of completion of work except LED lighting Fixture for which DLP is 5 year** as per condition on page 144 of schedule "E" of the contract document.

9. कृपया इस पत्र की प्राप्ति सुचना दें तथा इसके साथ अनुलग्न अनुप्रति पर हस्ताक्षर करके टोकन प्रतिग्रहण के रूप में अधोहस्ताक्षरी को वापस भेज दें  
Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

धन्यवाद / Thanking you,

संलग्न: Item Rate BOQ. (Page.1 to 4)

  
(उमेश के. सिंह) / (Umesh K Singh)

सहायक महाप्रबंधक (अभि.-वि)-I / AGM (Engg-Elect)-I  
कृते तथा की ओर से अध्यक्ष, भा.वि.प्रा. / For and on behalf of Chairman, AAI  
भा.वि.प्रा.,सूरत विमानपत्तन, सूरत / AAI, Surat Airport, Surat

विशेष ध्यान : अर्थ निर्णय के सम्बन्ध में कोई विवाद होने पर अंग्रेजी पाठ को ही प्राधिकृत माना जाएगा।

Note: In the event of any dispute regarding interpretation the English text will be treated as authentic.

Tender Inviting Authority: AGM (E-E)-1, AAI, Surat Airport, Surat

Name of Work : "Widening of main entry exit road at Surat International Airport. Sh- Provision of street lighting and its associated works."

Contract No: Tender ID 2025\_AAI\_225378\_1

Name of the Bidder/ Bidding Firm/ Company :

सहा. महाप्रबंधक (अभि.-विद्युत)  
Asst. Gen. Manager (Engg.-Electrical)  
भारतीय विमानमत्तन प्राधिकरण  
Airports Authority of India  
सुरत विमानतल, सुरत - ३९४ ५५०.  
Surat Airport, Surat - 394 550.

*Handwritten signature and date 4/3/25*

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

| Sl. No.  | Item Description                                                                                                                                                                                                                | Item Code / Make | Quantity | Units  | BASIC RATE including all taxes, duties, insurance etc. but excluding GST. In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. (excluding GST) in Figures | TOTAL AMOUNT in Rs. (excluding GST) in Words |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|--------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------|
| NUMBER # | TEXT #                                                                                                                                                                                                                          | TEXT #           | NUMBER # | TEXT # | NUMBER #                                                                                                               | NUMBER #                                       | TEXT #                                       |
| 1        | 2                                                                                                                                                                                                                               | 3                | 4        | 5      | 6                                                                                                                      | 7                                              | 8                                            |
| 1        | Supply of following sizes of XLPE insulated PVC sheathed, aluminium conductor, armoured, power cable of 1.1 KV grade conforming to IS 7098 (Part I), 1988 amended upto date.                                                    |                  |          |        |                                                                                                                        |                                                |                                              |
| 1.01     | 3.5 x 240 Sqmm                                                                                                                                                                                                                  | Item 1           | 450      | Meter  | 1070.00                                                                                                                | 481500.00                                      | THAT FOUR EIGHTY ONE THOUSAND                |
| 1.02     | 4x 16 Sqmm                                                                                                                                                                                                                      | Item 2           | 3050     | Meter  | 137.00                                                                                                                 | 417850.00                                      | THAT FOUR THIRTY THREE THOUSAND              |
| 2        | Laying of one number XLPE insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required. |                  |          |        |                                                                                                                        |                                                |                                              |
| 2.01     | upto 35 sq. mm                                                                                                                                                                                                                  | Item 3           | 10       | Meter  | 44.00                                                                                                                  | 440.00                                         | THAT FOUR THIRTY THREE THOUSAND              |
| 2.02     | Above 185 sq. mm and upto 400 sq. mm                                                                                                                                                                                            | Item 4           | 320      | Meter  | 106.00                                                                                                                 | 33920.00                                       | THAT FOUR THIRTY THREE THOUSAND              |
| 3        | Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size on wall surface as required.                                                                                |                  |          |        |                                                                                                                        |                                                |                                              |
| 3.01     | upto 35 sq. mm                                                                                                                                                                                                                  | Item 5           | 10       | Meter  | 44.00                                                                                                                  | 440.00                                         | THAT FOUR THIRTY THREE THOUSAND              |
| 3.02     | Above 185 sq. mm and upto 400 sq. mm (clamped with 40x3mm MS flat clamp)                                                                                                                                                        | Item 6           | 10       | Meter  | 106.00                                                                                                                 | 1060.00                                        | THAT FOUR THIRTY THREE THOUSAND              |
| 4        | Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size in the existing RCC/ HUM/ METAL/HDPE pipe as required.                                                                 |                  |          |        |                                                                                                                        |                                                |                                              |
| 4.01     | upto 35 sq. mm                                                                                                                                                                                                                  | Item 7           | 2200     | Meter  | 44.00                                                                                                                  | 96800.00                                       | THAT FOUR THIRTY THREE THOUSAND              |
| 4.02     | Above 185 sq. mm and upto 400 sq. mm                                                                                                                                                                                            | Item 8           | 30       | Meter  | 106.00                                                                                                                 | 3180.00                                        | THAT FOUR THIRTY THREE THOUSAND              |
| 5        | Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size in the existing masonry open duct as required.                                                                         |                  |          |        |                                                                                                                        |                                                |                                              |
| 5.01     | upto 120sq. mm                                                                                                                                                                                                                  | Item 9           | 50       | Meter  | 106.00                                                                                                                 | 5300.00                                        | THAT FOUR THIRTY THREE THOUSAND              |
| 5.02     | Above 185 sq. mm and upto 400 sq. mm                                                                                                                                                                                            | Item 10          | 70       | Meter  | 106.00                                                                                                                 | 7420.00                                        | THAT FOUR THIRTY THREE THOUSAND              |
| 6        | Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.                         |                  |          |        |                                                                                                                        |                                                |                                              |
| 6.01     | 3.5 X 240 sqmm                                                                                                                                                                                                                  | Item 11          | 4        | Set    | 1550.00                                                                                                                | 6200.00                                        | THAT FOUR THIRTY THREE THOUSAND              |
| 6.02     | 3.5 X 70 sqmm                                                                                                                                                                                                                   | Item 12          | 2        | Set    | 900.00                                                                                                                 | 1800.00                                        | THAT FOUR THIRTY THREE THOUSAND              |
| 6.03     | 4X 16 sqmm                                                                                                                                                                                                                      | Item 13          | 175      | Set    | 860.00                                                                                                                 | 150500.00                                      | THAT FOUR THIRTY THREE THOUSAND              |
| 7        | Providing and fixing 6 SWG dia G.I. wire on surface or in recess or on cable tray for loop earthing along with existing cable as required.                                                                                      | Item 14          | 3500     | Meter  | 35.00                                                                                                                  | 122500.00                                      | THAT FOUR THIRTY THREE THOUSAND              |

*Approved by*  
*3/12*

| NUMBER # | TEXT #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | TEXT #           | NUMBER # | TEXT # | NUMBER #                                                                                                                        | NUMBER #                                       | TEXT #                                                |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|--------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------|
|          | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Item Code / Make | Quantity | Units  | BASIC RATE<br>including all taxes, duties, insurance etc. but excluding GST.<br>In Figures To be entered by the Bidder<br>Rs. P | TOTAL AMOUNT in Rs. (excluding GST) in Figures | TOTAL AMOUNT in Rs. (excluding GST) in Words          |
| 1        | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 3                | 4        | 5      | 6                                                                                                                               | 7                                              | 8                                                     |
| 8        | Providing and laying of 110 mm(OD) ISI marked HDPE pipe, conforming to IS 4984, along with all accessories like socket, bend, couplers, suitable size PP rope as required including fitting, cutting, jointing etc., Laying of one number XLPE insulated and PVC sheathed / XLPE armoured power cable of 1.1 KV grade of size upto 240sq.mm cable in HDPE pipe with HDD trenchless method direct in ground (6 mtrs below ground level ) in all type of soil etc complete in all respect as per direction of Engineer-in-Charge. required                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Item 15          | 350      | Meter  | 530.00                                                                                                                          | 185500.00                                      | INR One Lakh Eighty Five Thousand Five Hundred Only   |
| 9        | Supply and Laying of 63 mm dia (OD) ISI marked PE-63, PN-6kg HDPE pipe, conforming to IS 4984, along with all accessories like socket, bend, couplers as required including fitting, cutting, jointing etc., direct in ground (75 cm below ground level, width of the trench 25 cm) including excavation & refilling the trench with same excavated earth but excluding sand cushioning and protective covering etc., complete as required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Item 16          | 2120     | Meter  | 250.00                                                                                                                          | 530000.00                                      | INR Five Lakh Thirty Thousand Only                    |
|          | <b>FEDDER PILLAR</b><br>Supply, Installation, Testing and Commissioning of LT Feeder pillar Panel, cubicle type, made out of 14 SWG CRCA sheet steel, totally enclosed, outdoor weather proof, protection free standing, floor mounting, dust and vermin proof, indoor, compartmentalized, powder coated painting, suitable for operation on 3 phase and neutral, 415V, 50Hz AC supply system with busbars extendible on both sides, interconnections with suitable size of copper leads/ solid aluminium strips, MS stand including cement concrete foundation work, door locking arrangement, provision of bottom entry for incoming and outgoing cables. (Panel shall conform to PTTA (IEC 60439) & of Form -3b Construction).<br><b>INCOMING:</b><br>1 Nos. MCCB, 250 Amps, 4 Pole, 35 kA with adjustable setting, thermal magnetic release with O/C & S/C protection as per specification, suitable for terminating the 3.5x400sqmm aluminium XLPE armoured cable, with following accessories.<br><b>BUS - BAR</b><br>4 Pole aluminium bus bars of 250 A capacity with heat shrinkable coloured sleeves i/c SMC bus bars supports at required intervals complete for cross section, size supports & their spacing etc. for withstanding fault level of 35 K.A for 1 sec.<br><b>INSTRUMENTS &amp; ACCESSORIES</b><br>1 No. 96 mm x 96 mm digital type Voltmeter with suitable range for 3 phase, 4 wire operation with LED display and selector switch backup by 3 nos of 2Amp MCB.<br>1 No. 96 mm x 96 mm digital type Ammeter for 3 phase 4 wire operation with LED display and selector switch.<br>5 Nos of LED type phase indicating lamps (R,Y,B,ON/OFF) with controlled by 2 Amp MCB.<br><b>OUTGOING:</b><br>10 Nos. 63A, 4pole, 50KA, MCCB with suitable four pole contactor, auto/ manual selector switches and necessary wiring etc.<br>Outgoing Feeder shall have ON, OFF LED light with back up 2 Amp SP MCB. | Item 17          | 2        | Job    | 250000.00                                                                                                                       | 500000.00                                      | INR Five Lakh Only                                    |
| 11       | Supply of energy efficient LED Street light luminaire with minimum system lumen output of 18000 lumen, IP 65 protected, single piece high pressure die-cast aluminium/ standard alloy housing with heat resistant toughened clear glass, suitable to operate on single phase, 230 V, 50 Hz AC power supply as per technical specification detailed in special condition of the contract etc. complete all as required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Item 18          | 75       | Each   | 3688.00                                                                                                                         | 276600.00                                      | INR Two Lakh Seventy Six Thousand Six Hundred Only    |
| 12       | Supply of energy efficient LED flood light luminaire with minimum system lumen output of 14400 lumen, IP 65 protected single piece high pressure die-cast aluminium/ standard alloy housing with heat resistant toughened clear glass, suitable to operate on single phase, 230 V, 50 Hz AC power supply as per technical specification detailed in special condition of the contract etc. complete all as required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Item 19          | 4        | Each   | 4338.00                                                                                                                         | 17352.00                                       | INR Seventeen Thousand Three Hundred & Fifty Two Only |
| 13       | Supply of minimum 08 mtr height Hot dip galvanised Octagonal pole made from HT Steel conforming to BSEN 120025, having thickness of 3mm. Top dia 70mm & Bottom dia 130mm single sharp welding conforming to IS 2062(Base Plate) with Single Arm Bracket of 1.5 meter length, coupler/reducer required for the installation of luminaires as per the requirement of site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Item 20          | 26       | Each   | 37200.00                                                                                                                        | 967200.00                                      | INR Nine Lakh Sixty Seven Thousand Two Hundred Only   |

| NUMBER # | TEXT #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TEXT #           | NUMBER # | TEXT # | NUMBER #                                                                                                               | NUMBER #                                       | TEXT #                                              |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|--------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----------------------------------------------------|
| Sl. No.  | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Item Code / Make | Quantity | Units  | BASIC RATE including all taxes, duties, insurance etc. but excluding GST. In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. (excluding GST) in Figures | TOTAL AMOUNT in Rs. (excluding GST) in Words        |
| 1        | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 3                | 4        | 5      | 6                                                                                                                      | 7                                              | 8                                                   |
| 14       | Erection of 8 mts octagonal pole with 1.5mt Single arm bracket by making suitable civil pole foundation made of PCC, RCC, steel reinforcement including providing and fixing of suitable size base plate made of Fe 415 conforming to IS 2062, foundation bolts with EN 8 grade as per foundation drawing provided by OEM of the pole & specification i/c supply and fixing of two nos 63mm dia HDPE pipe for incoming & out going cable, i/c provision of crane of required height for erection of pole etc complete all as required at the site.              | Item 21          | 41       | Job    | 3500.00                                                                                                                | 143500.00                                      | INR One Lakh Forty Three Thousand Five Hundred Only |
| 15       | Installation, testing and commissioning of LED street light luminaires on the arm of the pole with height upto 8mt, with all accessories such as extra GI pipe/coupler/Nipple of suitable length and dia if required as per the site requirement for fixing the luminaires etc. by dismantling the existing installed fittings on existing street light pole and taking dismantled fittings to the electrical stores within the lead of 150mtrs, including provision of required height of ladder or crane etc complete all as required                         | Item 22          | 37       | job    | 1000.00                                                                                                                | 37000.00                                       | INR Thirty Seven Thousand Only                      |
| 16       | Installation, testing and commissioning of 150W LED street light luminaires on the arm of the pole with height upto 8mt, including wiring of luminaires with 3x1.5 sq. mm PVC insulated, PVC sheathed copper conductor flexible cable, 4way 16A connector with Bakelite Sheet, 6 amp SP MCBs, earthing stud with all other accessories such as extra GI pipe/coupler/Nipple of suitable length and dia if required, including provision of required height of ladder or crane as per the site requirement for fixing the luminaires etc.                        | Item 23          | 38       | job    | 1000.00                                                                                                                | 38000.00                                       | INR Thirty Eight Thousand Only                      |
| 17       | Installation, testing and commissioning of 120W led flood light luminaires directly on the existing ms structure of fabric canopy with all accessories such as 3x1.5 sq. mm PVC insulated, PVC sheathed copper conductor flexible cable, clamp, nut bolt, fastener of suitable length and dia required as per the site requirement for installing the fitting etc. complete all as required                                                                                                                                                                     | Item 24          | 4        | job    | 1000.00                                                                                                                | 4000.00                                        | INR Four Thousand Only                              |
| 18       | Supply and fixing of triple arm bracket of 2m Length on existing 8 mtr octagonal pole with all required accessories such as extra GI pipe/coupler/Nipple of suitable length and dia if required as per the site requirement for fixing of the triple arm bracket etc after dismantling the existing double arm pole bracket installed on existing 8 mtr octagonal street light pole and taking dismantled brackets to the electrical stores within the lead of 150mtrs, including provision of required height of ladder or crane etc. complete all as required | Item 25          | 4        | job    | 3500.00                                                                                                                | 14000.00                                       | INR Fourteen Thousand Only                          |
| 19       | Wiring for group controlled (looped) light point/fan point/exhaust fan point/ call bell point (without independent switch etc.) with 1.5 sq. mm FRLSH PVC insulated copper conductor single core cable in surface/ recessed steel conduit, and earthing the point with 1.5 sq. mm FRLSH PVC insulated copper conductor single core cable etc. as required (Group-C).                                                                                                                                                                                            | Item 26          | 4        | point  | 1075.00                                                                                                                | 4300.00                                        | INR Four Thousand Three Hundred Only                |
| 20       | Supplying and fixing of 25A, four pole, 415V, RCCB AC type in the 4way MCB endloser box complete with connections, testing and commissioning etc. as required.                                                                                                                                                                                                                                                                                                                                                                                                  | Item 27          | 2        | Job    | 1073.00                                                                                                                | 2146.00                                        | INR Two Thousand One Hundred & Forty Six Only       |
| 21       | Supplying and fixing 16 amps, 100 mA, Double Pole, 10KA, 240 volts, RCCB AC Type in the existing MCB DB complete with connections, testing and commissioning etc. as required.                                                                                                                                                                                                                                                                                                                                                                                  | Item 28          | 2        | Each   | 1683.00                                                                                                                | 3366.00                                        | INR Three Thousand Three Hundred Sixty Only         |
| 22       | Supplying and fixing 6 amps-32 amps rating, Single Pole, 240 volts, 'C' series, Miniature Circuit Breaker in the existing MCB DB complete with connections, testing and commissioning etc. as required.                                                                                                                                                                                                                                                                                                                                                         | Item 29          | 8        | Each   | 172.00                                                                                                                 | 1376.00                                        | INR One Thousand Seven Hundred & Twenty Only        |
| 23       | Supplying and fixing of 4 way, Double door, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)                                                                                                                                                                                                                                        | Item 30          | 2        | Job    | 1310.00                                                                                                                | 2620.00                                        | INR Two Thousand Six Hundred & Twenty Only          |
| 24       | Excavation for cable trenches in soft soil, depth upto 1.2 m including dressing of sides lift upto 1.5 m, including getting out the excavated soil, refilling with sand or good soil after laying of cable/ pipe etc in layers of 20 cm, ramming, watering and disposal of surplus excavated soil as directed, within a lead of 50 metres.                                                                                                                                                                                                                      | Item 31          | 25       | cum    | 150.00                                                                                                                 | 3750.00                                        | INR Three Thousand Seven Hundred & Fifty Only       |

Agarwal 12-11-2024

11/11/24

Dear Member by

4/13/20

सहा. महाप्रबंधक (असि. -सहाय)  
Asst. Gen. Manager (Engrg. -Deputy)  
भारतीय विमानपत्तन प्राधिकरण  
Airports Authority  
सुरत विमानतल, सुरत  
Surat Airport, Surat

Digitally signed by UMESH KUMAR SINGH  
Date: 2025.08.25 15:49:54  
Location: eProcurement System for Central PSUs

| NUMBER #             | TEXT #                                                                                                                                                                                                                                                                                                                                                                | TEXT #                                                                | NUMBER # | TEXT # | NUMBER #                                                                                                               | NUMBER #                                       | NUMBER #                                                              |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|----------|--------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----------------------------------------------------------------------|
| Sl. No.              | Item Description                                                                                                                                                                                                                                                                                                                                                      | Item Code / Make                                                      | Quantity | Units  | BASIC RATE including all taxes, duties, insurance etc. but excluding GST. In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT in Rs. (excluding GST) in Figures | TOTAL AMOUNT in Rs. (excluding GST) in Words                          |
| 1                    | 2                                                                                                                                                                                                                                                                                                                                                                     | 3                                                                     | 4        | 5      | 6                                                                                                                      | 7                                              | 8                                                                     |
| 25                   | Excavation of the cable trenches in hard rock not exceeding 1.5 metres in width, and lift upto 1.5 metres, including getting out the excavated soil and disposal of excavated soil as directed within a lead of 50 metres.                                                                                                                                            | Item 32                                                               | 5        | cum    | 250.00                                                                                                                 | 1250.00                                        | INR One Thousand Two Hundred &                                        |
| 26                   | Dismantling of existing installed street lighting pole of height upto 11 mtrs with Single arm bracket upto 2 mtr, lighting fixture, associated cabling, wiring etc i/c provision of crane of required height for dismantling of pole, taking all dismantled materials to the electrical stores within the lead of 300 mtrs, etc complete all as required at the site. | Item 33                                                               | 15       | job    | 1500.00                                                                                                                | 22500.00                                       | INR Twenty Two Thousand Five Hundred Only                             |
| 27                   | Dismantling of existing installed Feeder pillar of size up to 1.5m x 1m x 0.6m with associated ms stand, cabling, wiring etc i/c provision of crane of required height for dismantling of Feeder pillar, taking all dismantled materials to the electrical stores within the lead of 300 mtrs etc. complete all as required at the site.                              | Item 34                                                               | 2        | job    | 1500.00                                                                                                                | 3000.00                                        | INR Three Thousand Only                                               |
| 28                   | Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. With charcoal/ coke and salt as required.                                                                                                                                           | Item 35                                                               | 6        | Set    | 8500.00                                                                                                                | 51000.00                                       | INR Fifty One Thousand Only                                           |
| Total in Figures     |                                                                                                                                                                                                                                                                                                                                                                       |                                                                       |          |        |                                                                                                                        | 4137370.00                                     | INR Forty One Lakh Thirty Seven Thousand Three Hundred & Seventy Only |
| Quoted Rate in Words |                                                                                                                                                                                                                                                                                                                                                                       | INR Forty One Lakh Thirty Seven Thousand Three Hundred & Seventy Only |          |        |                                                                                                                        |                                                |                                                                       |