



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

कलिकट अंतर्राष्ट्रीय विमानपत्तन / CALICUT INTERNATIONAL AIRPORT

कलिकट विमानपत्तन(पी.ओ.) केरल / Calicut Airport (P.O.), Kerala - 673 647

दूरभाष Phone : 0483 2719475, फैक्स Fax : 0483 2711406, ई-मेल E-mail : dgmelect_calicut@aai.aero

By Speed Post / E-mail

Ref. No. AAI/CL/ENGG(E)/259/WO-01/ 25-26/ 70

Date: 16.04.2025

M/s MPC Electricals & Engineers,
2 Shanti Nagar,
Sector No.3, Hiran Magri,
Udaipur,
Rajasthan - 313 001

Name of Work : SITC of LED Fixtures at Terminal building and allied works
at Calicut Intl. Airport.
Ref : Your financial bid opened on 02.04.2025

Dear Sir(s),


1. Your e-tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the item rates quoted by you after negotiation totaling to **Rs. 64,87,366/- (Rupees Sixty Four Lakhs Eighty Seven Thousand Three Hundred and Sixty Six only)** (excluding GST) which is 30% below the justified cost of **Rs. 93,16,874/-**
2. Senior Manager (Engg-Elect), AAI, Calicut International Airport shall be the Engineer-in-Charge of the work. You are requested to attend the office of Senior Manager (Engg-Elect), AAI, Calicut International Airport by **25.04.2025** to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value **Rs.200/- (Rupees Two Hundred only)** and the cost of the stamp paper shall be borne by you.
3. The earnest money deposited by you along with tender will be released by AAI through NIC-CPP portal on processing your RA bills. Please deposit **Rs.6,48,737/- (Rupees Six Lakhs Forty Eight Thousand Seven Hundred and Thirty Seven only)** towards security deposit within 10 days from the date of issue of this letter failing which, the same will be deducted as per condition of Clause No.1 A at page No. GCC 16 of contract document.
4. Within 30 days of issue of acceptance letter, you shall submit to AAI, a Performance Guarantee as per condition of clause 9 on page SCC 3 for an amount of Rs.....(Rupees.....Only) in form of Bank Guarantee on the Proforma appended at Annexure ...onof Contract Document (If it is applicable).

5. You are requested to comply with the provisions of Contract Labour (Regulation and Abolition) Act of 1970 and Contract Labour (Regulation and Abolition) Central Rules 1971 Child Labour (Prohibition & Regulation) Act 1986, Construction of Works (Regulation of Employment and Condition of Services) Act 1996, Building and other construction Workers Welfare Cess Act 1996 as specified in Clause 37 on Page No.67 & 89 of GCC of tender and rules of Central and State Government.
6. You are also directed to contact Manager (Engg-Elect), AAI, Calicut International Airport immediately who will arrange to hand over the site.
7. Please note that the time allowed for carrying out the work shall be **03 (Three) Months** and same shall be reckoned from the 10th day of issue of this letter.
8. Any further correspondence in connection with the contract should normally be addressed to the Engineer- In- Charge.
9. Please note that the awarded rate is exclusive of GST and you are required to submit valid GST invoices for effecting payment.
10. AAI has registered as a buyer under TREDS and vendors may avail the benefits of TREDS, a govt. of India initiative.
11. The period within which payment would be released to MSME vendors after submission /processing of invoices/claims is 45 days.
12. Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

Thanking you,

Encl: SOQ

Yours faithfully,


Senior Manager (Engg-Elect)
For and on behalf of the Chairman
Airports Authority of India
सुजीथ्रा जी.एस/ SUJITHRA G S
वरिष्ठ प्रबंधक (इंजि.-विद्युत) /Senior Manager (E-E)
भा.वि.प्रा.कालिकट अंतर्राष्ट्रीय हवाई अड्डा
AAI, Calicut International Airport

Validate

Print

Help

Item Rate BoQ

Tender Inviting Authority: AIRPORTS AUTHORITY OF INDIA

Name of Work : SITC of LED Fixtures at Terminal building and allied works at Calicut International Airport.

Contract No: Tender ID -2025_AAI_228213_1

Name of the Bidder/ Bidding Firm / Company :		MPC ELECTRICALS & ENGINEERS						
PRICE SCHEDULE								
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)								
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	4	5	6	13	53	54	55
1	Supply of 80W LED medium bay lighting fixtures mounted on pressure die cast aluminium housing with excellent surface finish mounting via heavy duty eyebolt, high quality diffuser with integrated lens for uniform light distribution, CCT-5700 K, constant current encapsulated integral LED driver with surge protection of min 4 kV, and shall have an efficacy > 110 lumens/ watt, suitable for operation on 230 volts +/- 10%, 50HZ, single phase, AC power supply complete with accessories etc. as required with 5 years warranty, IP 65 or more, complete as per technical specifications. (Make: Crompton, cat no. Aquilla LED High bay Light 80W product code: CIP-323-80-57-60D-HL2-LM-NGG/Make Bajaj, product code: Novabay 80W WH NB PC SD or equivalent approved by EIC)	280.00	Each	5459.00	3100.00	868000.00	868000.00	INR Eight Lakh Sixty Eight Thousand & Paise Zero Only
2	Supply of 40 W LED well glass lighting fixtures mounted on pressure die cast aluminium housing for uniform light distribution with suitable mounting arrangement, high quality diffuser with integrated lens for uniform light distribution, CCT-5700K, constant current encapsulated integral LED driver with surge protection of min 4 kV, shall have an efficacy > 110 lumens/ watt, suitable for operation on 230 volts +/- 10%, 50HZ, single phase, AC power supply complete with all accessories etc. as required with 5 years warranty, IP 65 or higher complete as per technical specifications. (Make: Crompton, Medium bay light fittings- PERSUES-CIP-315-40-57-HL3-CP-NGG/Make Bajaj Verdant product code: BIWDN 40W LED WH EC CD P or equivalent approved by EIC)	75.00	Each	1905.00	896.00	67200.00	67200.00	INR Sixty Seven Thousand Two Hundred & Paise Zero Only
3	Supply of indoor recess mounted 15 Watts LED down light fixture (cool White) with aluminium housing powder coated finish, high efficiency diffuser, CCT-5700K, LED as per approved makes, constant current electronic driver-inbuilt type, shall have an efficacy > 100 lumens/ watt and of cut out dia of 155 mm, high efficiency white reflector, prewired complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply as required with 5 years warranty complete as per technical specifications. (Make: Crompton, 15W DOWNLIGHT- LCDRC-15-CDL/ Make Bajaj product cat: BGSLO sleek recess RD 15W WH LED or equivalent approved by EIC)	170.00	Each	812.00	616.00	104720.00	104720.00	INR One Lakh Four Thousand Seven Hundred Twenty & Paise Zero Only

Signature
16-04-25

Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
4	Supply of indoor recess mounted 12 Watts LED down light fixture (Cool White) with pressure die-cast aluminium housing powder coated, high efficiency diffuser, CCT-5700K, LED as per approved makes, constant current electronic driver - inbuilt type, suitable for operation of 230 V, 50Hz AC supply, high efficiency white reflector, shall have a efficacy > 100 lumens/ watt and of cut out dia of 155 mm, prewired complete with all necessary accessories, the scope includes supply of duly powder coated MS support ring frame with clip of required shape and dimension as per the site condition to cover the excess opening and making it suitable for fixing downlighters of cut out dia of 155 mm, s as required with 5 years warranty complete as per technical specifications. (Make: Crompton, 12W DOWNLIGHT- LCDRC-12-CDL or equivalent approved by EIC)	1150.000	Each	784.00	594.00	683100.00	683100.00	INR Six Lakh Eighty Three Thousand One Hundred & Paise Zero Only
5	Supply of recess LED 1x4 Ft Panel ceiling light 36-40W and having luminous efficacy > 100 lumens/ watt, with powder coated finish CRCA / extrusion housing high efficiency diffuser, CCT-5700K, LED inbuilt driver, suitable for operation of 230 V, 50Hz AC supply, prewired complete with all necessary accessories as required etc.. The luminaire shall have a efficacy >100 lumens/ watt inbuilt Surge Protection with 5 years warranty, complete as per technical specifications (Make: Crompton, LCTLRNE-40-CDL(1X4)/Make Havells recess mounting product code: PLUTO NEO Panel 4 x 1 or equivalent approved by EIC)	70.00	Each	3136.00	2072.00	145040.00	145040.00	INR One Lakh Forty Five Thousand Forty & Paise Zero Only
6	Supply & installation of 60W outdoor LED decorative post top/landscape lighting, CCT- 5700 K, suitable for the existing brackets/pipe of dia 40 mm, mounted on aluminium die cast housing powder coated, glare free, with uniform distribution, constant current encapsulated electronic driver, suitable for operation of 230 V, 50Hz AC supply, high efficiency reflector, prewired, complete with all necessary accessories including interconnection with 1.5 sq.mm cable, conduits, cable connectors etc., as required. The luminaire shall have an efficacy >100 lumens/ watt, inbuilt Surge Protection of more than 4 kV, power factor of 0.95 or more, with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make: Crompton, model: Maple cat Ref: LPTO-60-CDL-M/Make Bajaj LED post -Top Flounce product code : BCF FLO 60W LED NW OP PT or equivalent approved by EIC)	66.00	Each	8053.00	6048.00	399168.00	399168.00	INR Three Lakh Ninety Nine Thousand One Hundred Sixty Eight & Paise Zero Only
7	Supply & installation of 40W outdoor LED decorative post top, CCT-3000K, suitable for mounting on existing decorative street light poles with 'U' shaped arm of 50 mm dia, for uniform light distribution, glare free, constant current electronic driver, high efficiency reflector, prewired complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply including interconnection with 1.5 sq.mm cable, cable connectors, conduit, etc as required. The luminaire shall have an efficacy >100 lumens/ watt, inbuilt Surge Protection of more than 4 kV, power factor of 0.95 or more, with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make: Crompton, model: Nebula cat ref: LPTM-40-WW/Make: Bajaj product code: celesta BGCL 40W LED WW or equivalent approved by EIC)	35.00	Each	5704.00	3920.00	137200.00	137200.00	INR One Lakh Thirty Seven Thousand Two Hundred & Paise Zero Only

S. Singh
Suben

Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
8	Supply of 50W outdoor LED Flood light fixture with high pressure die-cast aluminium housing, toughened glass, high efficiency diffuser, CCT - 5700K, LED of approved make, enclosed/encapsulated constant current electronic driver, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply as required. The luminaire shall have efficacy >110 lumens/ watt, inbuilt Surge protection device of min 4 kV + 10 kV SPD, 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make : Crompton, model: Rover-CFS-504-50-57-60D-SL-GL-NSG/ Make: Bajaj, model BJFL 50W LED I or equivalent)	20.00	Each	2569.00	1680.00	33600.00	33600.00	INR Thirty Three Thousand Six Hundred & Paise Zero Only
9	Supply of 80W outdoor LED Flood light fixture with high pressure die-cast aluminium housing, toughened glass, high efficiency diffuser, CCT-5700 K, LED of approved make, enclosed/encapsulated constant current electronic driver, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply as required. The luminaire shall have an efficacy >110 lumens/ watt, inbuilt Surge protection device of min 4 kV + 10 kV SPD, 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make: 80W Crompton, model: PROFILE NEO-LFL-80-CDL/60-HPM/ Make: Bajaj, model Praze F 96L WH NB-A5 TG SD or equivalent)	25.00	Each	5143.00	3136.00	78400.00	78400.00	INR Seventy Eight Thousand Four Hundred & Paise Zero Only
10	Supply of 100W outdoor LED Flood light fixture with high pressure die-cast aluminium housing, toughened glass, high efficiency diffuser, CCT- 5700 K, LED of approved make, enclosed/encapsulated constant current electronic driver, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply as required. The luminaire shall have an efficacy >110 lumens/ watt, inbuilt Surge protection device of min 4 kV + 10kV SPD with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make: Crompton, model: Rover Plus - CFS-504-100-57-60D-HL 2-GL-NSG/ Make: Bajaj, model Praze F 120L WH NB-A5 TG SD or equivalent)	35.00	Each	5980.00	3360.00	117600.00	117600.00	INR One Lakh Seventeen Thousand Six Hundred & Paise Zero Only
11	Supply of 200W outdoor LED Flood light fixture with high pressure die-cast aluminium housing, toughened glass, high efficiency diffuser, CCT- 5700 K, LED of approved make, enclosed/encapsulated constant current electronic driver, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply as required. The luminaire shall have an efficacy >110 lumens/ watt, inbuilt Surge protection device of min 4 kV + 10kV SPD with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make: Crompton, model SPECTACLE-PRO-CFS-511-200-57-60D-HL2-LM-NSG/ Make: Bajaj, model Praze F 240L WH NB-A5 TG SD or equivalent)	65.00	Each	9745.00	5400.00	351000.00	351000.00	INR Three Lakh Fifty One Thousand & Paise Zero Only

Pathy
Amul

Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
12	Supply of 350W outdoor LED Flood light fixture with high pressure die-cast aluminium housing, toughened glass, high efficiency diffuser, CCT-5700 K, LED lamp of approved make, enclosed/encapsulated constant current electronic driver, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply as required. The luminaire shall have an efficacy >110 lumens/ watt, inbuilt Surge protection device of min 4 kV+ 10kV SPD with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make: Crompton, model CHALLENGER PRO-CFS-512-350-57-60D-HL2-GL-NSG/ Make: Bajaj, model Praze F 420L WH NB-A5 TG SD or equivalent)	35.00	Each	18825.00	9520.00	333200.00	333200.00	INR Three Lakh Thirty Three Thousand Two Hundred & Paise Zero Only
13	Supply of 30W outdoor LED Street light fixture with epoxy powder coated pressure die-cast aluminium housing, weather proof gaskets for LEDs & control gear compartment luminaires having efficacy >110 lumens/ watt, high efficiency diffuser, CCT-5700K, LED lamp of approved make complete with enclosed/encapsulated electronic driver, inbuilt surge protection device + 10kV SPD and accessories etc., suitable for operation of 230 V, 50Hz AC supply in outdoor applications with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make:30W Crompton, model Wanderer pro-CRP-417-45-30-SL-LM-NSG/ Make: Bajaj, model Vista P 39L WH PO PC SD or equivalent)	77.00	Each	1278.00	1008.00	77616.00	77616.00	INR Seventy Seven Thousand Six Hundred Sixteen & Paise Zero Only
14	Supply of 70W outdoor LED Street light fixture with epoxy powder coated pressure die-cast aluminium housing, weather proof gaskets for LEDs & control gear compartment luminaires having efficacy >110 lumens/ watt, high efficiency diffuser, CCT-5700K, LED lamp of approved make complete with enclosed/encapsulated electronic driver, inbuilt surge protection device of min 4 kV + 10kV SPD, and accessories etc., suitable for operation of 230 V, 50Hz AC supply in outdoor applications with 5 years warranty, conforming to IP 65 or higher, complete as per technical specifications. (Make:70W Crompton, model Wanderer pro-CRP-421-70-57-SL-LM-NSG/ Make:Bajaj,model Vista P 91L WH PO PC SD or equivalent)	15.00	Each	2671.00	2016.00	30240.00	30240.00	INR Thirty Thousand Two Hundred Forty & Paise Zero Only
15	Supply of 100W outdoor LED Street light fixture with epoxy powder coated pressure die-cast aluminium housing, weather proof gaskets for LEDs & control gear compartment luminaires having efficacy >110 lumens/ watt, high efficiency diffuser, CCT-5700K, LED lamp of approved make complete with enclosed/encapsulated electronic driver, inbuilt surge protection device of min 4 kV+ 10kV SPD and accessories etc., suitable for operation of 230 V, 50Hz AC supply in outdoor applications, conforming to IP 65 or higher, with 5 years warranty as per technical specifications. (Make:100W Crompton, model Raptor pro-CRP-411-100-57-SL-GL-NSG/ Make:Wipro,model LR02-112-XXX-57-G2 or equivalent)	64.00	Each	5315.00	2912.00	186368.00	186368.00	INR One Lakh Eighty Six Thousand Three Hundred Sixty Eight & Paise Zero Only

[Handwritten Signature]
Date: / /

Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
16	Supply of 10W LED Bulkhead luminaire mounted on powder coated pressure die-cast aluminium housing, Polycarbonate diffuser, CCT-5700K, luminaires having efficacy >100 lumens/ watt, complete with enclosed/encapsulated driver and other accessories suitable for cable entry provision in residential applications suitable for operation of 230 V, 50Hz AC supply in outdoor applications, conforming to IP 65 or higher, with 5 years warranty as per the technical specifications. (Make :Crompton CIS-306-10-57-SL-DP-NBK/ Make: Bajaj, model BIBWP 10W LED or equivalent)	110.00	Each	704.00	672.00	73920.00	73920.00	INR Seventy Three Thousand Nine Hundred Twenty & Paise Zero Only
17	Supply & installation of round projector of minimum 80 W not more than 100W of 3000 K with high pressure die-cast aluminium alloy housing, toughened glass, powder coated, high efficiency diffuser, constant locking hinges with adjustable tilt angle, high power LED of approved make, beam angle of maximum 15 degree, constant current enclosed/encapsulated electronic driver, efficient thermal management, hood/visor, IP 68 connectors, inbuilt Surge protection device of min 4kV with 5 years warranty, luminaire conforming to IP 65 or higher, complete as per technical specifications, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply including interconnection with 1.5 sq.mm cable, conduits, cable connectors etc.as required. (Make :Bajaj; model: BUGA AC 100W /Make: Havells, model Compass 80W 3000K or equivalent)	15.00	Each	36023.00	30000.00	450000.00	450000.00	INR Four Lakh Fifty Thousand & Paise Zero Only
18	Supply & installation of round projector of minimum 24 W not more than 30 W of 3000 K, with high pressure die-cast aluminium alloy housing, toughened glass, powder coated high efficiency diffuser, constant locking hinges with adjustable tilt angle, high power, LED of approved make, beam angle of maximum 15 degree, constant current electronic driver, efficient thermal management, hood/visor, IP 68 connectors, inbuilt Surge protection device of min 4 kV, with 5 years warranty, luminaire conforming to IP 65 or higher, complete as per technical specifications, prewired up to the terminal block complete with all necessary accessories suitable for operation of 230 V, 50Hz AC supply, including interconnection with 1.5 sq.mm cable, conduits, cable connectors etc.as required. (Make :Bajaj; Model: BUGA AC 24W /Make: Havells,model Compass 30W 3000K or equivalent)	21.00	Each	13852.00	11774.00	247254.00	247254.00	INR Two Lakh Forty Seven Thousand Two Hundred Fifty Four & Paise Zero Only
19	Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	1000.00	mtr	214.00	220.00	220000.00	220000.00	INR Two Lakh Twenty Thousand & Paise Zero Only
20	Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	500.00	mtr	275.00	250.00	125000.00	125000.00	INR One Lakh Twenty Five Thousand & Paise Zero Only

[Handwritten Signature]
[Handwritten Initials]

Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
21	Installation, testing and commissioning of LED fitting of all types as per BOQ item No. 1, 2, and 3 and making the opening suitable for the new fixture, complete with all accessories, fasteners etc. directly on ceiling/ wall with suitable mounting arrangement like hook or clamp, including connections with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable and earthing, metal flexible conduits, etc. as required.	454.00	Each	364.00	360.00	163440.00	163440.00	INR One Lakh Sixty Three Thousand Four Hundred Forty & Paise Zero Only
22	Installation, Testing and Commissioning of LED street light luminaire on the existing bracket of pole/wall of various height up to 9 mtr including all accessories suitable for mounting/fixing on existing GI brackets of street light pole, connections with suitable size PVC insulated copper wires and earthing from loop-in-loop-out box up to the individual streetlight fitting(s), connection including dismantling the existing one and shifting to AAI store etc. complete as required	135.00	Each	936.00	600.00	81000.00	81000.00	INR Eighty One Thousand & Paise Zero Only
23	Installation, testing and commissioning of LED fitting as per BOQ item No. 4, after dismantling of existing fixtures and making the opening suitable for the new fixtures, installation, complete with all suitable mounting arrangement like hook, lamps, fasteners, other accessories etc., with provision for suitable duly powder coated MS support ring frame with clip of required shape and dimension as per the site condition to cover the excess opening and making it good etc. for connections with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable and earthing, dismantled existing fixture wherever dismantled to be shifted to AAI store etc. complete as required.	1150.00	Each	749.00	700.00	805000.00	805000.00	INR Eight Lakh Five Thousand & Paise Zero Only
24	Installation, testing and commissioning of LED fitting as per BOQ item No. 5, after dismantling of existing fixtures and making the opening suitable for the new fixtures, complete with all suitable mounting arrangement like chain, hook, fasteners, other accessories etc. with provision for suitable duly powder coated MS support frame with clip of required shape and dimension as per the site condition to cover the excess opening and making it good etc. including, connections with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable and earthing, dismantling the existing fixture and shifting to AAI store etc. complete as required.	60.00	Each	935.00	800.00	48000.00	48000.00	INR Forty Eight Thousand & Paise Zero Only
25	Supply and fixing of Loop in loop out Junction box made out of SMC/Powder coated CRCA with minimum size of 300 mm x 200 mm x 105 mm (outer) with hinged door fitted with 6A SP MCB, 16A, 4 way power block Connector, suitable for termination of crimped cables, din bar etc. to be mounted on existing street light pole including accessories such as clamps/nuts bolts etc. as required as per actual site requirements.	35.00	Each	1955.00	1800.00	63000.00	63000.00	INR Sixty Three Thousand & Paise Zero Only

Sothegs
Aut E-6

Sl. No.	Item Description	Quantity	Units	Estimated Rate	BASIC RATE in Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT In Words
26	Supply of Tube Lights 18/20W suitable for Retrofit (T8), polycarbonate diffuser, LED as per approved makes, constant current electronic driver - inbuilt type, shall have a efficacy > 100 lumens/ watt, prewired complete with all necessary accessories suitable for the existing fittings, for operation of 230 V, 50Hz AC supply as required with 5 years warranty as per technical specifications, complete as required.	1500.00	Each	392.00	230.00	345000.00	345000.00	INR Three Lakh Forty Five Thousand & Paise Zero Only
27	Supply of recess mounted 15 W LED wall washers, tilted 70 deg outwards and swivels 360 deg to best illuminate wall and art works, LED as per approved makes, constant current electronic driver - inbuilt type, CCT as per site conditions and instruction of EIC, shall have a efficacy > 100 lumens/ watt, prewired complete with all necessary accessories suitable for the existing fittings, for operation of 230 V, 50Hz AC supply as required with 5 years warranty and complete as per technical specifications, complete as required.	50.00	Each	1654.00	1250.00	62500.00	62500.00	INR Sixty Two Thousand Five Hundred & Paise Zero Only
28	Supply of 400 mm dia sweep wall fan Oscillating type complete with built in String type speed regulator and mounting arrangement suitable for operation on 230 V 50 Hz AC supply, complete as required. Note:- Colour and Speed of the fan shall be as approved by EIC.	20.00	Each	1323.00	1300.00	26000.00	26000.00	INR Twenty Six Thousand & Paise Zero Only
29	Supply of 25W LED strip of 5 mtr coil including driver suitable for the same conforming to IP 65 rating suitable for the operation at 230 V, 50 Hz AC supply, CCT-3000K, etc. complete as required. (each unit = 5 mtr LED strip and one driver)	30.00	Each	1134.00	1110.00	33300.00	33300.00	INR Thirty Three Thousand Three Hundred & Paise Zero Only
30	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit/ pole as required. 3 x 1.5 sq. mm	250.00	Meter	97.00	100.00	25000.00	25000.00	INR Twenty Five Thousand & Paise Zero Only
31	Installation, testing and commissioning of LED street light luminaire with wall bracket on existing poles, including provision of 32mm dia wall bracket of required length and curve, suitable for illuminating the area, shape, clamps, screw, nut and bolts, connections with suitable size of insulated copper wire completely as required, as per the site conditions.	10.00	Each	464.00	450.00	4500.00	4500.00	INR Four Thousand Five Hundred & Paise Zero Only
32	Dismantling of existing all type LED old light fixtures including removing connections, plastering, painting as required, cleaning the surface and shifting old fixtures to the AAI store etc. as required.	600.00	Each	279.00	170.00	102000.00	102000.00	INR One Lakh Two Thousand & Paise Zero Only
Total in Figures						6487366.00	6487366.00	INR Sixty Four Lakh Eighty Seven Thousand Three Hundred Sixty Six & Paise Zero Only
Quoted Rate in Words		INR Sixty Four Lakh Eighty Seven Thousand Three Hundred Sixty Six & Paise Zero Only						

Signature Not Verified

Digitally signed by SUJITHRA
Date: 2025.10.03 12:09:51 IST
Location: eProcurement System for Central PSUs



[Handwritten signature]
am (E-b)

सुजीत्रा जी.एस/ SUJITHRA G S
वरिष्ठ प्रबंधक (इंजि.-विद्युत) /Senior Manager (E-I)
भा.वि.प्रा.कालिकट अंतर्राष्ट्रीय हवाई अड्डा
AAI, Calicut International Airport