

Tender Inviting Authority: Airports Authority of India, Dibrugarh Airport

Name of Work: Reconfiguration of Existing and under-construction Terminal Building – Ph II. SH : Provision of Internal Signages at Term

Contract No: 2024\_AAI\_228824\_1

| SCHEDULE OF WORK / ITEM(S) |                               |           |       |                |  | Vinayak Infra Signs and Projects Pvt Ltd (GSTN-27AAGCV8668N1ZA) BID ID -832340 | STAR GLOW (GSTN-07AAZPK8709P2ZI) BID ID -839308 | GARIMA SALES CORPORATION (GSTN-NA) BID ID -839177 |
|----------------------------|-------------------------------|-----------|-------|----------------|--|--------------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------------|
| Sl.No                      | Description of Work / Item(s) | No.of Qty | Units | Estimated Rate |  |                                                                                |                                                 |                                                   |

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |      |  |  | Rate      | Amount    | Rate      | Amount    | Rate      | Amount     |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|--|--|-----------|-----------|-----------|-----------|-----------|------------|
| 1.00 | Ceiling Hung Directional Sign<br>These signs help direct the movement pattern of passenger to facilities, and are suspended from ceiling.<br>Refer design drawing 2.1aS, 2.1aG<br>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.<br>Refer design drawing 2.1aS, 2.1aG<br>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.<br>Sign face:<br>Sign face shall be made in 8 mm thick White translucent 040 acrylic having graphics pasted in Plotter cut Blockout vinyl. The Plotter cut blockout vinyl shall match the specified colour (colour Pantone Black 6C) and vinyl for text Pantone yellow C or Cyan 311C as per graphics as approved by the Engineer-in-Charge.<br>Sign Frame:<br>Sign frame 50 mm wide aluminium extrusion with inbuilt frame to receive the sign face. The panel should be made easily openable for maintenance and as per technical specifications.<br>Sign internal Structure:<br>Providing and fixing Framework of Aluminium 25mmx 25 mm hollow square sections. Shall be directly fixed to the sign frame.<br>Suspenders:<br>Providing and fixing Stainless steel 25 x 25 mm Hollow sections mounted on slabs/ beams/ walls. All hardware used for fixing of sign shall be Stainless steel<br>The actual structural design of the sign for its stability shall be responsibility of the contactor and shall be designed with due consultation and approval from structural designer. Secret fixing methods should be used to fix parts together and as per technical specifications.                                                                                                   |       |      |  |  |           |           |           |           |           |            |
| 1.10 | Size of Signage - 2100 x 780 (3 Message) Ceiling Hung                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 20.00 | Each |  |  | 45000.00  | 900000.00 | 30000.00  | 600000.00 | 59400.00  | 1188000.00 |
| 1.20 | Size of Signage - 2100 x 515 (2 Message) Ceiling Hung                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 2.00  | Each |  |  | 35000.00  | 70000.00  | 24000.00  | 48000.00  | 45000.00  | 90000.00   |
| 1.30 | Size of Signage - 2100 x 255 (1 Message) Ceiling Hung                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 2.00  | Each |  |  | 27000.00  | 54000.00  | 16000.00  | 32000.00  | 33300.00  | 66600.00   |
| 2.00 | Floor mounted directional sign - With FIDS<br>These signs help direct the movement pattern of passenger to facilities, and are floor mounted along with airline timings.Refer design drawing 2.1b-1-S & 2.1b-1-G<br>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.<br>Sign face:<br>Sign face shall be made in 8 mm thick White translucent 040 acrylic having graphics pasted in Plotter cut Blockout vinyl. The Plotter cut blockout vinyl shall match the specified colour (colour Pantone Black 6C) and vinyl for text Pantone yellow C or Cyan 311C as per graphics as approved by the Engineer-in-Charge.<br>Sign Frame:<br>Sign frame 50 mm wide aluminium extrusion with inbuilt frame to receive the sign face. The panel should be made easily openable for maintenance and as per technical specifications.<br>Sign Structure:<br>All structural members in Stainless Steel Hollow box section 100 x 100 brush finished, base plate embedded below the floor finish and provided with a floor trim ring. All hardware used for fixing of sign shall be Stainless steel.<br>Cover Plate : 5 mm thick SS cover mounted on flooring. The Post shall be always be a single continuous element without any joints. Cost to include all activities and temporary props used for a perfect vertical in plumb installation, etc. required for fixing the sign in an internal location.<br>The actual structural design of the sign for its stability shall be responsibility of the contactor and shall be designed with due consultation and approval from structural designer. Secret fixing methods should be used to fix parts together and as per technical specifications.<br>Information Panel:<br>FIDS panel comprising of 46" LCD screen to be mounted on special size with brackets designed for the specific size. The | 1.00  | Each |  |  | 210000.00 | 210000.00 | 150000.00 | 150000.00 | 225000.00 | 225000.00  |

|           |           |
|-----------|-----------|
| L1 Amount | L1 Vendor |
|-----------|-----------|

|           |           |
|-----------|-----------|
| 600000.00 | STAR GLOW |
| 48000.00  | STAR GLOW |
| 32000.00  | STAR GLOW |
| 150000.00 | STAR GLOW |

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |      |      |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 3.00 | <p>Floor mounted directional sign - Double</p> <p>Refer design drawing 2.1b-4-S &amp; 2.1b-4-G</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.</p> <p>These sign help direct the movement pattern of passenger mounted. to facilities, and are floor mounted</p> <p>Sign face :</p> <p>Plotter cut Blockout vinyl Pantone Black 6C, vinyl for text Pantone Yellow Cor Cyan 311C as per graphics, pasted over 8mm thick White translucent 040 acrylic.</p> <p>Graphics :</p> <p>Plotter cut blockout vinyl (Pantone Black 6C), translucent coloured vinyl for text, colours as per graphic - (Pantone Yellow C, Pantone 311c) and pasted over milky white 040 acrylic, diffuser film on inside face of acrylic</p> <p>Sign frame:</p> <p>50mm wide aluminium extrusion with inbuilt frame to receive the sign face. The panel should be made easily openable for maintenance</p> <p>Sign frame:</p> <p>50mm wide aluminium extrusion with inbuilt frame to receive the sign face. The panel should be made easily openable for maintenance</p> <p>Sign structure:</p> <p>All structural members in Stainless steel Hollow box section 100x100 brush finish, base plate embedded below the floor finish and provided with a floor trim ring.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the EPC contractor and shall be designed with due consultation and approval from structural designer.</p> <p>All hardware used for fixing of sig shall be Stainless steel.</p> <p>Projection suppor of small plates 8mm thick and tension roa with threaded ends and turnbuckles for adjustments.</p> <p>Size of Signage - 2100 x 780 (3 Message) (one side)</p>        | 1.00 | Each |
| 4.00 | <p>Wall mounted directional sign</p> <p>Refer design drawing 2.1c-S &amp; 2.1c-G</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.</p> <p>These sign help of passenger to direct the movement facilities, and are wall mounted</p> <p>Sign Structure:</p> <p>Sumre wide aluminium extrusion with inbuilt frame to to receive the sign face. The panel should be made easily openable for maintenance</p> <p>Sign Face:-Plotter cut Blockout vinyl Pantone Black 6C, vinyl for text Pantone Yellow Cor Cyan 311C as per graphics, pasted over 8mm thick White translucent 040 acrylic.</p> <p>Graphics :</p> <p>Plotter cut blockout vinyl (Pantone Black 6C), translucent coloured vinyl for text, colours as per graphic - (Pantone Yellow C, Pantone 311c) and pasted over milky white 040 acrylic, diffuser film on inside face of acrylic</p> <p>Lighting:</p> <p>All internal illumination shall be using Power LED Strip Edge Lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the EPC contractor and shall be designed with due consultation and approval from structural designer.</p> <p>Size of Signage : Four Message Type</p>                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.00 | Each |
| 5.00 | <p>Wall Mounted Facility Announcer</p> <p>These signs announce the various facilities and are mounted on wall.</p> <p>Refer design drawing 2.2a-S, 2.2a-G</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.</p> <p>Sign face:</p> <p>Sign face shall be made in 8 mm thick White translucent 040 acrylic having graphics pasted in Plotter cut Blockout vinyl. The Plotter cut blockout vinyl shall match the specified colour (colour Pantone Black 6C) and vinyl for text Pantone yellow C or Cyan 311C as per graphics as approved by the Engineer-in-Charge.</p> <p>Sign Frame:</p> <p>Sign frame 50 mm wide aluminium extrusion with inbuilt frame to receive the sign face. The panel should be made easily openable for maintenance and as per technical specifications.</p> <p>Lighting:</p> <p>All internal illumination shall be of LED (as per annexure -A) strip edge lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots including all internal connections and wiring, terminating and connecting the incoming electrical supply cable from nearest available point at the site.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the contactor and shall be designed with due consultation and approval from structural designer. Secret fixing methods should be used to fix parts together and as per technical specifications.</p> <p>Accessories:</p> <p>Providing and fixing all accessories such as thimbles, end connectors, nut- inserts, screws, rivets, bolts, washers, nuts, etc. complete in all respect as per drawing/ specification as required.</p> <p>Size of Signage - 900 x 451</p> | 3.00 | Each |

|           |           |          |           |          |           |
|-----------|-----------|----------|-----------|----------|-----------|
| 110000.00 | 110000.00 | 98000.00 | 98000.00  | 99000.00 | 99000.00  |
| 45000.00  | 135000.00 | 48500.00 | 145500.00 | 45000.00 | 135000.00 |
| 21000.00  | 63000.00  | 10500.00 | 31500.00  | 14400.00 | 43200.00  |

|           |                                                                     |
|-----------|---------------------------------------------------------------------|
| 98000.00  | STAR GLOW                                                           |
| 135000.00 | Vinayak Infra Signs and Projects Pvt Ltd, GARIMA SALES CORPORAT ION |
| 31500.00  | STAR GLOW                                                           |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |      |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|
| 6.00  | <p>Washroom / Drinking Water / Baby Care</p> <p>These signs identify the key facilities essential to the passengers.</p> <p>Refer design drawing 2.4a-S, 2.4a-G</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.</p> <p>Sign face:</p> <p>Graphics - Plotter cut Blockout vinyl Pantone Black 6C, vinyl for text Pantone Yellow C or Cyan 311C as per graphics, pasted over 8 mm thick acrylic.</p> <p>Sign Internal Structure (Type - 1 - Wall Projected and Type - 2 - Wall Mounted) :</p> <p>50 mm wide aluminium extrusion with inbuilt frame to receive the sign face. The panel should be made easily openable for maintenance.</p> <p>Sign Structure (Type - 1 - Wall Projected) :</p> <p>All hardware used for fixing of sign shall be Stainless Steel.</p> <p>Projection supported internally by side mounting of SS frame.</p> <p>Lighting:</p> <p>All internal illumination shall be of LED (as per annexure -A) strip edge lights with electronic controllers, having even spread and overlaps to avoid banding and dark spots including all internal connections and wiring, terminating and connecting the incoming electrical supply cable from nearest available point at the site.</p> <p>The actual structural design of the sign for its stability shall be responsibility of the contractor. Secret fixing methods should be used to fix parts together.</p> <p>Accessories:</p> <p>Providing and fixing all accessories such as thimbles, end connectors, nut- inserts, screws, rivets, bolts, washers, nuts, etc. complete in all respect as per drawing/ specification as required.</p> |       |      |
| 6.10  | Size of signage - 450 x 450 - (TYPE 1 - WALL PROJECTED Double Side Content)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 8.00  | Each |
| 6.20  | Size of signage - 450 x 450 - (TYPE 2 - WALL MOUNTED Single Side Content)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8.00  | Each |
| 7.00  | <p>Service Areas</p> <p>Refer design drawing 2.4b-G</p> <p>Providing and fixing non-illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the airport core team</p> <p>Sign face</p> <p>Digitally printed Graphics on vinyl pasted on 3mm thick black acrylic mounted on walls/claddings/panellings using VHB Tape. Sign face shall be fixed with four counter sunk screws in case of unavailability of smooth wall / door surface.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |      |
| 7.10  | Switch Room : Size 300 mm x 250 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 4.00  | Each |
| 7.20  | AHU Room : Size 300 mm x 250 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 12.00 | Each |
| 8.00  | <p>Emergency Direction Signs Illuminated</p> <p>Refer design drawing 2.6a-G</p> <p>Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in- Charge and as per technical specifications.</p> <p>Sign Frame : 1.5mm CRCA MS powder coateti white</p> <p>Sign Face : Laminated acrylic 6mm thick with graphics in white and grees translucent vinyl on the inside face of the glass</p> <p>illumination: All Internal illumination using LED lamps connected to a UPS with a min 1.Shr backup</p> <p>Sign Fixing : Suspenders and projecting pipes shall be stainless steel to match other similar hardware 35mm dia.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       |      |
| 8.10  | Emergency Exit Signage: Size 600 mm x 150mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5.00  | Each |
| 8.20  | No Entry : Size 600 mm x150 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 9.00  | Each |
| 8.30  | No Exit : Size 600 mm x 150 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4.00  | Each |
| 9.00  | Retro fitting of Existing Signages by replacing the existing messages on plotter cut blockout Vinyl Sheet with the new messages complete by dismantling the signage message board from the existing location, dismantling the vinyl sheet, refixing the vinyl sheet with new message, making the signage board as good as before with replacement of LED lights(if damaged), installing the signage board at the existing location, making interconnections etc complete as required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |      |
| 9.10  | 5 Message Signage (Singage Type 2.1b-1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2.00  | Job  |
| 9.20  | 3 Message Signage (Singage Type 2.1a)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1.00  | Job  |
| 9.30  | 2 Message Signage (Singage Type 2.1a)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 2.00  | Job  |
| 9.40  | 1 Message Signage (Singage Type 2.1a)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 2.00  | Job  |
| 10.00 | Retro fitting of Existing Signage by reducing the length of the suspenders for Ceiling hung Signage by removing the connections, dismantling the existing signage message board from the existing location, reducing the height of the suspenders, refixing the signage board in the previous locations, making interconnections etc complete as required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1.00  | Job  |

|          |           |          |           |          |           |
|----------|-----------|----------|-----------|----------|-----------|
|          |           |          |           |          |           |
| 16000.00 | 128000.00 | 12500.00 | 100000.00 | 14400.00 | 115200.00 |
| 15000.00 | 120000.00 | 8000.00  | 64000.00  | 9900.00  | 79200.00  |
|          |           |          |           |          |           |
| 1500.00  | 6000.00   | 300.00   | 1200.00   | 900.00   | 3600.00   |
| 1000.00  | 12000.00  | 300.00   | 3600.00   | 900.00   | 10800.00  |
|          |           |          |           |          |           |
| 7500.00  | 37500.00  | 6700.00  | 33500.00  | 6300.00  | 31500.00  |
| 7500.00  | 67500.00  | 6700.00  | 60300.00  | 6300.00  | 56700.00  |
| 7500.00  | 30000.00  | 6700.00  | 26800.00  | 6300.00  | 25200.00  |
|          |           |          |           |          |           |
| 15000.00 | 30000.00  | 5800.00  | 11600.00  | 27000.00 | 54000.00  |
| 14000.00 | 14000.00  | 3800.00  | 3800.00   | 24300.00 | 24300.00  |
| 13000.00 | 26000.00  | 3000.00  | 6000.00   | 14400.00 | 28800.00  |
| 12000.00 | 24000.00  | 1800.00  | 3600.00   | 9000.00  | 18000.00  |
| 2500.00  | 2500.00   | 7200.00  | 7200.00   | 9000.00  | 9000.00   |

|           |           |
|-----------|-----------|
| 100000.00 | STAR GLOW |
| 64000.00  | STAR GLOW |

|         |           |
|---------|-----------|
| 1200.00 | STAR GLOW |
| 3600.00 | STAR GLOW |

|          |                           |
|----------|---------------------------|
| 31500.00 | GARIMA SALES CORPORAT ION |
| 56700.00 | GARIMA SALES CORPORAT ION |
| 25200.00 | GARIMA SALES CORPORAT ION |

|          |                                          |
|----------|------------------------------------------|
| 11600.00 | STAR GLOW                                |
| 3800.00  | STAR GLOW                                |
| 6000.00  | STAR GLOW                                |
| 3600.00  | STAR GLOW                                |
| 2500.00  | Vinayak Infra Signs and Projects Pvt Ltd |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |       |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| 11.00 | Suspenders for Ceiling Hung Signs<br>Suspenders shall be made to required lengths for each sign for its location after studying the site and ensuring aperfectly aligned and leveled sign installation as per sign design document. This item includes all work done on false ceiling like opening/dismantling/local cutting to pass the suspender and reinstalling/doing good/assembling the same after fixing and installation on the sign. Length of suspender for one sign is calculated typically for length 1m (15ft in case of Sign 1.68) for suspended signtypes in all as total length of 2 pipes or 1 pipe used for that sign. Any quantity (as per site conditions) over or under this figure will be accounted for as per the rate given below Two pipe suspension (Stainless steel 35 x 35 mm Hollow sections)- Sign Types: 2.1a, 2.2e-1, 2.20-2 | 100.00  | Meter |
| 12.00 | Supply and fixing of 25 MM Dia sizes of medium class PVC conduit along with accessories in surface/ recess/ground/Marble Surface/tiles Surface etc including cutting the surface/ recess/ground/Marble Surface/tiles Surface wall and making good the same colour and Asthetic matching to Existing Surface in case of recessed conduit as required                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1000.00 | Meter |
| 13.00 | Supply and laying of 3C X 1.5 sq.mm. PVC insulated PVC sheathed Copper conductor FR-LSH Control Cable of grade 1.1KV conforming to IS:694 with up to date amendments etc. for providing power supply to the installed signage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1000.00 | Meter |
| 14.00 | Supply and laying of 3C X 2.5 sq.mm. PVC insulated PVC sheathed Copper conductor FR-LSH Control Cable of grade 1.1KV conforming to IS:694 with up to date amendments etc. for providing power supply to the installed signage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 500.00  | Meter |

|        |          |         |           |         |           |
|--------|----------|---------|-----------|---------|-----------|
| 800.00 | 80000.00 | 1500.00 | 150000.00 | 1800.00 | 180000.00 |
| 70.00  | 70000.00 | 175.00  | 175000.00 | 81.00   | 81000.00  |
| 60.00  | 60000.00 | 180.00  | 180000.00 | 126.00  | 126000.00 |
| 70.00  | 35000.00 | 250.00  | 125000.00 | 198.00  | 99000.00  |

|          |                                          |
|----------|------------------------------------------|
| 80000.00 | Vinayak Infra Signs and Projects Pvt Ltd |
| 70000.00 | Vinayak Infra Signs and Projects Pvt Ltd |
| 60000.00 | Vinayak Infra Signs and Projects Pvt Ltd |
| 35000.00 | Vinayak Infra Signs and Projects Pvt Ltd |

|                                                |            |            |            |
|------------------------------------------------|------------|------------|------------|
| Total in Figures                               | 2284500.00 | 2056600.00 | 2789100.00 |
| Lowest Amount Quoted BY: STAR GLOW(2056600.00) |            |            |            |

**BOQ Summary Details**

**Tender Title: Terminal Buildings- Phase-II. SH- Provision of Internal Signages at Terminal Building, Dibrugarh Airport.**  
**Tender ID: 2025\_AAI\_228824\_1**

| Sheet Name | SI.No | Bidder Name                                               | Amount     | Bid Rank |
|------------|-------|-----------------------------------------------------------|------------|----------|
| BoQ1       | 1     | STAR GLOW (BID ID -839308)                                | 2056600.00 | L1       |
|            | 2     | Vinayak Infra Signs and Projects Pvt Ltd (BID ID -832340) | 2284500.00 | L2       |
|            | 3     | GARIMA SALES CORPORATION (BID ID -839177)                 | 2789100.00 | L3       |