



Work-order

संख्या: भा.वि.प्रा./डोर.विंडो/25-26/WO-07

दिनांक:- 25.08.2025

No. AAI/NAC/door-window/25-26/WO-07

Date:- 25.08.2025

सेवा मे,

M/s. Converge Construction.
Plot No. , New Gautam Nagar, Govandi,
Mumbai Suburban, Maharashtra 400043
Email: convergeconstruction.kk@gmail.com
जीएसटी:- 27CVPPK7045HZ23

विषय: 2025-26 के दौरान न्यू एयरपोर्ट कॉलोनी, मुंबई के छज्जे की मरम्मत, दरवाजे
खिड़कियां, बढ़ईगीरी/निर्माण कार्य आदि विविध मरम्मत कार्य।

Subject : Misc. repair work doors windows, carpentry /fabrication works i/c repairs to
chhajja of New Airport Colony, Mumbai during 2025-26.

Tender Id: 2025_AAI_232196_1 बीड क्र./ Bid No:848835.

संदर्भ:- आपका दिनांक 30.05.2025 खोला गया वित्तीय ई-निविदा।

Ref.:- Your e-tender Finance bid Opened on dated 30.05.2025.

महोदय/ Dear Sir (S),

1. ऊपर उल्लेखित कार्य हेतु आपकी ई-निविदा, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत किया जाता है। आपके द्वारा बताए गए मद मूल्यों पर आपकी टेंडर राशि कुल रु. 51,94,820/- (रुपये इक्यावन लाख चौरानवे हजार आठ सौ बीस मात्र) (जीएसटी रहित) हैं, जो की टेंडर की अनुमानित लागत राशि रु 96,86,828/- (रुपये छियानवे लाख छियासी हजार आठ सौ अट्ठाइस मात्र) (जीएसटी रहित) से 46.37 प्रतिशत नीचे हैं। आपकी उद्धृत गणना से लाई रकम पर 18% फीसदी जी.एस.टी. (यानि 9 फीसदी CGST और 9 फीसदी SGST) राशि का वैध टैक्स चालान का जमा करने पर भुगतान किया जाएगा।
1. Your e-tender for the work mentioned above is hereby accepted on the behalf of the Chairman, Airports Authority of India at your quoted rate amounting to Rs. 51,94,820.00 (Rupees Fifty One Lakh Ninety Four Thousand Eight Hundred Twenty Only) (excluding GST). Your bid quote is 46.37 % below the estimate cost put to tender of Rs. 96,86,828.00 (Rupees Ninety Six Lakh Eighty Six Thousand Eight Hundred Twenty Eight only) excluding GST) The GST at 18 per cent (i.e. 9 per cent CGST plus 9 per cent SGST) will be paid over and above the amount calculated on your quoted rate on submission to valid tax invoice.

Handwritten signature and date
25/8/25
Amul

Work-order

2. सहायक महा प्रबन्धक (अभि-सिविल) , मुंबई कार्य के अभियंता-प्रभारी होंगे। आपसे निवेदन है कि आप आपकी और से एक विश्वसनीय प्रतिनिधि प्रतिनियुक्त करें जो करारनामे पर हस्ताक्षर करने के लिए अधिकृत हो तथा वह दिनांक **04.09.2025** तक सहायक महा प्रबन्धक (अभि-सिविल), ए.ए.आई. , सिविल मेंटेनेंस ऑफिस, एनएसी, मुंबई के कार्यालय में उपस्थित हो और करारनामे को पूरा करें। ठेके का करारनामा 100/- रुपये के गैर-न्यायिक स्टैम्प पेपर पर निष्पादित किया जाएगा, तथा स्टैम्प पेपर की लागत आपके द्वारा ली जाएगी।
2. Asstt. Gen. Manager (Engg-Civil), Mumbai shall be Engineer-In-Charge of the work. You are requested to depute your accredited representative, empowered to sign the contract agreement on your behalf, to attend the O/o. Asstt. Gen. Manager (Engg-Civil), AAI, Civil Maintenance office, NAC, Mumbai by 04.09.2025 to sign and complete the agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs.100/- and the cost of the stamp paper shall be borne by you.
3. कृपया इस पत्र जारी होने की तारीख से 15 दिनों के भीतर सुरक्षा जमा रु. 2,28,877/- (कुल दो लाख अट्ठाइस हजार आठ सौ सतहत्तर मात्र) जमा करें, असफल होने पर ठेके के दस्तावेज के पृष्ठ सं. 16 पर दी गयी शर्त 1 (ए) के अनुसार आपके चालू बिल से कटौती की जाएगी।
3. Please deposit Rs. 2,28,877/- (Rupees Two Hundred Twenty Eight Thousand, Eight Hundred Seventy Seven Only) towards security deposit with 15 days from the date of issue of this letter, failing which the same will be deducted from your running bill as per condition 1 (A) on page 16 of the contract document.
4. आपसे निवेदन है कि आप केन्द्रीय एवं राज्य सरकारों के 1970 के अधिनियम अनुबंध श्रम नियम तथा 1971 के केन्द्रीय नियम (नियमन तथा उन्मूलन) एवं केंद्र तथा राज्य सरकार के न्यूनतम वेतन अधिनियम और अन्य नियमों का अनुपालन किया जाए।

अभि
म/8/म
Amul

Work-order

4. You are requested to comply with the provisions of contract labour (Regulation and abolition) Act of 1970 and contract labour (Regulation and abolition) Central rules 1971 and minimum wages Act & rules thereof Central and State Governments.
5. आपको निर्देश दिया जाता है कि आप तुरंत व. प्रबन्धक (अभि-सिविल), सिविल रखरखाव कार्यालय, न्यू एयरपोर्ट कॉलोनी से तुरंत संपर्क करें, वह आपको साइट सौंपने की व्यवस्था करेंगे और कार्य के निष्पादन और निगरानी के लिए अपेक्षित दिशा-निर्देश जारी करने के लिए अधिकृत हैं। कृपया ध्यान दें कि काम करने के लिए अनुमति देने का समय 12 (बारह) महीने, 02 महीने बारिश के लिए है जिसे इस पत्र जारी करने के बाद दसवे दिन या वास्तविक कार्य चालू करने पर, इनमें से जो भी पहले हो वह गिना जाएगा।
5. You are also directed to contact Sr. Manager (Engg-Civil), Civil Maintenance office, New Airport Colony immediately who will arrange to hand over the site to you and is authorized for issuing requisite directions for executing and monitoring the work. Please note that the time allowed for carrying out the work is 12 (Twelve) Months i/c 02 months consider for rains which shall be reckoned from the 10th day after the date of issue of this letter or the day of actual start of work whichever is earlier.
6. अनुबंध दस्तावेज के पृष्ठ संख्या 47 और 48 पर खंड संख्या 17 में उल्लिखित दोष देयता अवधि बारह महीने है।
6. The defects liability period mentioned in clause No. 17 on page no.47 & 48 of the contract document is Twelve Months.
7. इस ठेके के सम्बंध में आगे कोई भी पत्राचार सहायक महा प्रबन्धक (अभि-सिविल), प.क्षे. भारतीय विमानपत्तन प्राधिकरण, सिविल मेंटेनेंस कार्यालय, न्यू एयरपोर्ट कॉलोनी, विले पार्ले (पूर्व), मुम्बई-400 099 के पत्ते पर संदर्भ AAI/NAC/Doorwindow/25-26/WO-07
7. Any further correspondence in connection with the contract should be addressed to the Asstt. Gen. Manager (Engg-Civil), WR, Airports Authority of India, Civil maintenance office, New Airport Colony, Vile-Parle (East), Mumbai-400 099 and the reference number for this work is AAI/NAC/Doorwindow/25-26/WO-07

25/8/25
ANM/EM

Work-order

8. कृपया इस पत्र की प्रतिलिपि स्वीकृति के एक टोकन के रूप में हस्ताक्षर कर अधोहस्ताक्षरी को वापिस करें।

8. Please acknowledge the receipt and return the copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

धन्यवाद/ Thanking you,

संलग्न : शेड्यूल-अ 05 पृष्ठ/Schedule 'A'-05 page
फॉर्म -V/Form - V

भवदीय / Yours faithfully,

सहायक महा प्रबन्धक (अभि-सिविल)
Asstt. Gen. Manager (Engg-Civil)
कृते तथा ओर से, अध्यक्ष
For and on behalf of chairman,
भारतीय विमानपत्तन प्राधिकरण
Airports Authority of India

Work-order
फॉर्म - V / Form V
नियम 21(2) देखें / See Rule 21(2)

मुख्य नियोक्ता द्वारा प्रमाण पत्र / Form of Certificate by Principal Employer

प्रमाणित किया जाता है कि एएआई ने आवेदक मेसर्स कनवर्ज कंस्ट्रक्शन को 2025-26 के दौरान न्यू एयरपोर्ट कॉलोनी, मुंबई के छज्जे की मरम्मत, दरवाजे खिड़कियां, बढ़ईगीरी /निर्माण कार्य आदि विविध मरम्मत कार्य के लिए ठेकेदार के रूप में लगाया है। एएआई आवेदक को अनुबंध श्रम (विनियमन और उन्मूलन) अधिनियम 1970 और अनुबंध श्रम विनियमन और उन्मूलन (केंद्रीय नियम 1971 , बाल श्रम) निषेध और विनियमन (अधिनियम 1986 , निर्माण कार्यकर्ताओं) रोजगार और सेवा- की शर्तों का विनियमन (अधिनियम 1996 , भवन और अन्य निर्माण श्रमिक कल्याण उपकर अधिनियम 1996, जहां तक इस प्रतिष्ठान में अनुबंध श्रम के रोजगार के संबंध में प्रावधान लागू होते हैं। आवेदक द्वारा के एएआई के सभी प्रावधानों से बंधेगा।

Certified that AAI have engaged the applicant M/s. Converge Construction as a contractor for the work of."Misc. repair work doors windows, carpentry /fabrication works i/c repairs to chhajja of New Airport Colony, Mumbai during 2025-26." AAI undertakes to be bound by all the provision of Contract labour (Regulation and Abolition) Act 1970 and contract labour (Regulation and Abolition) Central rules 1971, Child Labour (Prohibition & Regulation) Act 1986, Construction Workers (Regulation of Employment and condition of Service) Act 1996, Building and other construction Workers Welfare Cess Act 1996, in so far as the provisions are applicable to them in respect of the employment of contract labour by the applicant in this establishment..

सहायक महा प्रबन्धक (अभि-सिविल)
Asstt. Gen Manager (Engg-Civil)
भाविप्रा, एन. ए. सी., मुंबई
AAI, NAC, Mumbai.

सेवा में / To,

M/s. Converge Construction.
Plot No. , New Gautam Nagar, Govandi,
Mumbai Suburban, Maharashtra 400043
Email: Convergeconstruction.kk@gmail.com

Tender Inviting Authority: Asstt. Gen. Manager (Engg Civil) NAL, Mumbai-04

Name of Work: Misc. repair work to doors, windows, carpentry / fabrication works l/c repairs to chhajja of New Airport Colony, Mumbai during 2025-26.

Contract No: AAI/NAC/DOORWINDOW/25-26

Name of the Bidder/ Bidding Firm /	CONVERGE CONSTRUCTION							
PRICE SCHEDULE								
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)								
NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words without Taxes INR
1	2	3	4	5	12	13	53	55
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)		2.50	cum	INR	4800.00	12000.00	INR Twelve Thousand Only
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)		2.50	cum	INR	4200.00	10500.00	INR Ten Thousand Five Hundred Only
3	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).		2.00	cum	INR	5200.00	10400.00	INR Ten Thousand Four Hundred Only
4	Centering and shuttering including strutting, propping etc. and removal of form for : a) Edges of slabs and breaks in floors and walls Under 20 cm wide		10.00	Mtr	INR	450.00	4500.00	INR Four Thousand Five Hundred Only
5	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. A) Thermo-Mechanically Treated bars of grade Fe-500D or more		150.00	kg	INR	72.00	10800.00	INR Ten Thousand Eight Hundred Only
6	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red. Area of slab upto 0.50 sqm		25.00	sqm	INR	1100.00	27500.00	INR Twenty Seven Thousand Five Hundred Only

2/11/25
25/8/25
ANM/LEA


7	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red. Area of slab over 0.50 sqm	25.00	sqm	INR	1500.00	37500.00	INR Thirty Seven Thousand Five Hundred Only
8	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite work	100.00	metre	INR	200.00	20000.00	INR Twenty Thousand Only
9	Extra for providing opening of required size & shape for wash basin/kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	25.00	each	INR	1200.00	30000.00	INR Thirty Thousand Only
10	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Kiln seasoned and chemically treated hollock wood	2.00	cum	INR	12000.00	24000.00	INR Twenty Four Thousand Only
11	Providing and fixing Pre-laminated flat pressed 3 layer (medium density) particle board or graded wood particle board IS : 3087 marked, with one side decorative and other side balancing lamination Grade I, Type II exterior grade IS : 12823 marked, in shelves with screws and fittings wherever required, edges to be painted with polyurethane primer (fittings to be paid separately). 18 mm thick	5.00	sqm	INR	600.00	3000.00	INR Three Thousand Only
12	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: a) 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	20.00	sqm	INR	1800.00	36000.00	INR Thirty Six Thousand Only
13	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	20.00	sqm	INR	500.00	10000.00	INR Ten Thousand Only
14	Providing and fixing bright finished brass butt hinges with necessary screws etc. complete : 100x85x5.5 mm (heavy type)	800.00	each	INR	110.00	88000.00	INR Eighty Eight Thousand Only
15	Providing and fixing aluminium casement stays, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	400.00	each	INR	40.00	16000.00	INR Sixteen Thousand Only
16	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 100x10 mm	400.00	each	INR	80.00	32000.00	INR Thirty Two Thousand Only
17	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 100 mm	400.00	each	INR	70.00	28000.00	INR Twenty Eight Thousand Only
18	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	5000.00	kg	INR	80.00	400000.00	INR Four Lakh Only
19	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. a) Electric resistance or induction butt welded tubes	500.00	kg	INR	105.00	52500.00	INR Fifty Two Thousand Five Hundred Only

31/10/25
25/10/25
ANM/IE


20	Providing & fixing fly proof wire gauze to aluminium /steel /wooden windows, clerestory windows & doors with M.S. Flat of any size or using self driving screws or any other means as per the direction of engineer-in-charge. Stainless steel (grade 304) wire gauze of 0.5 mm dia wire and 1.4 mm aperture on both sides.	1175.00	sqm	INR	300.00	352500.00	INR Three Lakh Fifty Two Thousand Five Hundred Only
21	Providing and fixing precast galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	100.00	sqm	INR	380.00	38000.00	INR Thirty Eight Thousand Only
22	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	10.00	cum	INR	1000.00	10000.00	INR Ten Thousand Only
23	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	5.00	cum	INR	1000.00	5000.00	INR Five Thousand Only
24	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer-in- charge.	1.00	sqm	INR	120.00	120.00	INR One Hundred & Twenty Only
25	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkats, architrave, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sq. metres and below	200.00	each	INR	250.00	50000.00	INR Fifty Thousand Only
26	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	500.00	cum	INR	120.00	60000.00	INR Sixty Thousand Only
27	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm	250.00	sqm	INR	330.00	82500.00	INR Eighty Two Thousand Five Hundred Only
28	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)	3000.00	kg	INR	400.00	1200000.00	INR Twelve Lakh Only
29	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)	4500.00	kg	INR	410.00	1845000.00	INR Eighteen Lakh Forty Five Thousand Only

31/8/21
AWM (1-2)

30	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item).With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	500.00	sqm	INR	580.00	290000.00	INR Two Lakh Ninety Thousand Only
31	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. Upto 5mm depth and 5 mm width	600.00	metre	INR	90.00	54000.00	INR Fifty Four Thousand Only
32	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Powder coated minimum thickness 50 micron aluminium	200.00	each	INR	80.00	16000.00	INR Sixteen Thousand Only
33	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid door/window/Clerestory windows & other Frames/Chowkhat comprising of virgin PVC polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) fabricated with miter joints after applying PVC solvent cement and screwed with full body threaded star headed SS screws having minimum frame density of 750 kg/cum, screw withdrawal strength of 2200 N (Face) & 1100 N (Edge), minimum compressive strength of 58 N/mm2, modulus of elasticity 900 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixed in position with M.S hold fast/lugs/SS dash fasteners of required dia and length complete as per direction of Engineer-In- Charge. (M.S hold fast/lugs or SS dash fasteners shall be paid for separately). Frame size 45X70 mm.	50.00	metre	INR	200.00	10000.00	INR Ten Thousand Only
34	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately). 30mm thick.	20.00	sqm	INR	1900.00	38000.00	INR Thirty Eight Thousand Only
35	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid board one side white color and other side of board laminated with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive for cup boards, work stations and bathroom/kitchen cabinet etc. of required sizes comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel piano hinges/soft close clip on concealed hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel piano hinges/soft close clip on concealed hinges and necessary S.S screws shall be paid separately). 18mm thick	100.00	sqm	INR	1400.00	140000.00	INR One Lakh Forty Thousand Only


 25/8/22
 AMULI

36	Providing and fixing Aluminium Composite Panel Sheet of thickness 4 mm for door, wall panel and partition works with various aluminium works etc. with rubber gasket weather seal to be provided through out the frame. All complete as per the direction and satisfaction of EIC. (cost of aluminium and door fittings will be paid separately.)		300.00	sqm	INR	320.00	96000.00	INR Ninety Six Thousand Only
37	Providing and fixing fibre mosquito proof mesh of Netlon or equivalent make in existing frames of doors & windows fixed with velcro tape complete including cutting fibre mosquito proof mesh in appropriate size, stitching wellcro strip, stapling the velcro on member, etc as per instruction and directions of Engineering In Charge.		500.00	sqm	INR	110.00	55000.00	INR Fifty Five Thousand Only
Total in Figures							5194820.00	INR Fifty One Lakh Ninety Four Thousand Eight Hundred & Twenty Only
Quoted Rate in Words		INR Fifty One Lakh Ninety Four Thousand Eight Hundred & Twenty Only						


 25/8/25
 Ahm/12