

भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

कांडला विमानक्षेत्र
KANDLA AIRPORT



संदर्भ सं.: भाविप्रा/प.क्षे./स.प्र (इंजी-विद्युत)/कांडला/सीडब्लू-01/2025-26/

Ref. No: AAI/WR/AM(E-E)/KANDLA /CW-01/2025-26/

दिनांक: 13.06.2024

Date: 13.06.2024

सेवा में/ To,

मेसर्स यश एनर्जी प्राइवेट लिमिटेड/ M/s. Yash Energy Pvt. Ltd.,
408-409, हाश बिजनेस सेंटर/ 408-409, Haash Business Center,
अंकुर स्कूल के पास /Nr. Ankur School,
फतेहपुरा, पालड़ी/ fatehpura, Paldi,
अहमदाबाद, गुजरात - 380007/
Ahmedabad , Gujarat - 380007

विषय/ Sub: कांडला हवाई अड्डे पर विद्युत आंतरिक वायरिंग, घरेलू उपकरणों की आपूर्ति और स्थापना, प्रकाश व्यवस्था आदि सहित नए छात्रावास आवास का निर्माण।

Construction of New Hostel Accomodation including electrical internal wiring, supply & installation of home appliances, lighting, etc. at Kandla Airport.

संदर्भ: आपकी ई-निविदा नं. 2025_AAI_232659_1 दिनांक 02.05.2025 को खोला गया।

Your e - tender id. 2025_AAI_232659_1 opened on Dated 02.05.2025.

महोदय,/ Dear Sir(s),

- उल्लेखित कार्य हेतु आपके द्वारा बताए गये मद मूल्यों पर आपकी ई-निविदा राशि कुल **रु. 6,57,606.00 (रुपए छह लाख सत्तावन हजार छह सौ छह मात्र) + जीएसटी** है, जो कि ई-निविदा की उचित लागत राशि **रु. 7,80,858 /-** से **15.78 % नीचे** है, उसे अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत की जाती है,। आपके द्वारा वैध टैक्स इन्वाइस प्रस्तुत करने पर जीएसटी अदा किया जाएगा। गुजरात राज्य के लिए जीएसटी क्र. GSTIN:-24AAACA6412D1ZE है।

Your e-tender for the work mentioned above is hereby accepted on behalf of The Chairman, Airports Authority of India at the item rates quoted by you totaling to **Rs. 6,57,606.00 (Rupees Six lakh Fifty Seven Thousand Six Hundred and Six only)** (exclu. GST) is lowest which is **15.78 % Below** the Justified cost.

- सहा. प्रबंधक (इंजी-विद्युत), भाविप्रा, कांडला हवाई अड्डा, अंजार, गुजरात - 370 110, कार्य के प्रभारी अभियंता होंगे। आपसे निवेदन है कि आपकी ओर से एक विश्वसनीय प्रतिनिधी प्रतिनियुक्त करें जो करारनामे पर हस्ताक्षर करने के लिए अधिकृत हो तथा वह दिनांक **20.06.2025** तक सहा. प्रबंधक (इंजी-विद्युत), भाविप्रा, कांडला हवाई अड्डा, अंजार, गुजरात - 370 110 के कार्यालय में उपस्थित हो तथा करारनामे को पुरा करें। ठेके का करारनामा रु. 100/- के नॉनज्युडिशियल स्टैम्प पेपर पर निष्पादित किया जाएगा, तथा स्टैम्प पेपर का खर्च आपके द्वारा उठाया जाएगा।


Asstt. M (ENGG. - ELECT.), AAI, Kandla Airport, Anjar, Gujarat - 370 110 shall be the Engineer-In-Charge of this work. You are requested to depute your accredited representative, empowered to sign the contract agreement on your behalf, to attend the office to the Asstt. M

भारतीय विमानपत्तन प्राधिकरण, नागर विमानक्षेत्र, कांडला, (पोस्ट) अंजार, कच्छ-370110 (गुजरात)

Airports Authority Of India, Civil Aerodrome, Kandla, (P.O.) Anjar, Kutch-370110 (Gujarat)

फोन/Phone : 02836-269401, फ़ैक्स/Fax : 02836-269402

ई-मेल/e-mail : apd_vake@aaiaero



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA
कांडला विमानक्षेत्र
KANDLA AIRPORT



(ENGG. - ELECT.), Kandla Airport, Anjar, Gujarat – 370 110 by **20.06.2025** to sign and complete the agreement. The contract agreement shall be executed on a non-judicial stamp paper of value **Rs.100/-** and the cost of the stamp paper shall be borne by you.

3. कृपया **रु. 65,761.00 (रुपये पैंसठ हजार सात सौ इकसठ मात्र)** प्रतिभूति जमा के रुप में यह पत्र जारी करने के तारीख के 10 दिन के अंदर जमा किजीये। जमा करने की असफलता में वह राशि बिल से ठेके की शर्तों के अनुसार काट दी जायेगी।

Please deposit **Rs.65,761.00 (Rupees Sixty Five Thousand Seven Hundred & Sixty One only)** towards security deposit within 10 days from the date of issue of this letter, failing which the same will be deducted from your bill as per contract conditions.

4. आपसे निवेदन है कि आप केंद्रीय और राज्य सरकारों 1970 के अधिनियम अनुबंध श्रम नियम (नियम तथा उन्मुलन) 1971 के केन्द्रीय नियम श्रम नियम (नियमन तथा उन्मुलन) एवं केन्द्र तथा राज्य सरकार के न्यूनतम वेतन अधिनियम और नियमों के प्रावधानों का अनुपालन करें।

You are requested to comply with provision of contract labour (Regulation and Abolition Act 1970 and contract labour Regulation & Abolition) Central rule 1971 and minimum wages Act & rules thereof central and state Govt.

5. आपको यह निर्देश दिया जाता है कि आप सहायक प्रबंधक (इंजी-विद्युत), कांडला हवाई अड्डा से संपर्क करें जो आपको साईट सौंपने की व्यवस्था करेंगे।

You are directed to contact Asstt. Mgr. (E-E), Kandla Airport immediately who will arrange to handover the site.

6. कृपया आप से अनुरोध है की दिनांक **21.06.2025** से काम शुरू करें। कृपया ध्यान दें की काम को पूरा करने के लिए दिनांक **20.09.2025** तक का समय दिया गया है।

You are requested to start the work from **21.06.2025**. Please note that time allowed for completion of the work is up to **20.09.2025**.

7. इस ठेके के संबंध में आगे का कोई भी पत्राचार सहा. प्रबंधक (इंजी-विद्युत), भाविप्रा, कांडला हवाई अड्डा, अंजार, गुजरात - 370 110 के पते पर किया जाए।

Any further correspondence in connection with the contract should normally be addressed to Asstt. M (ENGG. - ELECT.), AAI, Kandla Airport, Anjar, Gujarat – 370 110.

8. कृपया पावती भेजें तथा इस आदेश की दोहरी प्रति आपके हस्ताक्षर के पश्चात इस कार्यालय में भेजें जो कि स्वीकृती टोकन समझा जाएगा।


Please acknowledge the receipt and return the duplicate copy of this order enclosed herewith after signing to the undersigned as a token of acceptance.

भारतीय विमानपत्तन प्राधिकरण, नागर विमानक्षेत्र, कांडला, (पोस्ट) अंजार, कच्छ-370110 (गुजरात)

Airports Authority Of India, Civil Aerodrome, Kandla, (P.O.) Anjar, Kutch-370110 (Gujarat)

फोन/Phone : 02836-269401, फ़ैक्स/Fax : 02836-269402

ई-मेल/e-mail : apd_vake@aai.aero



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

कांडला विमानक्षेत्र
KANDLA AIRPORT


75
आज़ादी का
अमृत महोत्सव

9. यदि अंग्रेजी और हिंदी पाठ में कोई अंतर पाया जाता है तो अंग्रेजी विवरण सही माना जायेगा।
If there is any discrepancy between English and Hindi then meaning derived in English will be given precedence.

धन्यवाद/ Thanking You,

भवदीय / Yours faithfully,

Encl: 1. SOQ


(शिवांशु खटीक)/(Shivanshu Khatik)

सहा.प्रबंधक (इंजी-विद्युत),
Asstt.M (Engg.-Elect.)


कृते तथा ओर से, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण,
For and on behalf of Chairman, Airports Authority of India

भारतीय विमानपत्तन प्राधिकरण, नागर विमानक्षेत्र, कांडला, (पोस्ट) अंजार, कच्छ-370110 (गुजरात)

Airports Authority Of India, Civil Aerodrome, Kandla, (P.O.) Anjar, Kutch-370110 (Gujarat)

फोन/Phone : 02836-269401, फ़ैक्स/Fax : 02836-269402

ई-मेल/e-mail : apd_vake@aai.aero



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA
कांडला विमानक्षेत्र
KANDLA AIRPORT



संदर्भ सं.: भाविप्रा/प.क्षे./स. प्र (इंजी-विद्युत)/ कांडला /सीडब्लू-01 /2025 -26/
Ref. No: AAI/WR/AM(E-E)/Kandla/CW-01 /2025-26/

दिनांक: 13.06.2025
Date: 13.06.2025

N.O.O.:-


External:

प्रतिलिपी/ Copy to:

1. Regional Enforcement Officer (Central), Ministry of Labour, Govt. of India, Kothi Compound, Rajkot-360001.
2. Regional Provident Fund Commissioner, Panchayat Nagar Chowk, University Road Rajkot-360 005
3. O/o Additional commissioner of Income Tax, Aaykar Bhavan, plot no. 20/A, Sector no .8, B/h KPT AO building, Gandhidham, Kutch, Gujarat-370201

आंतरिक / Internal -

1. महाप्रबंधक (इंजी.), भाविप्रा, प.क्षे. मुख्यालय, मुंबई- 400 099
General Manager (Engg.), WR, RHQ, Mumbai-400 099.
2. संयुक्त महाप्रबंधक (इंजी-विद्युत), भाविप्रा, प.क्षे. मुख्यालय, मुंबई- 400 099
Jt.GM (Engg.-E), WR, RHQ, Mumbai-400 099.
3. सहा.महाप्रबंधक (इंजी-विद्युत), भाविप्रा, प.क्षे. मुख्यालय, मुंबई- 400 099
AGM (Engg.-E), WR, RHQ, Mumbai-400 099.
4. उपमहाप्रबंधक (सतर्कता), भाविप्रा, प.क्षे. मुख्यालय, मुंबई- 400 099
Dy.GM(Vigilance), WR,RHQ, Mumbai-400 099.
5. संयुक्त महाप्रबंधक (वित्त), भाविप्रा, प.क्षे. मुख्यालय, मुंबई- 400 099
Jt.GM (Fin), WR,RHQ, Mumbai-400 099.
6. विमानपत्तन निदेशक, कांडला हवाईअड्डा / Airport Director, AAI, Kandla Airport .
7. व.प्रबंधक (इंजी-सिविल), भाविप्रा, कांडला हवाईअड्डा / SM (Engg-C), AAI, Kandla Airport.
8. करारनामा प्रति/ Agreement copy.
9. कार्य फाईल/ Work File.


आपका विश्वसनीय,
13/06/2025
(शिवंशु खटीक) / (Shivanshu Khatik)

सहा. प्रबंधक (इंजी-विद्युत),
Asstt.M (Engg.-Elect.)

कृते तथा ओर से, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण,
For and on behalf of Chairman, Airports Authority of India

भारतीय विमानपत्तन प्राधिकरण, नागर विमानक्षेत्र, कांडला, (पोस्ट) अंजार, कच्छ-370110 (गुजरात)

Airports Authority Of India, Civil Aerodrome, Kandla, (P.O.) Anjar, Kutch-370110 (Gujarat)

फोन/Phone : 02836-269401, फैक्स/Fax : 02836-269402

ई-मेल/e-mail : apd_vake@aai.aero

Validate

Print

Help


Item Rate BoQ

Tender Inviting Authority: AM (E-E)

Name of Work: Construction of New Hostel Accommodation including electrical internal wiring, supply & installation of home appliances, lighting, etc. at Kandla Airport.

Tender ID: 2025_AAI_232659_1

Name of the Bidder/ Bidding Firm / Company : Yash Energy Pvt. Ltd.						
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
1	Laying and Jointing PVC Pipe. Heading					
1.1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLSH PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLSH PVC insulated copper conductor single core cable etc as required.(Group A)	64.000	point	1692.00	108288.00	INR One Lakh Eight Thousand Two Hundred Eighty Eight & Paise Zero Only
2	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLSH PVC insulated copper conductor, single core cable in surface/ recessed 25mm steel conduit as required					
2.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire.	210.000	meter	135.00	28350.00	INR Twenty Eight Thousand Three Hundred Fifty & Paise Zero Only
2.2	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	150.000	meter	198.00	29700.00	INR Twenty Nine Thousand Seven Hundred & Paise Zero Only



Anil (E-E)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
3	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 A & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.	48.000	each	1104.00	52992.00	INR Fifty Two Thousand Nine Hundred Ninety Two & Paise Zero Only
4	Supplying and fixing call bell/buzzer suitable for single phase, 230 V, complete as required.	4.000	each	444.00	1776.00	INR One Thousand Seven Hundred Seventy Six & Paise Zero Only
5	Supplying and drawing co-axial TV cable RG-6 grade, 0.7 mm solid copper conductor PE insulated, shielded with fine tinned copper braid and protected with PVC sheath in the existing surface/recessed steel/PVC conduit as required.	20.000	meter	96.00	1920.00	
6	Supply of 4 feet long 18/20W surface mounted LED fitting suitable to operate on 240 V AC, 50 Hz AC supply complete as required.	14.000	each	780.00	10920.00	INR Ten Thousand Nine Hundred Twenty & Paise Zero Only
7	Supplying and fixing PVC batten/ angle holder including connections etc. as required	8.000	each	420.00	3360.00	INR Three Thousand Three Hundred Sixty & Paise Zero Only
8	Supply, installation, testing and commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with brush less direct current (BLDC) motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power factor not less than 0.9, service value (CM/M/W) minimum 6.00, air delivery minimum 210 cum/min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise = 75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC supply, earthing etc. complete as required.	8.000	each	3000.00	24000.00	INR Twenty Four Thousand & Paise Zero Only

Shwars
Am (EE).

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
9	Supply of PVC Type Exhaust Fan with 250 mm sweep, 1300 rpm suitable for 240V 50Hz single phase AC Supply complete with louvers of required size and complete with all the accessories as required.	8.000	each	1500.00	12000.00	INR Twelve Thousand & Paise Zero Only
10	Installation, testing and commissioning of pre-wired, LED Recess/Surface Mounted of above fixtures with all accessories including nut bolt washer and hanging/fixing arrangements if required directly on ceiling/ wall, including connections with 1.5 sq. mm FRLSH twin core, PVC insulated, copper conductor and earthing etc. as required.	32.000	each	390.00	12480.00	INR Twelve Thousand Four Hundred Eighty & Paise Zero Only
11	Installation, testing and commissioning of pre-wired Street light/bollard light etc. of above fixtures with all accessories including nut bolt washer and hanging/fixing arrangements if required directly on ceiling/ wall, including connections with 1.5 sq. mm FRLSH twin core, PVC insulated, copper conductor and earthing etc. as required.	6.000	each	840.00	5040.00	INR Five Thousand Forty & Paise Zero Only
12	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. Upto 450 mm sweep	8.000	each	480.00	3840.00	INR Three Thousand Eight Hundred Forty & Paise Zero Only
13	Supply of LED street light of 50W minimum lumen output of 3600 lumen made up of pressure die cast Aluminum housing with membrane filter and have IP66 optical as well as electrical compartment with wide operating voltage range of 240+/- 10 % complete with all accessories as required.	4.000	each	2520.00	10080.00	INR Ten Thousand Eighty & Paise Zero Only
14	Providing & fixing 32/40 mm Dia B class GI pipe of 1.5 mtr on wall for fixing the LED street light with suitable size MS clamps , nut bolt fastener etc. complete as required.	4.000	each	2040.00	8160.00	INR Eight Thousand One Hundred Sixty & Paise Zero Only

Shirish
Am (EE)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
15	Supplying and fixing following way, horizontal type Single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator). 8 way (2 + 6), Double door	4.000	each	7200.00	28800.00	INR Twenty Eight Thousand Eight Hundred & Paise Zero Only
16	Supplying and making end termination with brass compression gland and Aluminium lugs for following size of PVC / XLPE insulated and PVC sheathed / XLPE copper conductor cable of 1.1 KV grade as required.					
16.1	3.5C X 25 sq. mm.	2.000	set	540.00	1080.00	INR One Thousand Eighty & Paise Zero Only
16.2	2C X 10 sq. mm	8.000	set	360.00	2880.00	INR Two Thousand Eight Hundred Eighty & Paise Zero Only
17	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole	20.000	each	276.00	5520.00	INR Five Thousand Five Hundred Twenty & Paise Zero Only
18	Supplying and fixing 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Double pole	8.000	each	750.00	6000.00	INR Six Thousand & Paise Zero Only
19	Supplying and fixing 63 amp, four pole, (three phase and neutral), 415 volts, MCB, in the existing MCB DB complete with connections, testing and commissioning etc. as required.	1.000	each	2100.00	2100.00	INR Two Thousand One Hundred & Paise Zero Only
20	Supply of following size 1.1 KV grade, Aluminium conductor, XLPE insulated, PVC sheathed armoured cable conforming to IS 7098 (Part 1) 1988 with upto Date Amendments.					


[Handwritten Signature]
An (EE)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
20.1	3.5 Core, 25 sqmm	90.000	meter	324.00	29160.00	INR Twenty Nine Thousand One Hundred Sixty & Paise Zero Only
20.2	2 Core, 10 sqmm	30.000	meter	198.00	5940.00	INR Five Thousand Nine Hundred Forty & Paise Zero Only
21	Laying of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 kV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required. Upto 35 sq. mm	90.000	meter	42.00	3780.00	INR Three Thousand Seven Hundred Eighty & Paise Zero Only
22	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size on wall surface as required. Upto 35 sq. mm (clamped with 1mm thick saddle)	30.000	meter	42.00	1260.00	INR One Thousand Two Hundred Sixty & Paise Zero Only
23	Earthing with G.I. earth pipe 4.5 meter long, 40 mm dia including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required.	2.000	each	12840.00	25680.00	INR Twenty Five Thousand Six Hundred Eighty & Paise Zero Only
24	providing and fixing 25 mm X 5 mm G.I. strip in 40 mm dia G.I. pipe from earth electrode including connection with G.I. nut, bolt, spring, washer excavation and re-filling etc. as required.	10.000	meter	462.00	4620.00	INR Four Thousand Six Hundred Twenty & Paise Zero Only
25	Supply of outdoor Gate light in aluminium die cast with modern artistic design with 9W LED lamp, IP 54 rating base suitable to operate on 240 V AC, 50 Hz AC supply complete as required. Similar to havells make Natura Gate Light Round	2.000	each	2520.00	5040.00	INR Five Thousand Forty & Paise Zero Only

Shivam
Amlee

Asstt. Manager (E-E)
AIRPORTS AUTHORITY OF INDIA
KARNATAKA AIRPORTS
15/01/2018

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
26	Supply, Installation, Testing & Commissioning of 5 Star, 1.5 TR high wall type split Inverter Air Conditioner unit with rotary compressor operating on refrigerant R-32/Non CFC & Copper condensor coil of outdoor unit & having cordless LCD remote, auto restart operation with copper refrigerant gas pipeline insulated with nitrile/polythene foam i/c electrical cable of suitable size copper conductor from indoor to outdoor unit (both upto 10 feet) i/c standard drain pipe, MS base frame / platform duly epoxy painted for outdoor units for operation on 230V , 50 Hz single phase AC supply and capable of performing such standard function like cooling, dehumidifying, air circulating, filtering etc complete as required.	4.000	each	45600.00	182400.00	INR One Lakh Eighty Two Thousand Four Hundred & Paise Zero Only
27	Supply, installation, testing and commissioning of 3 Litre instant water heater (Geyser), high grade SS tank, suitable on 240 Volts, 50 Hz single phase AC power supply, with electric cord of suitable size, wall mounted, complete connection with water inlet and outlet.	4.000	each	4560.00	18240.00	INR Eighteen Thousand Two Hundred Forty & Paise Zero Only
28	Supply, installation, testing and commission (SITC) of suitable size power supply enclosure box having IP 54 protection (Outdoor Type), suitable for 415V, 3 phase, 4 wire 50 Hz AC supply system made out of 2mm thick CRCA sheet double door with locking arrangement, 3 mm thick for gland plate, 2 nos. earthing studs, wall mounted, canopy and powder/epoxy coated painted consist of 1. Incomer 2 nos. of TPN MCB 63A 2. Outgoing of 06 nos. DP MCB 32A including din rail 3. 4 nos. of Digital type Single phase 2 wire Watthour energy meter 5A-30A, Class-1, etc. complete as required.	1.000	each	22200.00	22200.00	INR Twenty Two Thousand Two Hundred & Paise Zero Only
Total in Figures					657606.00	INR Six Lakh Fifty Seven Thousand Six Hundred Six & Paise Zero Only
Quoted Rate in Words		INR Six Lakh Fifty Seven Thousand Six Hundred Six & Paise Zero Only				


 सहायक प्रबंधक (अभि-विद्युत)
 Asstt. Manager (E-E)
 भारतीय विमानपत्तन प्राधिकरण
 AIRPORTS AUTHORITY OF INDIA
 कांडला एयरपोर्ट, KANDLA AIRPORT
 Am (EE)
 13/06/2025