



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ संख्या: भा.वि.प्रा./ राजमुंदरी/ डीवीओआर /2025-26 /147-150
Ref.No. AAI/RJY/Engg-Civil/ DVOR /2025-26

दिनांक: 07.07.2025
Date: 07.07.2025

सेवा में
एम/एस. के कंस्ट्रक्शन्स,
प्लॉट नंबर: 213 & 214, सी ब्लॉक, वाग्देवी निलयम,
गाचीबोवली मियापुर रोड,
कोंडापुर, हैदराबाद,
तेलंगाना - 500 084

To
M/S. K CONSTRUCTIONS,
Plot no: 213 & 214, C Block, Vagdevi
Nilayam, Gachibowli Miyapur Road,
Kondapur, Hyderabad,
Telangana - 500 084.

कार्य का नाम : राजमुंदरी हवाई अड्डे पर आंतरिक विद्युत कार्य सहित डीवीओआर भवन का निर्माण।

Name of Work: **Construction of DVOR building including internal Electrical Works at Rajahmundry Airport.**

संदर्भ : ई-निविदा क्रमांक 2025_AAI_235312_1 के संदर्भ में विषयागत कार्य हेतु 19.06.2025 को खोली गई आपकी वित्तीय निविदा।

Ref : Your financial bid for the subject work in reference to Tender ID - 2025_AAI_235312_1, opened on 19.06.2025.

महोदय/Dear Sir,

- उपर्युक्त कार्य के लिए आपका ई-निविदा अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से आपके द्वारा उद्धृत कुल रु. 89,06,292.00 (रुपये नवासी लाख छह हजार दो सौ बानवे मात्र) (जीएसटी को छोड़कर) की दर पर स्वीकार किया जाता है जो कि निविदा में रखी गई अनुमानित लागत रु. 1,23,22,603.00 से 27.72% कम है।

Your E-tender for the work mentioned above is hereby accepted on behalf of Chairman, Airports Authority of India at the items rate quoted by you totalling to Rs. 89,06,292.00 (Rupees Eighty-nine Lakhs Six Thousand Two Hundred Ninety-two only) (Excl. GST) which is 27.72% below estimated cost put to tender of Rs. 1,23,22,603.00.

- उप महाप्रबंधक (इंजीनियरिंग-सिविल), एएआई राजमुंदरी हवाई अड्डा कार्य का प्रभारी इंजीनियर होगा। आपसे अनुरोध है कि समझौते पर हस्ताक्षर करने और पूरा करने के लिए 21.07.2025 तक उप महाप्रबंधक (इंजीनियरिंग-सिविल), एएआई, राजमुंदरी हवाई अड्डे के कार्यालय में उपस्थित हों। अनुबंध 100/- रुपये मूल्य के गैर-न्यायिक स्टांप पेपर पर निष्पादित किया जाएगा और स्टांप पेपर की लागत आपके द्वारा वहन की जाएगी।

Dy General Manager (Engg-Civil), AAI Rajahmundry Airport shall be the Engineer-in-charge of the work. You are requested to attend the office of Dy General Manager (Engg-Civil), AAI, Rajahmundry Airport by 21.07.2025 to sign and complete the agreement. The contract agreement shall be executed on a non-judicial stamp paper of value of Rs.100/- and the cost of the stamp paper shall be borne by you.

Re: nothing
DGM (Engg)



भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

3. इस पत्र के जारी होने की तारीख से 10 दिनों के भीतर सुरक्षा जमा राशि के रूप में रुपये 8,90,629/- (आठ लाख नब्बे हजार छह सौ उनतीस रुपए मात्र) कृपया जमा करें, ऐसा न करने पर, अनुबंध दस्तावेज़ के पृष्ठ GCC-17 पर खंड 1A की शर्त के अनुसार कटौती की जाएगी।

Please deposit Rs. 8,90,629/- (Rupees Eight lakh Ninety thousand Six hundred Twenty-nine only) towards security deposit within 10 days from the date of issue of this letter, failing which, the same will be deducted as per condition of Clause 1A on Page GCC-17 of the Contract Document.

4. आपसे अनुरोध है कि अनुबंध श्रम (विनियमन और उन्मूलन) अधिनियम 1970 और अनुबंध श्रम (विनियमन और उन्मूलन) केंद्रीय नियम 1971, बाल श्रम (निषेध और विनियमन) अधिनियम 1986, निर्माण श्रमिक (रोजगार का विनियमन और शर्त) के प्रावधानों का अनुपालन करें। सेवा अधिनियम 1996, भवन और अन्य निर्माण श्रमिक कल्याण उपकर अधिनियम 1996 जैसा कि खंड संख्या में निर्दिष्ट है। 19 पेज नं. केंद्र और राज्य सरकारों की निविदा और उसके नियमों की जीसीसी की धारा 45।

You are requested to comply with the provision of Contract Labour (Regulation and Abolition) Act of 1970 and Contract Labour (Regulation and Abolition) Central Rules 1971, Child Labour (Prohibition and Regulation) Act 1986, Construction Workers (Regulation of Employment and condition of Service) Act 1996, Building and other construction workers Welfare cess Act 1996 as specified in clause no. 19 at page no. 45 of GCC of tender and rules thereof Central and State Governments.

5. आपको तुरंत एएआई राजमुंदरी हवाई अड्डे के उप महाप्रबंधक (इंजीनियरिंग-सिविल) से संपर्क करने का भी निर्देश दिया जाता है, जो आपको साइट सौंपने की व्यवस्था करेंगे।

You are also directed to contact Dy General Manager (Engg-Civil), AAI Rajahmundry Airport immediately who will arrange to handover the site to you.

6. कृपया ध्यान दें कि कार्य को पूरा करने के लिए अनुमत समय 08 (आठ) महीने (बारिश के लिए विचार किए गए 02 महीने सहित) होगा जिसकी गणना इस पत्र के जारी होने के दसवें दिन से की जाएगी।

Please note that the time allowed for carrying out the work shall be 08 (Eight) Months (Including 02 Month(s) considered for rains) which shall be reckoned from tenth day after issue of this letter.

7. इस अनुबंध के संबंध में कोई भी आगे का पत्राचार सामान्यतः प्रभारी अभियंता को संबोधित किया जाना चाहिए।

Any further correspondence in connection with this contract should normally be addressed to the Engineer-in-Charge.

8. कृपया पावती भेजें तथा इसके साथ संलग्नित इस पत्र की दूसरी प्रति पर विधिवत हस्ताक्षर करने के उपरांत प्राप्ति के प्रमाणस्वरूप में इसे अधोहस्ताक्षरी को वापस भेजें।



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after duly signing it to the undersigned as a token of acceptance.

भवदीय / Yours faithfully,

Rs. - Murthy
7/7/2025

(आर एस एन मूर्ति) / (R S N Murthi)

उप महाप्रबंधक (अभि-सि.), / Dy. General Manager (Engg-Civil)

भा.वि.प्रा. राजमंड्री हवाई अड्डा / AAI, Rajahmundry Airport

अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण के लिए व उनकी तरफ से

For and on Behalf of the Chairman, Airports Authority of India.

संलग्न/Encl.: अनुसूची ऐ /Schedule A



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

NOO: -

सेवा प्रतिलिपि: / Copy to:

बाहरी /External

1. महाप्रबंधक (वित्त) भा.वि.प्रा. एस/अर, चेन्नई हवाई अड्डा, चेन्नई
General Manager (Finance), AAI, S/R, Chennai Airport, Chennai.
2. संयुक्त महाप्रबंधक (जागरूकता) भा.वि.प्रा. एस/अर, चेन्नई हवाई अड्डा, चेन्नई
Jt. General Manager (Vigilance), AAI, S/R, Chennai Airport, Chennai.
3. श्रम प्रवर्तन अधिकारी (केंद्रीय), वरि. एस ई /टेली. बिल्डिंग रेलवे स्टेशन प्रेमिसेस राजहमुंद्री ई.जी.डीटी. 533 101.
The Labour Enforcement Officer (Central), Sr. SE/Tele. Building, Railway Station Premises, Rajahmundry, East Godavari District, 533101 along with Form – VII.

अंदर का/ Internal:

1. विमानपत्तन निदेशक/Airport Director.
2. उप महाप्रबंधक (ए टी सी) / Dy. General Manager (ATC)
3. प्रभारि (सं.दि.नि.) / CNS IN Charge
4. वरिष्ठ प्रबंधक (इंजीनियरिंग इलेक्ट्रिकल)/ SM (Engg-Ele)
5. मुख्य सुरक्षा अधिकारी /Chief Security Officer
6. वरिष्ठ प्रबंधक (वित्त.)/ Sr. Manager (Finance).
7. कार्य फ़ाइल/Work File.
8. भा.वि.प्रा.वेबसाइट/AAI website.

Re- mail
DGm(E-1)
9/1/24

Validate

Print

Help

Item Rate BoQ

Tender Inviting Authority: Asst. Gen. Manger (Engg-C), AAI, Rajahmundry Airport

Name of Work: "Construction of DVOR building including internal Electrical Works at Rajahmundry Airport."

Contract No: 2025_AAI_235312_1

Name of the Bidder/ Bidding Firm / Company :	K CONSTRUCTIONS							
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)								
NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge. All kinds of soil.	SH-1/1	793.00	sqm	INR	36.00	28548.00	INR Twenty Eight Thousand Five Hundred & Forty Eight Only
2	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. All kinds of soil.	SH-1/2	833.00	cum	INR	90.00	74970.00	INR Seventy Four Thousand Nine Hundred & Seventy Only
3	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m. Pipes , cables etc, exceeding 80 mm dia but not exceeding 300 mm dia.	SH-1/3	20.00	mtr	INR	126.00	2520.00	INR Two Thousand Five Hundred & Twenty Only
4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and for all lift.	SH-1/4	417.00	Cum	INR	54.00	22518.00	INR Twenty Two Thousand Five Hundred & Eighteen Only
5	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	SH-1/5	102.00	Cum	INR	1500.00	153000.00	INR One Lakh Fifty Three Thousand Only
6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size).	SH-1/6	11.00	Cum	INR	4800.00	52800.00	INR Fifty Two Thousand Eight Hundred Only
7	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8(1 cement : 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size).	SH-1/7	22.00	Cum	INR	4200.00	92400.00	INR Ninety Two Thousand Four Hundred Only
8	Centering and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete.	SH-1/8	48.00	Sqm	INR	320.00	15360.00	INR Fifteen Thousand Three Hundred & Sixty Only
9	Centering and shuttering including strutting, propping etc. and removal of form for : Suspended floors, roofs, landings, balconies and access platform.	SH-1/9	108.00	Sqm	INR	380.00	41040.00	INR Forty One Thousand & Forty Only

Rg - withy
 DGM/CE-2
 31/7/25

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
10	Centering and shuttering including strutting, propping etc. and removal of form for : Lintels, beams, plinth beams, girders, bressumers and cantilevers.	SH-1/10	92.00	Sqm	INR	450.00	41400.00	INR Forty One Thousand Four Hundred Only
11	Centering and shuttering including strutting, propping etc. and removal of form for : Columns, Pillars, Piers, Abutments, Posts and Struts.	SH-1/11	134.00	Sqm	INR	450.00	60300.00	INR Sixty Thousand Three Hundred Only
12	Centering and shuttering including strutting, propping etc. and removal of form for : Edges of slabs and breaks in floors and walls Under 20 cm wide.	SH-1/12	38.00	mtr	INR	400.00	15200.00	INR Fifteen Thousand Two Hundred Only
13	Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	SH-1/13	1.00	Cum	INR	6300.00	6300.00	INR Six Thousand Three Hundred Only
14	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500 D or more.	SH-1/14	2400.00	kgs	INR	90.00	216000.00	INR Two Lakh Sixteen Thousand Only
15	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars.	SH-1/15	4700.00	kgs	INR	90.00	423000.00	INR Four Lakh Twenty Three Thousand Only
16	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. (Note :- Cement content considered in this item is @ 330 kg/cum. "Excess/ less cement used as per design mix is payable/ recoverable separately). All works upto plinth level. Concrete of M25 grade with minimum cement content of 330 kg/cum.	SH-1/16	47.00	Cum	INR	5319.00	249993.00	INR Two Lakh Forty Nine Thousand Nine Hundred & Ninety Three Only
17	Providing and laying in position machine batched and machine mixed design mix cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. (Note :- Cement content considered in this item is @ 330 kg/cum. "Excess/ less cement used as per design mix is payable/ recoverable separately). All works above plinth level upto floor V level. Concrete of M 25 grade with minimum cement content of 330 kg/cum.	SH-1/17	24.00	Cum	INR	5319.00	127656.00	INR One Lakh Twenty Seven Thousand Six Hundred & Fifty Six Only
18	Add for using extra cement in the items of design mix over and above the specified cement content therein.	SH-1/18	22.00	Qtl	INR	600.00	13200.00	INR Thirteen Thousand Two Hundred Only

Re-verified
DAMLE-
A/A/S

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
19	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red. Area of slab over 0.50 sqm.	SH-1/19	4.00	sqm	INR	3000.00	12000.00	INR Twelve Thousand Only
20	Providing edge moulding to 18mm thick marble stone counters, vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by EIC. Granite work	SH-1/20	10.00	mtr	INR	450.00	4500.00	INR Four Thousand Five Hundred Only
21	Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	SH-1/21	1.00	Each	INR	600.00	600.00	INR Six Hundred Only
22	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	SH-1/22	64.00	sqm	INR	900.00	57600.00	INR Fifty Seven Thousand Six Hundred Only
23	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete Fixed to openings /wooden frames with rawl plugs screws etc.	SH-1/23	144.00	kgs	INR	145.00	20880.00	INR Twenty Thousand Eight Hundred & Eighty Only
24	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	SH-1/24	10.00	Each	INR	1200.00	12000.00	INR Twelve Thousand Only
25	Providing and fixing chromium plated brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles with necessary screws etc. complete.	SH-1/25	2.00	Each	INR	1500.00	3000.00	INR Three Thousand Only
26	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 300x16 mm.	SH-1/26	10.00	Each	INR	600.00	6000.00	INR Six Thousand Only
27	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 250x10 mm.	SH-1/27	10.00	Each	INR	100.00	1000.00	INR One Thousand Only
28	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125mm.	SH-1/28	20.00	Each	INR	90.00	1800.00	INR One Thousand Eight Hundred Only
29	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Single rubber stopper.	SH-1/29	10.00	Each	INR	150.00	1500.00	INR One Thousand Five Hundred Only

Re. mktg
DGM (E-1)
21/7/22

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
30	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1.5mm thick laminate.	SH-1/30	66.00	Sqm	INR	900.00	59400.00	INR Fifty Nine Thousand Four Hundred Only
31	Providing and fixing, in position concealed G.I. section for wall paneling using plywood of required thickness fixed on the 'W' profile (0.55 mm thick) having a knurled web of 51.55 mm and two flanges of 26 mm each with lips of 10.55 mm, placed @ 610 mm C/C in perimeter channel having one flange of 20 mm and another flange of 30 mm with thickness of 0.55 mm and web of length 27 mm. Perimeter channel is fixed on the floor and the ceiling with the nylon sleeves @ 610 mm C/C with fully threaded self-tapping dry wall screws. Board is fixed to the 'W' profile with 25 mm countersunk ribbed head screws @ 200 mm C/C., all complete as per the drawing & directions of engineer-in-charge, the joints of the boards are finished with specially formulated jointing compound and 48mm wide jointing tape to provide seamless finish. 12mm thick self extinguished and Fire retardant plywood conforming to IS: 5509.	SH-1/31	66.00	Sqm	INR	2000.00	132000.00	INR One Lakh Thirty Two Thousand Only
32	Providing and fixing factory made uPVC glazed/wire mesh windows/ doors comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately. Two and half track three panels sliding window with two glazed & one wire mesh panels with Aluminium channel for roller track, wool pile, nylon rollers with SS 304 body. Using R3 series with frame (85 mm & above) x (40 mm & above) & glazed sash (30 mm & above) x (55 mm & above) & fly screen sash (20 mm & above) x (50 mm & above) with zinc alloy (zamak) powder coated handle on every glazed panel along with multi-point locking system. (Height upto 1.8 metre).	SH-1/32	8.00	Sqm	INR	6300.00	50400.00	INR Fifty Thousand Four Hundred Only
33	Providing and fixing 304 grade stainless steel multipurpose tray as per site requirement including finishing (wherever required) and fittings. (for payment purpose only weight of SS try shall be considered).	SH-1/33	30.00	kgs	INR	480.00	14400.00	INR Fourteen Thousand Four Hundred Only

Resubmitting
DCM (E-1)
7/12/24

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
34	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	SH-1/34	638.00	kgs	INR	120.00	76560.00	INR Seventy Six Thousand Five Hundred & Sixty Only
35	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	SH-1/35	232.00	kgs	INR	140.00	32480.00	INR Thirty Two Thousand Four Hundred & Eighty Only
36	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors complete. Stainless steel (grade 304) wire gauze of 0.5 mm dia wire and 1.4 mm aperture on both sides.	SH-1/36	2.00	sqm	INR	800.00	1600.00	INR One Thousand Six Hundred Only
37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigment etc, complete.	SH-1/37	9.00	Sqm	INR	900.00	8100.00	INR Eight Thousand One Hundred Only
38	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 500x500 mm.	SH-1/38	53.00	Sqm	INR	1150.00	60950.00	INR Sixty Thousand Nine Hundred & Fifty Only
39	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x 1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	SH-1/39	2.00	Each	INR	300.00	600.00	INR Six Hundred Only
40	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter.	SH-1/40	15.00	mtr	INR	225.00	3375.00	INR Three Thousand Three Hundred & Seventy Five Only
41	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Coupler 110 mm.	SH-1/41	4.00	Each	INR	90.00	360.00	INR Three Hundred & Sixty Only
42	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Single tee without door 110x110x110 mm.	SH-1/42	3.00	Each	INR	150.00	450.00	INR Four Hundred & Fifty Only
43	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion Bend 87.5° 110 mm bend	SH-1/43	4.00	Each	INR	120.00	480.00	INR Four Hundred & Eighty Only
44	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion Shoe (Plain) 110 mm Shoe	SH-1/44	3.00	Each	INR	120.00	360.00	INR Three Hundred & Sixty Only
45	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50mm hard wood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 110 mm	SH-1/45	4.00	Each	INR	50.00	200.00	INR Two Hundred Only

Re. m/s
DCM Co. /
7/12/25

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
46	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15 cm diameter and weighing not less than 440 grams.	SH-1/46	8.00	Each	INR	120.00	960.00	INR Nine Hundred & Sixty Only
47	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum moisture resistant board.	SH-1/47	23.00	Sqm	INR	1400.00	32200.00	INR Thirty Two Thousand Two Hundred Only
48	12 mm cement plaster of mix : 1:6 (1 cement: 6 coarse sand).	SH-1/48	217.00	Sqm	INR	280.00	60760.00	INR Sixty Thousand Seven Hundred & Sixty Only
49	15 mm cement plaster on the rough side of single or half brick wall of mix : 1:6 (1 cement: 6 coarse sand).	SH-1/49	219.00	Sqm	INR	300.00	65700.00	INR Sixty Five Thousand Seven Hundred Only
50	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90ltr/10 sqm).	SH-1/50	164.00	Sqm	INR	140.00	22960.00	INR Twenty Two Thousand Nine Hundred & Sixty Only
51	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture.	SH-1/51	7.00	Sqm	INR	110.00	770.00	INR Seven Hundred & Seventy Only
52	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	SH-1/52	279.00	Sqm	INR	90.00	25110.00	INR Twenty Five Thousand One Hundred & Ten Only
53	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (volatile organic compound) less than 50 grams/litre of approved brand and manufacture including applying additional coats wherever required to achieve even shade and colour two coats.	SH-1/53	276.00	Sqm	INR	120.00	33120.00	INR Thirty Three Thousand One Hundred & Twenty Only

Re. mulla
DAMEL
9/1/20

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
54	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre.	SH-1/54	436.00	Sqm	INR	60.00	26160.00	INR Twenty Six Thousand One Hundred & Sixty Only
55	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with lead upto 50 metres.	SH-1/55	2354.00	sqm	INR	63.00	148302.00	INR One Lakh Forty Eight Thousand Three Hundred & Two Only
56	Providing and filling in position rubberized bitumen hot sealing compound for sealing of expansion joints in roads / pavements all complete as per direction of the engineer in charge. Using grade 'A' sealing compound conforming to IS: 1834.	SH-1/56	5024.00	per m length per cm width per cm depth	INR	12.00	60288.00	INR Sixty Thousand Two Hundred & Eighty Eight Only
57	Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer- in-Charge. With material conforming to Grade-II (size range 53 mm to 0.075 mm) having CBR Value-25.	SH-1/57	363.00	cum	INR	1450.00	526350.00	INR Five Lakh Twenty Six Thousand Three Hundred & Fifty Only
58	Construction of dry lean cement concrete sub base over a prepared sub- grade with coarse and fine aggregate conforming to IS:383, the size of coarse aggregate not exceeding 25 mm, aggregate cement ratio not to exceed 15:1, aggregate gradation after blending to be as per specifications, cement content not to be less than 150 Kg/cum, optimum moisture content to be determined during trial length construction, concrete strength not to be less than 10 Mpa at 7 days, mixed in a batching plant, transported to site, for all leads & lifts, laid with a mechanical paver, compacting with 8-10 tonne vibratory roller, finishing and curing etc. complete as per direction of Engineer-in- charge.	SH-1/58	244.00	cum	INR	2800.00	683200.00	INR Six Lakh Eighty Three Thousand Two Hundred Only
59	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with sea and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid.	SH-1/59	1.00	Each	INR	6500.00	6500.00	INR Six Thousand Five Hundred Only
60	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap.	SH-1/60	1.00	Each	INR	1200.00	1200.00	INR One Thousand Two Hundred Only
61	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required :Kitchen sink without drain board 470x420 mm bowl depth 178 mm.	SH-1/61	2.00	Each	INR	3500.00	7000.00	INR Seven Thousand Only
62	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm.	SH-1/62	1.00	Each	INR	1000.00	1000.00	INR One Thousand Only

Re-writing
DAMLE-
21/7/25

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
63	Providing and fixing toilet paper holder : C.P. brass.	SH-1/63	1.00	Each	INR	1000.00	1000.00	INR One Thousand Only
64	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal outer dia Pipes.	SH-1/64	10.00	mtr	INR	300.00	3000.00	INR Three Thousand Only
65	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge 25mm nominal dia.	SH-1/65	10.00	mtr	INR	350.00	3500.00	INR Three Thousand Five Hundred Only
66	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 32mm dia pipes.	SH-1/66	300.00	mtr	INR	480.00	144000.00	INR One Lakh Forty Four Thousand Only
67	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 50mm dia pipes.	SH-1/67	300.00	mtr	INR	560.00	168000.00	INR One Lakh Sixty Eight Thousand Only
68	Providing and fixing brass bib cock of approved quality :15 mm nominal bore.	SH-1/68	18.00	Each	INR	900.00	16200.00	INR Sixteen Thousand Two Hundred Only
69	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :25 mm nominal bore.	SH-1/69	2.00	Each	INR	1500.00	3000.00	INR Three Thousand Only
70	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :50 mm nominal bore.	SH-1/70	2.00	Each	INR	3000.00	6000.00	INR Six Thousand Only
71	Providing and fixing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	SH-1/71	1000.00	Litres	INR	10.00	10000.00	INR Ten Thousand Only
72	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore.	SH-1/72	2.00	Each	INR	1100.00	2200.00	INR Two Thousand Two Hundred Only
73	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.15 mm nominal bore.	SH-1/73	3.00	Each	INR	800.00	2400.00	INR Two Thousand Four Hundred Only
74	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931.15mm nominal bore.	SH-1/74	2.00	Each	INR	600.00	1200.00	INR One Thousand Two Hundred Only
75	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design:100x100 mm size P type With common burnt clay F.P.S. (non modular) bricks of class designation 3.5.	SH-1/75	1.00	Each	INR	2000.00	2000.00	INR Two Thousand Only

Re. mlt
DGM LE-1
2/12/24

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
76	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design :a) Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) i) with common burnt clay F.P.S.(non modular) bricks of class designation 3.5.	SH-1/76	4.00	Each	INR	10000.00	40000.00	INR Forty Thousand Only
77	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 3.5.	SH-1/77	1.00	Each	INR	25000.00	25000.00	INR Twenty Five Thousand Only
78	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in charge. (Glazing, paneling and dash fasteners to be paid for separately): Anodised aluminium (anodised transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC 15).	SH-1/78	123.00	kgs	INR	450.00	55350.00	INR Fifty Five Thousand Three Hundred & Fifty Only
79	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15).	SH-1/79	23.00	kgs	INR	500.00	11500.00	INR Eleven Thousand Five Hundred Only
80	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides.	SH-1/80	18.00	Sqm	INR	900.00	16200.00	INR Sixteen Thousand Two Hundred Only

Re- making
DGM CE-1
31/7/25

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
81	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness.	SH-1/81	26.00	sqm	INR	1200.00	31200.00	INR Thirty One Thousand Two Hundred Only
82	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg. for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.	SH-1/82	4.00	each	INR	5000.00	20000.00	INR Twenty Thousand Only
83	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	SH-1/83	2.00	Each	INR	1500.00	3000.00	INR Three Thousand Only
84	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations: a) Applying a slurry coat of neat cement using 2.75 kg/sqm. of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engineer-in-charge over the RCC slab including adjoining walls upto 300mm height including cleaning the surface before treatment. b) Laying brick bats with mortar using broken bricks/brick bats 25 mm to 115mm size with 50% of cement mortar 1:5 (1 cement : 5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement :5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs c) After two days of proper curing applying a second coat of cement slurry using 2.75kg/sqm of cement admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge. d) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1 cement :4 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3mm deep. e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge : With average thickness of 120mm and minimum thickness at khurra as 65 mm.	SH-1/84	104.00	Sqm	INR	1700.00	176800.00	INR One Lakh Seventy Six Thousand Eight Hundred Only

Res. mulla
DGM (E-c)
2/12/24

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT in Words without GST.
1	2	3	4	5	6	7	8	9
85	P/F factory made single extruded WPC (Wood Polymer Coposite) solid door/window/clerestory windows & other frames/chowkhatg comprising of virgin PVC polymer of K value 58-60 (suspension grade), calcium carbonate and natural fibers (wood powder/rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) fabricated with miter joints after applying PVC solvent cement and screwed with full body threaded star headed SS screws having minimum frame density of 750 kg/cum, screw withdrawal strength of 2200 N (face) & 1100 N(edge), minimum compressive strength of 58 N/mm2, modulus of elasticity 900 N/mm2 and resistance to spread of flame of Class A category with property of being gtermite/borer proof, water /moisture proof and fire retardant and fixaed in position with MS hold fast/lugs/SS dash fasteners of required dia and length complete as per direction of EIC.(MS hold fast/lugs or SS dash fasteners shall be paid for separately).	SH-1/85	21.00	mtr	INR	900.00	18900.00	INR Eighteen Thousand Nine Hundred Only
86	P/F factory made single extruded WPC (Wood Polymer Coposite) solid plain flush door shutter of required size comprosing of virgin PVC polymer of K value 58-60 (suspension grade), calcium carbonate and natural fibers (wood powder/rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum, screw withdrawal strength of 1800 N (face) & 900 N(edge), minimum compressive strength of 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water /moisture proof and fire retardant and fixed with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk SS screws, all as per direction of EIC (Note: SS butt hinges and necessary SS screws shall be paid separately).	SH-1/86	11.00	Sqm	INR	3000.00	33000.00	INR Thirty Three Thousand Only
87	Clearing and grubbing land using tractor dozer or bull dozer or JCB etc including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300 mm, removal of stumps of trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, up to a lead of 1000 metres including removal/ levelling and disposal of top soil not exceeding 150 mm in thickness.By Mechanical means.	SH-1/87	30383.00	Sqm	INR	4.00	121532.00	INR One Lakh Twenty One Thousand Five Hundred & Thirty Two Only
88	Pre constructional anti termite below floors and outer area upto plinth protection from the building outer wall by Diluting and injecting chemical emulsion for anti-termite treatment (Including the cost of chemical emulsion): Treatment of soil under floors using chemical emulsion @ one litre per hole, 300 mm apart including making 12 mm diameter holes With Chlorpyriphos/Lindane E.C. 20% with 1% concentration.	SH-1/88	102.00	sqm	INR	280.00	28560.00	INR Twenty Eight Thousand Five Hundred & Sixty Only
89	Providing and laying polythene sheet 400 micron thick confirming to IS 2508 anti friction layer on the surface course complete as per specifications with specified overlaps between adjacent and transverse strips, only plan area will be measured for payment as directed by the engineer in charge.	SH-1/89	2354.00	sqm	INR	45.00	105930.00	INR One Lakh Five Thousand Nine Hundred & Thirty Only

Re verified
DGM/CE/7/7/25

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
90	Providing and laying in position ready mixed or site batched design mix cement concrete M 30 grade in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping making provision for contraction/ expansion, construction & longitudinal joints (10 mm wide x 50 mm deep) by groove cutting machine complete. Note: Extra cement above minimum specified cement content in design mix shall be payable separately. All works upto plinth level Concrete of M30 grade with minimum cement content of 350 kg /cum.	SH-1/90	500.00	cum	INR	5346.00	2673000.00	INR Twenty Six Lakh Seventy Three Thousand Only
91	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 35 in foundation and plinth in: Cement Mortar 1:6 (1 cement : 6 coarse sand). Brick work upto plinth.	SH-1/91	13.00	Cum	INR	6000.00	78000.00	INR Seventy Eight Thousand Only
92	Brick work with common burnt clay F.P.S. (non modular) brick of class designation 3.5 in superstructure above plinth level up to floor five level in :Cement mortar 1:6 (1 cement : 6 coarse sand).	SH-1/92	54.00	Cum	INR	6200.00	334800.00	INR Three Lakh Thirty Four Thousand Eight Hundred Only
93	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 3.5 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement :4 coarse sand).	SH-1/93	10.00	sqm	INR	900.00	9000.00	INR Nine Thousand Only
94	Providing and fixing PVC/polyethylene bio septic tank, of approved make, with necessary fittings for inlet and outlet and as per the manufacturer specifications.Earth work required will be paid separately in earthwork item.	SH-1/94	2000.00	litres	INR	25.00	50000.00	INR Fifty Thousand Only
95	Providing and Fixing SWR PVC pipes specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 110mm dia.	SH-1/95	10.00	mtr	INR	315.00	3150.00	INR Three Thousand One Hundred & Fifty Only
96	Providing and Fixing SWR PVC pipes specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 75mm dia.	SH-1/96	10.00	mtr	INR	250.00	2500.00	INR Two Thousand Five Hundred Only
97	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 110mm dia Bend.	SH-1/97	4.00	Nos	INR	170.00	680.00	INR Six Hundred & Eighty Only
98	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 75mm dia Bend.	SH-1/98	4.00	Nos	INR	150.00	600.00	INR Six Hundred Only
99	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 110mm dia door Bend.	SH-1/99	4.00	Nos	INR	180.00	720.00	INR Seven Hundred & Twenty Only

Re nulling
DGM C&P
7/9/20

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
100	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 75mm dia door Bend.	SH-1/100	2.00	Nos	INR	160.00	320.00	INR Three Hundred & Twenty Only
101	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 110mm dia Tee.	SH-1/101	2.00	Nos	INR	200.00	400.00	INR Four Hundred Only
102	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 75mm dia Tee.	SH-1/102	2.00	Nos	INR	180.00	360.00	INR Three Hundred & Sixty Only
103	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 110mm dia Door Tee.	SH-1/103	1.00	Nos	INR	200.00	200.00	INR Two Hundred Only
104	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 75mm dia Door Tee.	SH-1/104	1.00	Nos	INR	180.00	180.00	INR One Hundred & Eighty Only
105	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 110mm dia Coupler.	SH-1/105	1.00	Nos	INR	150.00	150.00	INR One Hundred & Fifty Only
106	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 75mm dia Coupler.	SH-1/106	1.00	Nos	INR	120.00	120.00	INR One Hundred & Twenty Only
107	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. 100mmx75mm dia floor trap.	SH-1/107	1.00	Nos	INR	150.00	150.00	INR One Hundred & Fifty Only
108	Providing and Fixing SWR PVC fittings specially designed and manufactured using high grade raw material for removal of waste in the drainage system for non-pressure plumbing applications, such as transportation of soil, waste and waste discharge systems. SWR pipes type B for soil and waste discharge. Pipes shall confirm to IS 13592 and Fittings shall confirm to IS 14735. Gully Trap.	SH-1/108	1.00	Nos	INR	200.00	200.00	INR Two Hundred Only

Re. m/s
DGM(Er)
7/7/24

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT in Words without GST.
1	2	3	4	5	6	7	8	9
109	Supply & Providing health faucet ISI marked (Hand Shower) with 1.2mt long flexible tube with wall hook complete as per satisfaction of Engineer-in-Charge. Jaquar or equivalent	SH-1/109	1.00	Nos	INR	900.00	900.00	INR Nine Hundred Only
110	Providing and fixing 100 mm stainless steel grating for floor trap.	SH-1/110	3.00	Nos	INR	120.00	360.00	INR Three Hundred & Sixty Only
111	Providing and fixing brass gate valve of ZOOTO or equivalent in water supply line, all complete as per direction of Engineer-in-Charge. 50 mm nominal bore.	SH-1/111	3.00	Nos	INR	4500.00	13500.00	INR Thirteen Thousand Five Hundred Only
112	Providing and fixing brass gate valve of ZOOTO or equivalent in water supply line, all complete as per direction of Engineer-in-Charge. 20 mm nominal bore.	SH-1/112	2.00	Nos	INR	1500.00	3000.00	INR Three Thousand Only
113	Providing and fixing 150mm HDPE pipes for cable laying including all fittings, providing 4mm guide wire for cable rooting. This includes jointing of pipes & fittings, trenching, refilling complete as per direction of Engineer in Charge.	SH-1/113	120.00	Mtr	INR	550.00	66000.00	INR Sixty Six Thousand Only
114	Providing and fixing 100mm HDPE pipes for cable laying including all fittings, providing 4mm guide wire for cable rooting. This includes jointing of pipes & fittings, trenching, refilling complete as per direction of Engineer in Charge.	SH-1/114	500.00	Mtr	INR	400.00	200000.00	INR Two Lakh Only
115	Supply of High robust Industrial box type Channel made of Powder coated CRCA Sheet Steel including 1 x 20 W Retrofit LED T8 Tube light with PC diffuser, Aluminum extrusion and integral control driver & metal heat sink, operates on 230V, 50Hz, Single Phase AC supply etc. complete as required.	SH-2/1	11	Each	INR	990.00	10890.00	INR Ten Thousand Eight Hundred & Ninety Only
116	Supply of 2' x 2' (approx.) size recess/surface mounting type, prewired white LED panel type luminaire (cool day light), made of extruded or pressure die casted stainless steel or aluminium or standard alloy, with Suitable Diffuser/ reflector to have uniform illumination size distribution with overall system wattage not exceeding 36W and having minimum 3600lumens complete suitable for operation on 230V+ 10% AC supply etc., as required.(LED Lights should be follow AAI specifications).	SH-2/2	11	Each	INR	3600.00	39600.00	INR Thirty Nine Thousand Six Hundred Only
117	Supply of 45 watts LED outdoor type light fitting with pressure die cast aluminum housing, heat resistant glass, High power LEDs with Secondary optics, IP66 protection including integral control driver with top opening driver cover operates on single phase, 230 Volts, 50Hz, AC power supply etc. complete as required.	SH-2/3	10	Each	INR	4200.00	42000.00	INR Forty Two Thousand Only
118	Supply of 1200 mm sweep, 5 Star rated Ceiling fan, double ball bearing, standard down rod and other standard accessories etc. without regulator suitable for operation on 230 V, 50 Hz, AC supply etc. complete as required.	SH-2/4	3	Each	INR	2000.00	6000.00	INR Six Thousand Only
119	Supply of 300mm Sweep, High Speed, Powder coated robust metallic exhaust fan with bird guard operates on single phase 230 volt, 50 Hz AC supply including all accessories etc. complete as required.	SH-2/5	3	Each	INR	1800.00	5400.00	INR Five Thousand Four Hundred Only
120	Wiring for light Point/ fan Point/ exhaust fan Point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable in surface/recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing Point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable etc. complete as required.(Group C)	SH-2/6	30	Point	INR	1750.00	52500.00	INR Fifty Two Thousand Five Hundred Only
121	Wiring for circuit/ submain / power plug wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed Steel conduit etc. complete as required 2 X 4 sq. mm + 1 X 4 sq. mm earth wire	SH-2/7	304	Mtr	INR	450.00	136800.00	INR One Lakh Thirty Six Thousand Eight Hundred Only
122	Wiring for circuit/ submain / power plug wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed Steel conduit etc. complete as required 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	SH-2/8	300	Mtr	INR	375.00	112500.00	INR One Lakh Twelve Thousand Five Hundred Only
123	Supplying and fixing two module 05 Step Electronic fan regulator including modular GI Box with modular base & cover plate including connections etc. complete as required.	SH-2/9	3	Each	INR	500.00	1500.00	INR One Thousand Five Hundred Only

Re mls
DGM (E)
7/7/24

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
124	Supplying and fixing of suitable size GI box with modular base plate and cover plate in front on surface or in recess including providing and fixing 3 pin 6 A modular socket outlet and 6 A modular switch and connections etc. complete as required.	SH-2/10	16	Each	INR	400.00	6400.00	INR Six Thousand Four Hundred Only
125	Supplying and fixing of suitable size GI box with modular base plate and cover plate in front on surface or in recess including providing and fixing shuttered type 6/16 A modular socket outlet and 16 A modular switch with LED indicator (red), connections etc. complete as required.	SH-2/11	26	Each	INR	580.00	15080.00	INR Fifteen Thousand & Eighty Only
126	Supplying and fixing of Surface mounting, Water proof 3 module enclosure with 6/16 A modular socket outlet and 16 A modular switch, IP 55 protection including connections etc. complete as required.	SH-2/12	2	Each	INR	980.00	1960.00	INR One Thousand Nine Hundred & Sixty Only
127	Installation, testing and commissioning of 20 Watt LED tube light with fitting of all types complete with all accessories etc. direct on wall /ceiling including connections etc., complete as required.	SH-2/13	11	Each	INR	200.00	2200.00	INR Two Thousand Two Hundred Only
128	Installation, testing and commissioning of 2 X 2 LED panel type fittings, of all types complete with all accessories and tubes etc., on false ceiling with chain link, including connections with 1.5 sq.mm PVC insulated, copper conductor, single core cable etc., as required.	SH-2/14	11	Each	INR	300.00	3300.00	INR Three Thousand Three Hundred Only
129	Installation, testing & commissioning of 45 W LED type outdoor light fixture on single arm G.I Pipe bracket including providing suitable size and length G.I Pipe bracket to be fixed on the outside corners of the building with necessary clamps & accessories including connections with 3C x 1.5 sq.mm FRLS PVC sheathed copper conductor cables etc. complete as required.	SH-2/15	10	Each	INR	800.00	8000.00	INR Eight Thousand Only
130	Installation, testing and commissioning of the 1200 mm sweep ceiling fan, including providing necessary accessories for the ceiling to fix the ceiling fan, wiring the down rods of standard length (upto 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. complete as required	SH-2/16	3	Each	INR	300.00	900.00	INR Nine Hundred Only
131	Installation, testing and commissioning of 300mm Sweep, High Speed, Powder coated robust metallic exhaust fan with bird guard, including necessary accessories, wiring with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. complete as required	SH-2/17	3	Each	INR	150.00	450.00	INR Four Hundred & Fifty Only
132	Supplying and fixing 4 pole MCB sheet steel enclosure with powder coated on surface/ recess along with 01 No. 63 A "C" curve, 10 KA, FP MCB complete with connections, testing and commissioning etc. complete as required.	SH-2/18	2	Each	INR	2300.00	4600.00	INR Four Thousand Six Hundred Only
133	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top along with 20 A "C" curve, 10 KA, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. complete as required.	SH-2/19	6	Each	INR	1300.00	7800.00	INR Seven Thousand Eight Hundred Only
134	Supplying and fixing of surface/ recess mounting, 20 Way SPN Double door MCB distribution board of sheet steel, dust protected, IP 43, duly powder coated/painted inclusive of earth bar, din bar for mounting MCB's (but without MCB's and incomer), wiring, connections etc. complete as required.	SH-2/20	4	Each	INR	5000.00	20000.00	INR Twenty Thousand Only
135	Supplying and fixing of surface/ recess mounting, 8 Way SPN Double door MCB distribution board of sheet steel, dust protected, IP 65, duly powder coated/painted inclusive of earth bar, din bar for mounting MCB's (but without MCB's and incomer), wiring, connections etc. complete as required.	SH-2/21	1	Each	INR	2300.00	2300.00	INR Two Thousand Three Hundred Only
136	Supplying and fixing of 6A to 32 A rating, 10 kA, "C" curve, Double Pole MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required.	SH-2/22	10	Each	INR	675.00	6750.00	INR Six Thousand Seven Hundred & Fifty Only
137	Supplying and fixing following rating RCBO in the existing MCB DB complete with connections, testing and commissioning etc., as required. 32A, 100 mA, Double Pole RCBO	SH-2/23	3	Each	INR	3580.00	10740.00	INR Ten Thousand Seven Hundred & Forty Only
138	Supplying and fixing following rating MCB in the existing MCB DB complete with connections, testing and commissioning etc., as required. 63A, 10 KA, DP MCB	SH-2/24	1	Each	INR	1180.00	1180.00	INR One Thousand One Hundred & Eighty Only

Re. milky
DGM/LE-1
9/11/20

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	TEXT #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Item Code / Make	Quantity	Units	Quoted Currency in INR / Other Currency	RATE (inclusive of all taxes but exclusive of GST) In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without GST in Rs. P	TOTAL AMOUNT In Words without GST.
1	2	3	4	5	6	7	8	9
139	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required Single pole.	SH-2/25	28	Each	INR	225.00	6300.00	INR Six Thousand Three Hundred Only
140	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required Triple pole	SH-2/26	2	Each	INR	1300.00	2600.00	INR Two Thousand Six Hundred Only
141	Supplying and fixing following rating, 415 volts, FP MCB in the existing MCB DB complete with connections, testing and commissioning etc., as required. 63A FP MCB	SH-2/27	2	Each	INR	1900.00	3800.00	INR Three Thousand Eight Hundred Only
142	Supplying and fixing following rating, four pole, (three phase and neutral), 415 V, residual current circuit breaker (RCCB), having a sensitivity current 100 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 A	SH-2/28	2	Each	INR	3300.00	6600.00	INR Six Thousand Six Hundred Only
Total in Figures							8906292.00	INR Eighty Nine Lakh Six Thousand Two Hundred & Ninety Two Only
Quoted Rate in Figures				Select			0.0000	Zero Only
Quoted Rate in Words		INR Eighty Nine Lakh Six Thousand Two Hundred & Ninety Two Only						

Re-mulley
DGM CE-1
21/2/22

Signature Not Verified

Digitally signed by Ruthala Satyanarayana Murthy
Date: 2026.04.10 18:01:17 IST
Location: eProcurement System for Central PSUs

