



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

F.No. AAI/BLY/Engg(C)/MBD/WG&S/2025/1310

By Hand/E-mail

Date: 19.11.2025

सेवा में,

M/s. SHRI PARAS NATH CONSTURCTION CO.
C-6/9, Yamuna Vihar,
Delhi-110053

मेसर्स श्री पारस नाथ कंस्ट्रक्शन कंपनी
सी-6/9, यमुना विहार,
दिल्ली-110053

Subject: : Construction of welcome gate and signages at Moradabad Airport.

संदर्भ: आपकी ई.-निविदा आई.डी 2025_AAI_249556_1 दिनांक 27.10.2025 को खोली गई।

Ref: Your E- Tender ID 2025_AAI_249556_1 opened on Dated: 27.10.2025.

प्रिय महोदय,

Dear sir,

- 1) आपके उपरोक्त कार्य की रू० 39,84,745/- (जीएसटी रहित) (उन्तालीस लाख चौरासी हजार सात सौ पैतालीस रुपये मात्र) की मद दर से ई-निविदा जो कि उक्त कार्य की अनुमानित लागत रू० 38,62,765/- (जीएसटी रहित) (अड़तीस लाख बासठ हजार सात सौ पैसठ रुपये मात्र) से 3.16% अधिक है, अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण की ओर से स्वीकृत की जाती है।

Your tender for the work mentioned above is hereby accepted on behalf of the Chairman, Airports Authority of India at the item rates quoted by you totalling to **Rs. 39,84,745/- (excluding GST) (Rupees Thirty-nine lakhs eighty-four thousand seven hundred forty-five only)** which is **3.16% above** the estimated cost put to tender of **Rs. 38,62,765/- (excluding GST) (Rupees Thirty-eight lakhs Sixty-two thousand seven hundred sixty-five only)**.

- 2) उप महाप्रबंधक (अभि-सिविल), भा०वि०प्रा०, सिविल इन्क्लेव, बरेली इस कार्य के कार्य प्रभारी अभियन्ता होंगे। आपसे अनुरोध है कि दिनांक: 12.12.2025 तक उप महाप्रबंधक, (अभि-सिविल) भा०वि०प्रा०, सिविल इन्क्लेव, बरेली के कार्यालय में उपस्थित होकर ठेका संविदा को हस्ताक्षरित कर पूर्ण करें। ठेका रू 100/- (रूपये एक सौ मात्र) के न्यायिकोत्तर मुद्रांक पत्र पर सम्पादित किया जाएगा एवं मुद्रांक पत्र की कीमत आपके द्वारा वहन की जाएगी।

Deputy General Manager (Engg.Civil), AAI, Civil Enclave, Bareilly shall be the Engineer-in-charge of this work. You are requested to attend the office of Deputy General Manager (Engg.Civil), AAI, Civil Enclave, Bareilly by dated: 12.12.2025 to sign and complete the contract agreement. The contract agreement shall be executed on a non-Judicial stamp paper of value Rs. 100/- (Rupees One hundred only) and the cost of the stamp paper shall be borne by you.

- 3) ई-टेंडरिंग प्रक्रिया के दौरान उठाए गए सभी शुद्धिपत्र, प्रश्न, स्पष्टीकरण आदि, यदि कोई हों, और उनके उत्तर भी अनुबंध समझौते का हिस्सा होंगे।

All corrigendum's, queries, clarifications etc, if any, raised during e-tendering process and replies thereof shall also form part of the contract agreement.

- 4) आपसे अनुरोध है कि संविदा मूल्य के 10% की दर से सुरक्षा जमा राशि जमा करें जो कि सावधि जमा रसीद, बीमा जमानत बांड, अकाउंट पेयी डिमांड ड्राफ्ट या किसी भी अनुसूचित बैंक की बैंक गारंटी के रूप में हो सकता है

सिविल एन्क्लेव, बरेली, पीलीभीत रोड, मुड़िया अहमद नगर (मयूर वन चेतना केन्द्र के पास), बरेली, उत्तर प्रदेश-243122
Civil Enclave, Bareilly, Pilibhit Road, Mudiya Ahmed Nagar (Near Mayur Van Chetna Kendra), Bareilly, Uttar Pradesh -243122

लेकिन सहकारी या ग्रामीण बैंक नहीं हो। यदि आप जमानत राशि जमा करने में विफल रहते हैं, तो इसे प्रत्येक आर.ए. बिल से उक्त आर.ए. बिल राशि के 10% की दर से सुरक्षा जमा की पूरी राशि की वसूली तक परिस्थितियों के अनुसार एवं प्रभारी अभियंता से निकासी प्रमाण पत्र प्रदान करने उपरांत अंतिम बिल में समायोजित/निपटान करने के लिए वसूल किया जाएगा।

You are requested to deposit the security deposit @ 10% of the contract value which can be in the form of Fixed Deposit Receipt, Insurance Surety Bonds, Account Payee Demand Draft or Bank Guarantee of any scheduled bank but not Co-Operative or Gramin Bank. If you fail to deposit security deposit, the same shall be recovered from each RA bill @ 10 % of the said RA bill amount till realization of full amount of security deposit, to be adjusted/settled in the final bill as per the circumstances and on providing clearance certificate from Engineer-in-charge.

- 5) आपसे अनुरोध है कि 1970 के अनुबंध श्रम (विनियमन और उन्मूलन) अधिनियम और अनुबंध श्रम (विनियमन और उन्मूलन) केंद्रीय नियम 1971, बाल श्रम (निषेध और विनियमन) अधिनियम 1986, भवन और अन्य निर्माण श्रमिकों (रोजगार का विनियमन) के प्रावधानों का अनुपालन करें। सेवा की शर्तें अधिनियम 1996, भवन और अन्य निर्माण श्रमिक कल्याण उपकर अधिनियम 1996, न्यूनतम मजदूरी अधिनियम 1948, ईपीएफ अधिनियम -1952, ईएसआई अधिनियम -1948, और केंद्र और राज्य सरकार के अन्य नियम।

You are requested to comply with the provision of Contract Labour (Regulation & Abolition) Act of 1970 and Contract Labour (Regulation & Abolition) Central Rules 1971, Child Labour (Prohibition & Regulation) Act 1986, Building and other Construction Workers (Regulation of Employment of Conditions of Service) Act 1996, Building and other Construction Workers Welfare Cess Act 1996, Minimum Wages Act 1948, EPF Act-1952, ESI Act-1948, and other rules there of central and state Government.

- 6) ठेकेदार नियमित तथा प्रभावी पर्यवेक्षण को सुनिश्चित करेगा और उनके द्वारा तैनात किये गये कार्मिक पर नियंत्रण एवं ठेके के दायित्वों को पूरा करने के लिए उपयुक्त निर्देश देगा।

The contractor shall ensure regular and effective supervision and control of the personnel deployed by him and gives suitable direction for undertaking the contractual obligations.

- 7) आपको निर्देशित किया जाता है कि तुरन्त प्रभाव से प्रबन्धक (इंजी-सिविल) सिविल इन्क्लेव, बरेली को संपर्क करें जो कि आपको कार्यस्थल सौंपने की व्यवस्था करेंगे।

You are also directed to contact Manager (Engg- Civil), Civil Enclave, Bareilly immediately who will arrange to hand over the site to you.

- 8) कृपया ध्यान दें कि कार्य करने के लिए अनुमत समय **चार (04) माह होगा** और इसकी गणना इस पत्र के जारी होने की तारीख से 10वें दिन से की जाएगी।

Please note that time allowed for carrying out the work shall be **four (04) months** and same shall be reckoned from the 10th day from the date of issue of this letter.

- 9) संविदा के संदर्भ में सामान्यतः कोई भी पत्राचार कार्य प्रभारी अभियन्ता को सम्बोधित करते हुए किया जाना चाहिए। Any further correspondence in connection with the contract should normally be addressed to the Engineer-in charge.

- 10) यह कार्य आदेश अनुबंध समझौते का हिस्सा होगा।

This work order shall form part of the contract agreement.

- 11) ठेके की त्रुटि दायित्व अवधि **बारह महीने** है जो कि कार्य समाप्ति की तिथि से गिना जाएगा।

The defect liability period of the contract is **Twelve Months** which shall be reckoned from the actual date of completion of work.

Handwritten signature and date 18/11/25



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

12) कृपया प्राप्ति की पावती भेजें एवं पत्र कि अनुलिपि जो कि संलग्न है को हस्ताक्षरित कर अधोहस्ताक्षरी को स्वीकृत चिन्ह के रूप में वापस करें।

Please acknowledge the receipt and return the duplicate copy of this letter enclosed herewith after signing it to the undersigned as a token of acceptance.

नोट: यदि हिंदी और अंग्रेजी संस्करण में कोई विसंगति पाई जाती है, तो अंग्रेजी संस्करण का पालन किया जाएगा।

Note: If any discrepancy is observed in Hindi and English version, then English version will be followed.

भवदीय,
Yours faithfully,


19/11/25

(अवधेश अग्रवाल)

(Avdhesh Aggarwal)

उप महाप्रबन्धक (इंजी०-सि०)

Deputy. General Manager (Engg. -Civil)

भा०वि०प्रा०, सिविल एन्क्लेव, बरेली

AAI, Civil Enclave, Bareilly

अध्यक्ष, भारतीय विमानपत्तन प्राधिकरण के लिए व उनकी तरफ से

For & on behalf of the Chairman

भारतीय विमानपत्तन प्राधिकरण

Airports Authority of India

Encl: Price Schedule

Item Rate BoQ

Validate

Print

Help

Tender Inviting Authority: DGM (Engg. Civil), Airports Authority Of India, Civil Enclave, Bareilly

Name of Work: Construction of welcome gate and signages at Moradabad Airport.

Contract No: 2025_AAL_249556_1

SHRI PARAS NATH CONST CO

Name of the Bidder/ Bidding Firm / Company :

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	Quantity	TEXT #	NUMBER #	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	NUMBER #	TOTAL AMOUNT Without Taxes	TEXT #
Sl. No.	Item Description								TOTAL AMOUNT In Words
1	2	4	5	13	2000.00	53	55	INR Ten Thousand & Paise Zero Only	
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (I/c equivalent design mix)	5.00	cum						
2	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge : Bituminous road	32.00	sqm					9600.00	INR Nine Thousand Six Hundred & Paise Zero Only
3	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge : Water bound macadam road	32.00	sqm					5760.00	INR Five Thousand Seven Hundred Sixty & Paise Zero Only
4	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	144.00	cum					33120.00	INR Thirty Three Thousand One Hundred Twenty & Paise Zero Only
5	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	89.00	cum					10680.00	INR Ten Thousand Six Hundred Eighty & Paise Zero Only
6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level. 1:4:8 (1 cement : 4 coarse sand(zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	22.00	cum					121000.00	INR One Lakh Twenty One Thousand & Paise Zero Only

19/11/25
DGM

7	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland / Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works upto plinth level. Concrete of M25 grade with minimum cement content of 330 kg /cum	33.00	Cum	8000.00	264000.00	INR Two Lakh Sixty Four Thousand & Paise Zero Only
8	Centering and shuttering including strutting, propping etc. and removal of form for : (a) Foundations, footings, bases of columns, etc. for mass concrete.	59.00	sqm	320.00	18880.00	INR Eighteen Thousand Eight Hundred Eighty & Paise Zero Only
9	Centering and shuttering including strutting, propping etc. and removal of form for : (a) Columns, Pillars, Piers, Abutments, Posts and Struts.	72.00	sqm	650.00	46800.00	INR Forty Six Thousand Eight Hundred & Paise Zero Only
10	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level. (a) Thermo-Mechanically Treated bars of grade Fe-500D or more.	3557.00	kg	105.00	373485.00	INR Three Lakh Seventy Three Thousand Four Hundred Eighty Five & Paise Zero Only
11	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	18629.00	kg	120.00	2235480.00	INR Twenty Two Lakh Thirty Five Thousand Four Hundred Eighty & Paise Zero Only
12	Providing and fixing mild steel round holding down bolts with nuts and washer plates complete.	200.00	kg	150.00	30000.00	INR Thirty Thousand & Paise Zero Only
13	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M-30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	54.00	sqm	1000.00	54000.00	INR Fifty Four Thousand & Paise Zero Only
14	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not be more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured to calculate volume for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	4.00	cum	7500.00	30000.00	INR Thirty Thousand & Paise Zero Only
15	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	538.00	sqm	105.00	56490.00	INR Fifty Six Thousand Four Hundred Ninety & Paise Zero Only
16	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling / self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	248.00	sqm	550.00	136400.00	INR One Lakh Thirty Six Thousand Four Hundred & Paise Zero Only


 19/11/23
 D. K. B.

17	Providing and fixing pre-coated galvanised steel sheet roofing accessories of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Ridges plain (500 - 600mm)	30.00	mtr	380.00	11400.00	INR Eleven Thousand Four Hundred & Paise Zero Only
18	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	15.00	cum	110.00	1650.00	INR One Thousand Six Hundred Fifty & Paise Zero Only
19	Sign type 1.1 Refer design drawing 1.15, 1.1G Providing and fixing Retroreflective and opaque vinyl on existing portal frame including all operations from fabrication to installation all complete as per drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-in-Charge. All exterior signs should be manufactured considering harsh outdoor conditions, weatherproofing techniques and materials shall be used. Sign face Providing and fixing sign face panels 3 mm thick Aluminium sheet fabrication, Aluminium sheet fixed to sign frame. White retro-reflective vinyl pasted edge to edge over aluminium sheet. Graphics in plotter cut RAL 5013 exterior grade opaque vinyl pasted over white retroreflective vinyl including fixing all accessories such as thimbles, end connectors, nut inserts, screws, rivets, bolts, washers, nuts, etc. complete as per drawing. All hardware to be used for fixing of sign shall be of stainless steel.	42.00	sqm	8000.00	336000.00	INR Three Lakh Thirty Six Thousand & Paise Zero Only
20	Providing Engineering Consultancy services for steel structure and RCC foundation work including soil testing for load bearing capacity with all relevant calculation sheet and design vetted by I.I.T/NIT/any Govt. recognised institute, detailed construction drawings and revision of drawing if required during execution etc. as specified in tender document and any other details related to consultancy work which are essential for successful execution of works etc. all complete as per particular specification and direction of EIC.	1.00	Job	200000.00	200000.00	INR Two Lakh & Paise Zero Only
Total in Figures					3984745.00	INR Thirty Nine Lakh Eighty Four Thousand Seven Hundred Forty Five & Paise Zero Only
Quoted Rate in Words				INR Thirty Nine Lakh Eighty Four Thousand Seven Hundred Forty Five & Paise Zero Only		


 19/11/25
 DCH/E-C

Signature Not Verified

Digitally signed by AVD HESH AGGARWAL

Date: 2026.07.01 14:52:38 IST

Location: eProcurement System for Central PSUs