

संदर्भ संख्या: भाविप्रा/आरपीआर/अभि.(वि)/सीडब्लू/ WO-04/ 2025-26/1782-91 दिनांक: 26.11.2025  
Ref. No.: AAI/RPR/ENGG (E)/CW/WO-04/2025-26/ Date: 26.11.2025

स्पीड पोस्ट / ई-मेल  
**By Speed Post/E-Mail**

सेवा में,

मेसर्स टेक्नो इलेक्ट्रिकल्स,  
एफएफ 19, सुंदरवन कॉम्प्लेक्स, टॉवर बी,  
गोपी पेट्रोल पंप के पास, गोरवा,  
वडोदरा-390016

M/s Techno Electricals,  
FF 19, Sundarvan Complex, Tower B,  
Near Gopi Petrol pump, Gorwa,  
Vadodara - 390016

कार्य का नाम:- एस. वी. एयरपोर्ट रायपुर में हैलोजन टाइप रनवे फिटिंग को एलईडी टाइप रनवे फिटिंग से प्रतिस्थापित करना।

**Name of work:- Replacement of Halogen type Runway Fitting to LED Type Runway Fitting at S.V. Airport Raipur.**

संदर्भ/Ref:- आपकी ई-निविदा जो 12.11.2025 को खोली गई/ Your e-tender opened on 12.11.2025.

महोदय/ Sir,

- उल्लिखित कार्य हेतु आपकी ई-निविदा के संबंध में आपके द्वारा उद्धरीत कुल **रु. 58,87,340.00** (रुपये अठ्ठावन लाख सत्तासी हजार तीन सौ चालीस मात्र) (जी. एस. टी. रहित), जो कि उचित लागत **रु. 1,23,93,328.00** (जी. एस. टी. रहित) की तुलना में **52.50% कम** है।  
Your e-tender for the work mentioned above is hereby accepted on behalf of Chairman, Airports Authority of India, at the item rates quoted by you totaling of **Rs. 58,87,340.00 (Rupees Fifty Eight Lakhs Eighty Seven Thousand Three Hundred Forty Only)** (excluding GST), which is **52.50% below** Justified cost of **Rs. 1,23,93,328.00** (excluding GST).
- वरिष्ठ प्रबंधक (अभि-वि), भाविप्रा, स्वामी विवेकानंदा हवाई अड्डा, रायपुर, उपरोक्त कार्य के प्रभारी होंगे। आपसे निवेदन है कि आप वरिष्ठ प्रबंधक (अभि-वि), भाविप्रा, स्वामी विवेकानंदा हवाई अड्डा, रायपुर, के कार्यालय में दिनांक **06.12.2025** तक उपस्थित रहकर हस्ताक्षर करने तथा करार की कार्यवाही पूर्ण करने का कष्ट करें। ठेका करार का निष्पादन एक सौ रुपए मूल्य के गैर अदालती स्टैम्प पेपर पर किया जाएगा तथा स्टैम्प पेपर का खर्च आपके द्वारा वहन किया जाएगा।

Sr. Manager (Engg-E), AAI, Swami Vivekananda Airport, Raipur, shall be the Engineer - In-charge of the work. You are requested to attend the office of Sr. Manager (Engg-E) AAI, Swami Vivekananda Airport, Raipur by **06.12.2025** to sign and complete the contract agreement. The contract agreement shall be executed on a non-judicial stamp paper of value Rs. 100/- (Rupees one hundred only) and the cost of the stamp paper shall be borne by you.

- कृपया इस पत्र के जारी होने की तिथि से 10 दिनों के अंदर जमानत राशि **रु. 5,88,734.00** (रु. पांच लाख अठ्ठासी हजार सात सौ चौतीस मात्र) जमा करवायें, अन्यथा निविदा के दस्तावेज की शर्त संख्या GCC Clause-1 (A) पृष्ठ 70 के अनुसार आपके रनिंग बिलों से वसूल किया जायेगा।

Please deposit amount of **Rs. 5,88,734.00 (Rupees Five Lakhs Eighty Eight Thousand Seven Hundred Thirty Four Only)** towards Security Deposit within 10 days from the date of issue of this letter, failing which, the same will be deducted from your running bill as per Clause-1 (A) of GCC Page-70 of the Tender Document.

4. आपसे निवेदन हैं कि आप केंद्रीय और राज्य सरकारों के 1970 के अधिनियम अनुबंध श्रम नियम तथा 1971 के केंद्रीय नियम अनुबंध श्रम नियम ;नियमन एवं उन्मूलन एवं केंद्र तथा राज्य सरकार के न्यूनतम वेतन अधिनियम और नियमों के प्रावधानों का अनुपालन करें।

You are requested to comply with the provision of Contract Labour (Regulation and Abolition) Act 1970 and Contract Labour (Regulation and Abolition) Central Rule 1971 and Minimum Wages act and rules thereof of Central and State Governments.

5. आपको यह निर्देश दिया जाता है कि आप तुरंत **प्रबंधक (अभि.वि)**, भाविप्रा, स्वामी विवेकानंदा हवाई अड्डा, रायपुर से शीघ्र मिलें वही आपको साइट सौंपने की व्यवस्था करेंगे।

You are also directed to contact **Manager (Engg-E)**, AAI, S.V. Airport, Raipur immediately who will arrange to handover the site to you.

6. कृपया नोट कर लें कि काम करने का अनुमानित समय **06 (छः) महीने** है जो कि इस पत्र के जारी करने के दसवें दिन से गिना जाएगा।

Please note that the time allowed for carrying out the work shall be **06 (Six) months** and same will be reckoned from the 10<sup>th</sup> day after the date of issue of this letter.

7. एएआई ने ट्रेड्स (TReDs) के तहत एक खरीदार के रूप में पंजीकरण किया है और विक्रेता भारत सरकार की पहल ट्रेड्स (TReDs) का लाभ उठा सकते हैं।

AAI has registered as a buyer under TReDs and vendors may avail the benefits of TReDs, a Government of India initiative and;

8. चलान/दावा जमा करने/ प्रसंस्करण के बाद सरकारी मानदंडों के अनुसार निर्धारित अवधी के भीतर एमएसएमई विक्रेताओं को भुगतान जारी किया जाएगा।

Payment would be released to MSME vendors within stipulated period as per the government norms after submission/processing of invoices/claims.

9. उपरोक्त संदर्भित सभी पत्र इस ठेके का भाग होंगे।

The letters under reference shall form part of Agreement.

10. इस ठेके से संबंधित आगे का कोई भी पत्राचार इंजीनियर-इन-चार्ज के पते पर किया जाएगा।

Any further correspondence in connection with the contract should normally be addressed to the Engineer – in- charge.

11. कार्यआदेश के संबंध में किसी प्रकार की टंकणीय त्रुटि/विसंगति होने पर अंग्रेजी संस्करण मान्य होगा।

With reference to this work order, if in case of any typographical mistake/discrepancy arise, the English version shall prevail.

12. कृपया पावती भेजें।

Please acknowledge the receipt.

धन्यवाद / Thanking you,

**संलग्न : BOQ (03 Pages)**

भवदीय / Yours faithfully,

वरिष्ठ प्रबंधक (अभि.-वि) / Sr. Manager [E-E]

एएआई, स्वामी विवेकानंदा, हवाई अड्डा, रायपुर / AAI, S. V. Airport, Raipur

**Page No. 2/3**

प्रतिलिपि (बाह्य):-

1. श्रम प्रवर्तन अधिकारी (केन्द्रीय) एल-7, डी/6, आदर्श सोसायटी, सेक्टर-1, अवन्ति विहार, रायपुर
2. क्षेत्रीय भविष्य निधि आयुक्त- I, कर्मचारी भविष्य निधि संगठन, (श्रम एवं रोजगार मंत्रालय, भारत सरकार), क्षेत्रीय कार्यालय छत्तीसगढ़, खंड-डी योजना नं. 32, इंदिरा गांधी व्यवसायिक परिसर, पन्डरी, रायपुर, (छ.ग.)

प्रतिलिपि (आन्तरिक):-

1. उप. महाप्रबंधक (सतर्कता), पूर्वी क्षेत्र, भाविप्रा, एन.एस.सी.बी.आई. हवाई अड्डा, कोलकाता

आन्तरिक वितरण:-

(सूचनार्थ)

1. विमानपत्तन निदेशक, स्वामी विवेकानन्द हवाई अड्डा, रायपुर
2. उप. महाप्रबंधक (वित्त), स्वामी विवेकानन्द हवाई अड्डा, रायपुर
3. उप. महाप्रबंधक, (अभि-सिविल), स्वामी विवेकानन्द हवाई अड्डा, रायपुर
4. उप. महाप्रबंधक, (अभि-वि)-I, स्वामी विवेकानन्द हवाई अड्डा, रायपुर
5. उप. महाप्रबंधक, (अभि-वि)-II, स्वामी विवेकानन्द हवाई अड्डा, रायपुर
6. प्रबंधक, (अभि-वि), स्वामी विवेकानन्द हवाई अड्डा, रायपुर

भवदीय / Yours faithfully,

*दिशा  
वित्त (वि)  
28/11/21*

वरिष्ठ प्रबंधक (अभि.-वि) / Sr. Manager [E-E]  
एएआई, स्वामी विवेकानंदा, हवाई अड्डा, रायपुर / AAI, S. V. Airport, Raipur



**AIRPORTS AUTHORITY OF INDIA**  
**ENGINEERING WING (ELECTRICAL)**  
**S.V. AIRPORT, RAIPUR**  
**Schedule of Quantity**

**Name of Work : Replacement of Halogen type Runway Fitting to LED Type Runway Fitting at S.V. Airport Raipur.**

| Sr. No.                   | Discriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Unit | Qty | Rate (Rs.)  | Amount (Rs.)   |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|-------------|----------------|
| 1                         | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 3    | 4   | 5           | 6              |
| <b>SH:- I Only Supply</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      |     |             |                |
| 1                         | Supply of FAA Certified or FAA/ICAO/DGCA-CAR Complied in accordance with FAA Advisory circular with Engineering Brief <b>bi-directional elevated high intensity LED type</b> runway edge light fitting complete with prefocussed LED modules and LED driver suitable for series circuit 2.8 A to 6.6 Amps, clear outer prismatic/glass dome, inner prismatic lens/glass/below colored LED Module holding mechanisam, ball joint for easy levelling, breakable coupling, central column mounting assembly, gaskets, two pin secondary lead plug suitable for connection with isolating transformer, base plate with 6 nos. M-10 stainless steel bolts, spring & plain washers & other accessories etc and conforming to ICAO/ DGCA-CAR requirements.                                                                                                               |      |     |             |                |
| 1.1                       | <b>One clear/White and one Yellow/Amber</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Each | 42  | ₹ 28,000.00 | ₹ 1,176,000.00 |
| 1.2                       | <b>One clear/White and one clear/White</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Each | 74  | ₹ 28,000.00 | ₹ 2,072,000.00 |
| 1.3                       | <b>One red and One yellow</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Each | 4   | ₹ 28,000.00 | ₹ 112,000.00   |
| 1.4                       | Supply of FAA Certified or FAA/ICAO/DGCA-CAR Complied in accordance with FAA Advisory circular with Engineering Brief <b>bi-directional elevated high intensity LED type Runway Threshold cum End light fitting , One red and One green (To serve the purpose of Threshold &amp; End light as per ICAO/FAA/DGCA)</b> complete with pre-focused LED modules and LED driver suitable for series circuit 2.8 A to 6.6 Amps, clear outer prismatic/glass dome, inner prismatic lens/glass/below colored LED Module holding mechanism, ball joint for easy levelling, breakable coupling, central column mounting assembly, gaskets, two pin secondary lead plug suitable for connection with isolating transformer, base plate with 6 nos. M-10 stainless steel bolts, spring & plain washers & other accessories etc. and conforming to ICAO/ DGCA-CAR requirements. | Each | 16  | ₹ 28,000.00 | ₹ 448,000.00   |

| Sr. No. | Discriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unit | Qty | Rate (Rs.)  | Amount (Rs.) |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|-------------|--------------|
| 1       | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 3    | 4   | 5           | 6            |
| 2       | Supply of FAA Certified or FAA/ICAO/DGCA-CAR Complied in accordance with FAA Advisory circular with Engineering Brief <b>Unidirectional Inset type high intensity LED type Runway Wing Bar fittings (Green)</b> complete with LED modules and LED driver suitable for series circuit 2.8 A to 6.6 Amps, lens, support mechanism, lens clamping mechanism, gaskets, two pin secondary leads, suitable base for bottom hole entry and required accessories etc. and conforming to ICAO/ DGCA-CAR requirements.    | Each | 14  | ₹ 35,000.00 | ₹ 490,000.00 |
| 3       | Supply of following FAA Certified or FAA/ICAO/DGCA-CAR Complied in accordance with FAA Advisory circular with Engineering Brief <b>Inset type high intensity LED type Runway Edge Light Bi-directional fittings</b> complete with LED modules and LED driver suitable for series circuit 2.8 A to 6.6 Amps, lens, support mechanism, lens clamping mechanism, gaskets, two pin secondary leads, suitable base for bottom hole entry and required accessories etc. and conforming to ICAO/DGCA-CAR requirements. |      |     |             |              |
| 3.1     | Bi-directional ( Yellow /Red)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Each | 4   | ₹ 35,000.00 | ₹ 140,000.00 |
| 3.2     | Bi-directional ( Yellow /Clear )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Each | 6   | ₹ 35,000.00 | ₹ 210,000.00 |
| 3.3     | Bi-directional ( Clear / Clear )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Each | 15  | ₹ 35,000.00 | ₹ 525,000.00 |
| 4       | Supply of following rating completely enclosed isolating transformer encapsulated in polyster resin finaily moulded in neoprene rubber for use of 6.6 amps series airport lighting circuits having nominal voltage rating of 5KV and all rated for operation on 50 Hz. The transformer shall be water tight and shall be designed for direct burial in the earth or installation in a base confirming to specification as required.                                                                             |      |     |             |              |
| 4.1     | Isolating Transformer 65W 20/6.6A                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Each | 164 | ₹ 2,000.00  | ₹ 328,000.00 |
| 5       | Supply of driver for LED type Elevated Runway Fitting ( Bidirectional ) Input current rating 2.8 to 6.6A suitable for above item no 1.1 to 1.4. complete as required..                                                                                                                                                                                                                                                                                                                                          | Each | 50  | ₹ 2,000.00  | ₹ 100,000.00 |
| 6       | Supply of driver for LED type Insert Runway edge light / Runway wing bar light fitting for Input current rating from 2.8 to 6.6A as specified below, complete as required..<br>A) Driver for 1 lamp LED Inset suitable for item No 2:- 5Nos<br>B) Driver for 2 lamp LED inset suitable for Item No 3.1 to 3.3:- 45 Nos                                                                                                                                                                                          | Each | 50  | ₹ 5,000.00  | ₹ 250,000.00 |

| Sr. No.                                                                                                                                                                                           | Discriptions                                                                                                                                                                                                                                                                                            | Unit | Qty | Rate (Rs.) | Amount (Rs.)   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|------------|----------------|
| 1                                                                                                                                                                                                 | 2                                                                                                                                                                                                                                                                                                       | 3    | 4   | 5          | 6              |
| 7                                                                                                                                                                                                 | Supply of LED Modules and Base for LED type Elevated Runway Fitting ( Bidirectional ) suitable for above item no 1.1 to 1.4. completed as required.<br>a. Red 10Nos.<br>b. Yellow 20Nos.<br>c White 40 Nos.                                                                                             | Each | 70  | ₹ 500.00   | ₹ 35,000.00    |
| Total SH - I (A)                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                         |      |     |            | ₹ 5,886,000.00 |
| SH:-II ITC                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                         |      |     |            |                |
| 8                                                                                                                                                                                                 | Installation, testing & commissioning of Elevated and Insert type approach / runway edge / threshold / Wing Bar / end / taxiway light fixtures/ Runway Guard light on existing transformer housing boxes / shallow base i/c supply of all materials except isolating transformer & complete as required | Each | 134 | ₹ 5.00     | ₹ 670.00       |
| 9                                                                                                                                                                                                 | Dismantling, Removing of existing Runway halogen type edge light fitting i/c Transformer etc. and Shifting to Electrical GLF Store as per complete required.                                                                                                                                            | Each | 134 | ₹ 5.00     | ₹ 670.00       |
| Total SH - II (B)                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                         |      |     |            | ₹ 1,340.00     |
| Total C= A+B                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                         |      |     |            | ₹ 5,887,340.00 |
| Total Say                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                         |      |     |            | ₹ 5,887,340.00 |
| Rupees in Words : Fifty Eight Lakhs Eighty Seven Thousand Three Hundred Forty Only.                                                                                                               |                                                                                                                                                                                                                                                                                                         |      |     |            |                |
| <div style="text-align: right;"> <br/> <b>Sr. Manager (E-E)</b><br/> <b>AAI, S.V. Airport, Raipur</b> </div> |                                                                                                                                                                                                                                                                                                         |      |     |            |                |