

वाहन निर्माणी जबलपुर
आर्मर्ड व्हीकल्स निगम लिमिटेडकी इकाई
भारत सरकार का उद्यम
रक्षा मंत्रालय

VEHICLE FACTORY JABALPUR
UNIT OF ARMoured VEHICLES NIGAM LIMITED
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE

CIN-U35990TN2021GOI145504

CA No.06/Engg/VFJ/25-26/EOC

Dt. 25/07.2025

Vehicle Factory Jabalpur
Jabalpur State-Madhya Pradesh. Pin-482009

ACCEPTANCE LETTER No: 208/RD 2413/2025-26/EOC/VFJ

To,
M/s Amit Construction,
Plat No. 38, Vikas Nagar,
Ranjhi, Jabalpur- 482005

Dear Sir,

Type of Work: Item Rate

Sub: - Repair/Renovation of Conference Halls at admin block inside factory at VFJ.

Ref: - Tender Ref. No: RD-2413/VFJ and Tender ID No. 2025_AVNL_229225_1

For and on behalf of the President of India, I hereby convey the acceptance of your tender by the competent financial authority for the above mentioned work for a total value of Rs. **22,10,205.00 (Rupees Twenty-Two Lakhs Ten Thousand, Two Hundred Five point zero zero only)** and order the services detailed in the schedule enclosed herewith at the item rates quoted by you in Schedule 'A' of the Tender documents as per the terms, conditions and specifications laid therein. List of items, to be issued by factory, is given in Schedule 'B'.

- The contract is allotted with No. **06/Engg/VFJ/25-26/EOC Dated 25/07/2025** which will have to be quoted by you in all future correspondence in connection with this contract.
- In accordance with condition No. 22 of the General Condition of Contract (IAFW-2249), please submit the security deposit of Rs. 1,26,200/- (Rupees One Lakhs Twenty-Six Thousand Two Hundred Only) in favour of "CGM, Vehicle Factory Jabalpur" as mentioned in tender condition.
The maturity date of Security Deposit shall be minimum $12 + 2 = 14$ months from date of the completion of contract.
- The contract shall be governed by the terms and conditions as per the contract documents enclosed and general condition of contract MES IAFW 2249. The deviation limit shall be as per the clause No. 19.1.1 & 19.1.2 of MES Contract Manual (latest revision).
- Shri Ashok Kumar Agarawal, AWM/DO/PROD2 (SBU2), Shri Rahul Kumar, JWM/CM, Shri Shailendra Singh, JWM/CMS & Shri Saurabh srivastava, CM/CM are nominated as Engineer-in-Charge, Site in-charge (Civil), Site in-charge (Electrical) & Safety-in-Charge for the subject work respectively.
- You are requested to contact the Engineer-in-Charge within 7 days of receipt of this letter for taking over of site and to make time and progress chart. You will also maintain wage-cum-muster roll and all other records as required in Contract Labour Rules and Acts.
- Please acknowledge receipt of this letter and return two copies duly signed by you in proof of acceptance within seven (07) days from the date of receipt of this communication.

Copy to:

- F & A Section
- Shri Ashok Kumar Agarawal, AWM/DO/PROD2 (SBU2)
- Shri Rahul Kumar, JWM/CM
- Shri Shailendra Singh, JWM/CMS
- Shri Saurabh srivastava, CM/CM

M/s. AMIT CONSTRUCTION
Plat No. 38, Vikas Nagar,
Ranjhi, Jabalpur- 482005
(ठेकेदार)

(राहुलशर्मा)
जारीकर्ता अधिकारी, उपमहाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS: HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail: info@avnll.co.in
वेबसाइट/ Website: avnll.co.in

वाहन निर्माणी जबलपुर
आर्मर्ड व्हीकल्स निगम लिमिटेडकी इकाई
भारत सरकार का उद्यम
रक्षा मंत्रालय

VEHICLE FACTORY JABALPUR
UNIT OF ARMOURD VEHICLES NIGAM LIMITED
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE

CIN-U35990TN2021GOI145504

CA No.06/Engg/VFJ/25-26/EOC

Dt. 25.07.2025

IN LIEU OF IAFW-1823(REVISED)
CONTRACTORS' ORDER SHEET

Work Order/Deviation Order No.	06/25-26
Acceptance letter No.	208/RD2413/2025-26/EOC/VFJ
Contractor's Name	M/s Amit Construction, JBP
Name of the work	Repair/Renovation of Conference Halls at admin block inside factory at VFJ.
CA amount	22,10,205.00

PARTICULARS

1. Authority	CWC decision No. CWC-I
2. Time effect	
a. Date of handing over of the site	28/07/2025
b. Date of commencement of work	28/07/2025
c. Date of Completion as per contract	24/03/2026
d. Date for completion shown in previous Orders	NA
e. Revised date of completion	NA
3. Financial effect (Rs.)	
a. Present order	22,10,205.00
b. Contract amount as adjusted by previous orders	NA
c. Contract amount adjusted up to and including this order	NA
4. Expenditure to be booked under code Head No	809/01
5. Certified that no special rate is involved	
6. Technical Examiner	Shri K K Likhania, Jt.GM
7. Approved	Shri Rahul Sharma, DGM
8. Accepted	M/s Amit Construction, JBP

Distribution to: --

- 1.M/s Amit Construction, JBP
- 2.F&A section
3. Sr. Security Officer
4. Shri K K Likhania, Jt.GM (TE)
5. Shri Ashok Kumar Agarawal, AWM (EIC)
6. Shri Rahul Kumar, JWM/CM (SIC-Civil)
7. Shri Shailendra Singh, JWM/CMS (SIC- Electrical)
8. Shri Shri Saurabh srivastava, CM/CM (Safety-in-Charge)
9. Internal Audit cell, Test Audit, ALWC
10. Safety Officer
- 11 DGM/GO/ HR-I, IMS & Estate Officer

M/s. AMIT CONSTRUCTION
Plot No. 30, Phase V, JBP
मेसर्स अमित कंस्ट्रक्शन, जबलपुर
(ठेकेदार)

(राहुल शर्मा)
जारीकर्ता अधिकारी, उप महाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS: HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail: info@avnI.co.in
वेबसाइट/ Website: avnl.co.in

वाहन निर्माणी जबलपुर
आर्मर्ड व्हीकल्स निगम लिमिटेडकी इकाई
भारत सरकार का उद्यम
रक्षा मंत्रालय

VEHICLE FACTORY JABALPUR
UNIT OF ARMoured VEHICLES NIGAM LIMITED
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE

CIN-U35990TN2021GO145504

CA No.06/Engg/VFJ/25-26/EOC				Dt. 25.07.2025	
SCHEDULE – "A"					
Item Code	Item description	Quantity	Unit	Rate / Unit	Total Cost
1	Labour for taking down of wall paneling and similar work and removing to store.	200.00	Sqm	30.00	6000.00
2	Labour for Dismantling wall and ceiling boards (fiber, pulp, insulation, etc.) or insulation boards / slabs / blankets, any thickness, including cover fillets.	200.00	Sqm	50.00	10000.00
3	Labour for Dismantling timber scantling 40 sqcm and over in section, in any position for framed work.	3.00	Cum	1000.00	3000.00
4	Labour for Taking down cement or cement lime plaster, any description including raking out joints, hacking for key, scrubbing down with water, etc.	20.00	Sqm	180.00	3600.00
5	M&L for rendering 15mm thick cement plaster on fair faces of brick work or concrete surfaces in 1:6 cement mortar and rendering is to be finished even and smooth without using extra cement.	20.00	Sqm	400.00	8000.00
6	S & F of Hangers 6 mm dia. G.I. (upto 1200mm length) adjusting level fixed to roof slabs by means of ceiling cleats made out of G.I. flat 40 x 3 mm size 60mm long and expansion hold fasteners 12.5mm dia. 40mm long complete all as specified, Size of grid 605 x 605mm.	250.00	Sqm	350.00	87500.00
7	S & F of Anodisedaluminium snap grid frame work for false ceiling all as specified, Size of grid 605 x 605mm.	250.00	Sqm	280.00	70000.00
8	M & L for 4mm Non asbestos fibre cement building boards fixed or laid/ inserted to timber/GI/Aluminium framework with screws, fixed in ceiling, flat or sloping.	250.00	Sqm	300.00	75000.00
9	M & L for Two Coat of Plastic Emulsion on Surfaces of any description over 10cm girth or width, not otherwise described	80.00	Sqm	70.00	5600.00
10	Labour for Dismantling of wrought iron or mild steel work of any description not otherwise provided for	3.50	Per Quintal	1100.00	3850.00
11	S & F of Framed work such as grills, gratings, etc. with ends of bars shouldered and/or riveted, or forged into spikes; framed guard bars; barred iron doors; ladders; framed balusters; walk ways; railings; framework of water tanks and similar work conforming to Fe.290.Gde-E-165.	750.00	KG	160.00	120000.00
12	M&L for preparation of New previously or untreated iron surfaces of any description over 10cm in width or girth not otherwise described and painting two coats of synthetic enamel (ordinary tinted) paint with one coat of Red oxide zinc chrome as per SSR specification. (Paint /Primer:- Asian, Burger, Nerolac, indigo).	50.00	Sqm	120.00	6000.00
13	S & F of Powder coated aluminium (minimum thickness of powder coating 50 micron and minimum thickness of Aluminium section is 1.5 mm) Frame work for doors, windows, ventilators and partitions (Fixed portions) with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS:1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-Charge.	170.00	Kg	450.00	76500.00

M/s. AMIT CONSTRUCTION
Plot No. 10, Vill. 45, Jabalpur
*** प्रमुख अधिकारी, उप महाप्रबंधक, (डेकेदार)

Roh
(राहुलशर्मा)
जारीकर्ता अधिकारी, उप महाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS: HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail: info@avnrl.co.in
वेबसाइट/ Website: avnrl.co.in

वाहन निर्माणी जबलपुर
आर्मर्ड व्हीकल्स निगम लिमिटेडकी इकाई
भारत सरकार का उद्यम
रक्षा मंत्रालय

VEHICLE FACTORY JABALPUR
UNIT OF ARMoured VEHICLES NIGAM LIMITED
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE

CIN-U35990TN2021GOI145504

CA No.06/Engg/VFJ/25-26/EOC				Dt. 25.07.2025		
Item Code	Item description	Quantity	Unit	Rate / Unit	Total Cost	
14	S & F of Powder coated aluminium (minimum thickness of powder coating 50 micron minimum thickness of Aluminium section is 1 mm) for shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber/neoprene gasket required (Fittings shall be paid for separately) with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS:1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ paneling, C.P. brass/ stainless steel screws all complete as per architectural drawings and the directions of Engineer-in-charge.	190.00	Kg	450.00	85500.00	
15	S & F of Sheet glass 4.0 mm thickness, ordinary quality and glazing in Al-Frame Such as Door, Window, partition etc in square exc 0.5 sq. m in each pane.	50.00	Sqm	500.00	25000.00	
16	S & F of Aluminium alloy wire cloth, 0.45mm nominal dia of wire and average width of aperture 1.40mm and fixed with aluminium wire staples	25.00	Sqm	500.00	12500.00	
17	S & F of Solar control film 50 micron reflective type stuck to glass panes Exc 1.5 sqm as per instructions of manufacturers	50.00	Sqm	500.00	25000.00	
18	Roughening surfaces of old concrete floor by picking, sweeping clean and washing down with water to remove existing old treatment, dust, etc.	410.00	Sqm	100.00	41000.00	
19	M & L for 20 mm thick Granite (of any type) work (table rubbed, polished and nosing of stair step) in steps, jambs, pillars, window- cills, cooking platforms and like in cement mortar (1:4) including laying and pointing in white cement (1:2) using marble dust with admixture of pigment to match with shade of granite.	30.00	Sqm	2500.00	75000.00	
20	M & L for Dark Shade/Double charged/ ultracharged Vitrified Ceramic tiles 10 mm thick (square/ rectangular) polished, area of each tiles exceeding 0.42 sqm but not exceeding 1.00 sqm., in floors etc. set and jointed with adhesive favimate, Andura or laticrete and pointed in white or coloured cement to match (Make :- Kajaria, Somany, Cera, Johnson, Simpolo, Vermora).	250.00	Sqm	1750.00	437500.00	
21	S & F of Solid PVC Wall Lining consisting of 5mm thick Plain colour PVC sheet wood grain printed PVC sheet used instead of plain colour sheet inclusive of solvent cement and fixing at site on PVC frame as per specifications and drawing	240.00	Sqm	1500.00	360000.00	
22	S & F of 5mm thick PVC sheet fillet of width 35mm for wall paneling inclusive of fixing on to wall to make PVC Frame as per specification and drawing	900.00	RM	180.00	162000.00	
23	S & F of 12 MM Toughened glass (With AVNL Logo as per directed by EIC) as in hinged doors, partitions automatic doors and similar work including cutting to shape, drilling holes required.	6.00	Sqm	3500.00	21000.00	
24	M & L for Double action floor spring hydraulically regulated made up of minimum 1.25 mm thick aluminium alloy sheet foundation box, main body with stainless steel cover, governing pivot made of brass, other parts made of mild steel heavy duty and fixed for toughened glass doors including Cutting/demoliting of existing floor and making good all complete and as directed by EIC.	4.00	Each	4350.00	17400.00	

M/S. AMIT CONSTRUCTION
Plot No. 32, Vikas Nagar
Manikpur, Jabalpur
मेसर्स अमित कंस्ट्रक्शन, जबलपुर
(डिरेक्टर)


(राहुलशर्मा)
जारीकर्ता अधिकारी, उप महाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS: HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail: info@avnl.co.in
वेबसाइट/ Website: avnl.co.in

वाहन निर्माणी जबलपुर
आर्मर्ड व्हीकल्स निगम लिमिटेडकी इकाई
भारत सरकार का उद्यम
रक्षा मंत्रालय

VEHICLE FACTORY JABALPUR
UNIT OF ARMoured VEHICLES NIGAM LIMITED
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE

CIN-U35990TN2021GOI145504

CA No.06/Engg/VFJ/25-26/EOC				Dt. 25.07.2025	
Item Code	Item description	Quantity	Unit	Rate / Unit	Total Cost
25	S & F of Stainless steel decorative Handles of Size 300-600 mm length for Toughened glass door as approved by EIC.	8.00	Each	2100.00	16800.00
26	S & F of locks for Toughened glass door.	2.00	Each	1800.00	3600.00
27	Removing building materials to a distance of 1.0 KM beyond the lead including in the rays including loading and staking at the destination as directed.	5.00	Per Load	1000.00	5000.00
28	Taking down carefully copper/aluminium point wiring (light, fan, socket or power) complete, (fittings such as switches, ceiling roses, pendants, regulators sockets etc. to be measured separately), removing materials to store for keeping in safe custody for reuse at site and making good disturbed surfaces of walls, floors, etc.	125.00	Point	40.00	5000.00
29	Cutting chases, pinning in, making good to facings where required and pointing in cement mortar 1:3 to ends or edges of landings, steps, cills, sunshades, shelves, lintels, etc.; and cutting chases for concealed water tubing or concealed conduit wiring, etc. and making good, cutting exceeding 20cm girth in brick wall.	310.00	RM	80.00	24800.00
30	S & F of Wiring for circuit/submain wiring alongwith earth wire with the 2x6.0 sq. mm + 1x4.0 sq. mm earth wire sizes of FR is PVC insulated copper conductor, single core cable in surface/ recessed as required in PVC conduit.	75.00	RM	275.00	20625.00
31	S & F for Wiring for circuit/submain wiring alongwith earth wire with the 2x4.0 sq. mm + 1x4.0 sq. mm earth wire sizes of FR is PVC insulated copper conductor, single core cable in surface/ recessed as required in PVC conduit	435.00	RM	180.00	78300.00
32	S & F of Sheet Metal Enclosures For DB'S When MCBs To Be Used, Triple pole and neutral, 6 way double door with 200 amps, 415V rated bus bar.	4.00	Each	5400.00	21600.00
33	Supply and fixing amp rating 240V, 10KA 'C' curve miniature circuit breaker (MCB) of following poles and current carrying capacity in the MCB DB complete with connection testing and commissioning: SP 6 To 32 AMP	42.00	Each	150.00	6300.00
34	Supply and fixing amp rating 240V, 10KA 'C' curve miniature circuit breaker (MCB) of following poles and current carrying capacity in the MCB DB complete with connection testing and commissioning. SPN 40 to 63 AMP	18.00	Each	450.00	8100.00
35	M & L for Point wiring for one light point or one fan point controlled by one switch with pvc single core sheathed copper conductor FRLS cables 1.5 sq. mm size in pvc conduit.	88.00	Point	450.00	39600.00
36	M & L for Point wiring for One 3 pin socket outlet 5A on the same board with other switches with pvc single core sheathed copper conductor FRLS cables 2.5 sq. mm size in pvc conduit.	55.00	Point	150.00	82250.00
37	M & L for Point wiring for One 3 pin socket outlet, 15 amps, independent, with cables 4 sq. mm size with pvc single core sheathed copper conductor FRLS cables in pvc conduit.	28.00	Point	1300.00	36400.00
38	S & F Socket, 6A - 2/3 pin combined 2 module	58.00	Each	150.00	8700.00
39	S & F Socket 6A/16A - 2/3 pin combined 2 module	28.00	Each	220.00	6160.00
40	M & L Modular switch 1 way 10A, 1 module.	143.00	Each	75.00	10725.00
41	M & L Modular switch 1 way 16A, 1 module	4.00	Each	120.00	480.00
42	M & L for Ceiling rose, 3 phase/PVC/ polycarbonate, isolated body	25.00	Each	40.00	1000.00
43	S & F of Junction boxes (1 to 4 way) 32mm External dia.	50.00	Each	40.00	2000.00
44	S&F of Modular White Cover Plate With Frame, 6 module	63.00	Each	175.00	11025.00
45	S&F of Modular Metal flush Box, 6 module	63.00	Each	80.00	5040.00

M/s. AMIT CONSTRUCTION
Plot No. 33, Vikas Nagar
Chennai, Tamil Nadu
मैसर्स अमित कंस्ट्रक्शन, जबलपुर
(ठेकेदार)

Re
(राहुलशर्मा)
जारीकर्ता अधिकारी, उप महाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS : HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail : info@avnll.co.in
वेबसाइट/ Website: avnll.co.in

CIN-U35990TN2021GOI145504

CA No.06/Engg/VFJ/25-26/EOC				Dt 25.07.2025	
Item Code	Item description	Quantity	Unit	Rate / Unit	Total Cost
46	S & F of Sheet Metal Enclosures For DB'S When MCBs To Be Used, Triple pole and neutral, 12way double door with 200 amps, 415V rated bus bar.	2.00	Each	7000.00	14000.00
47	Supply and fixing 415V 10KA 'B' curve miniature circuit breaker (MCB) of following poles and current carrying capacity in the DB complete with connection testing and commissioning. TPN/FP 40 to 100 AMP	10.00	Each	1800.00	18000.00
48	M&L for MCCB 4 Pole, 415 V, Adjustable type, 160 Amps with breaking capacity 36 KA	4.00	Each	7500.00	30000.00
49	M&L for 6 Watt ceiling Speaker for PA system.	12.00	Each	1300.00	15600.00
50	Supply and fixing of LED luminaire 600 mm x 600 mm,35/36 watt, 220 V AC recessed type with high efficiency PMMA diffuser soft glare free light complete with driver, holders & LED lamp suitable for roof ceiling including connecting up with driver three core flexible copper conductor cases of suitable size complete.	38.00	Each	2300.00	87400.00
51	(Buy Back Items) Dismantled MS/Aluminium Window with Glass in any condition. (-)	-25	Each	150.00	-3750.00
52	(Buy Back Items) Dismantled wooden/any material of old False ceiling and wall Paneling with any type of frame work in any condition. (-)	-500	Sqm	15.00	-7500.00
Total value of Items of Items Rs.					22,10,205.0
As Taxes as applicable					0.00
Gross Rs.					22,10,205.0

TERMS & CONDITIONS:

1. Special Condition: The Material required for the subject work which be brought inside the factory by the contractors, should be noted along with challan/ vouchers etc. and a copy of the same are to be given to the engineering office for record and copy to be submitted by the contractors along with the bill while claiming the payment.
2. Payment Clause: The contractor has to pay the minimum daily wages to the High skilled/skilled/semi-skilled/unskilled labourer engaged in their work as specified by the Government, latest rate and displayed in the wages notice Board at factory. Contractor has to maintain a record of worker's attendance and wages paid to them.
3. Safety Clause: Annexure-B of MES Safety Code, IAFW 2249 must be observed in general. Work Permit shall be obtained for overhead/hazardous work condition. All the safety precautions/measures have to be taken by the contractor. However, a few points of safety measures to be followed for working at height and on the roof are mentioned here by: -

Use of safety belt and helmet of proper quality is mandatory for all workers working on roofs at height of above 5.00 meters and also in the underground areas. Safety belt with life line should be properly tied at some firm support in

- i. In case any difficulty is faced in proper fastening and securing of safety belt, a safety net may be provided below the work spot so that in case of accident fall, there might not be any fatality.
- ii. A crawling ladder or roof walker must be used for movement on Asbestos/CGI roofing.
- iii. Work Permit system should be followed in proper spirit. Contractors shall start the work after obtaining the Work Permit, wherever applicable. Contractor's supervisor and site-in-charge should brief on safety precautions to be observed by the workmen before start of the work. The workers should be clearly explained about the danger of standing or sitting on an apparently stout & new and neat looking asbestos/CGI sheet which is intrinsically weak.
- iv. The contractor shall clear the site after completion of work.
- v. The contractor must employ the labour force duly insured against life risk.
- vi. The contractor shall ensure compliance of all applicable statutory rules and regulations.

M/s. AMIT CONSTRUCTION
Plot No. 10, Vikas Nagar
आर्मर्ड वाहन निर्माणी, जबलपुर
(ठेकेदार)

Rel
(राहुल शर्मा)
जारीकर्ता अधिकारी, उप महाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS: HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail: info@avnli.co.in
वेबसाइट/ Website: avnli.co.in

वाहन निर्माणी जबलपुर
आर्मर्ड व्हीकल्स निगम लिमिटेडकी इकाई
भारत सरकार का उद्यम
रक्षा मंत्रालय



VEHICLE FACTORY JABALPUR
UNIT OF ARMoured VEHICLES NIGAM LIMITED
A GOVT. OF INDIA ENTERPRISE
MINISTRY OF DEFENCE

CIN-U35990TN2021GOI145504

CA No.06/Engg/VFJ/25-26/EOC

Dt. 25.07.2025

4. DEVIATION CLAUSE:
- (i) $\pm 50\%$ of value of individual item other than freakishly rate quoted items.
 - (ii) For freakishly higher or lower rate quoted items it shall be $\pm 25\%$.
 - (iii) 10% of Work Order value (Contract value maximum Rs. 10 lakhs)
10% of Work Order value (Contract value exceeding Rs. 10 lakhs)

M/s. AMIT CONSTRUCTION
No. 38, Vikas Nagar
Jabalpur
मेसर्स अमित कंस्ट्रक्शन, जबलपुर
(डेकेदार)

(राहुलशर्मा)
जारीकर्ता अधिकारी, उप महाप्रबंधक
कृते मुख्य महाप्रबंधक

वाहननिर्माणीजबलपुर / Vehicle Factory Jabalpur
पिन - 482009 / Pin - 482009
दूरभाष सं/ PHONE NO. : 0761-2330520
फैक्स/ FAX - 0761-2330436
ईमेल/Email - vfj@ord.gov.in

पंजीकृत पता : भा.वा.नि. रोड, आवडी, चेन्नई-600 054
REGD. ADDRESS: HVFROAD, AVADI, CHENNAI-600 054
दूरभाष सं/ PHONE NO. : 044-26360050
ईमेल/ E-Mail: info@avnf.co.in
वेबसाइट/ Website: avnf.co.in

