

- 1 -

2nd Minutes of Meeting held on 08.09.2025 at 03:00 PM under the Chairmanship of Worthy Chief Engineer (NH) for the Technical Evaluation of work of Construction of 6 lane VUP at Junction of NH-148B (4-L) and NH-709E (4-L) on Bhiwani Bypass Bhiwani in Bhiwani District. Job No.NH-148B & 709E-HR-2024-25-427 dated 27.01.2025. Sanctioned Cost : Rs.54.65 Crore (Amount put to tender : Rs.4229.36 lacs (Exclusive G.S.T.))


A meeting of the Technical Evaluation Committee was held on 08.09.2025 to evaluate the technical bids w.r.t. tender for the work cited as subject. The following members were present:-

1.	Chief Engineer (NH), Haryana PWD B&R, Chandigarh	Chairman
2.	Superintending Engineer, N.H. Circle, PWD B&R Br., Jind	Member
3.	Executive Engineer, Regional Office, MoRT&H Chandigarh	Member
4.	Executive Engineer, Provl. Divn. No.3 (NH), PWD B&R Br., Rohtak	Member Secretary
5.	Chief Account Officer (CAO), Haryana PWD B&R, Chandigarh	Member




At the onset, Chief Engineer (NH) Haryana welcomed the participants. Thereafter, the Member Secretary apprised that the technical evaluation of the bidders was carried out in the 1st meeting of the Technical Evaluation Committee (TEC) held on 25.08.2025. It was unanimously decided by the members of Technical evaluation committee w.r.t. technical non-technical responsiveness that the clarification will be sought from all the non-responsive bidders after giving them notices. Further, the clarifications were sought from all the 08 (number) participant bidders through email by the Member Secretary on dated 26.08.2025 as decided in the 1st meeting of TEC dated 25.08.2025 & requested that the clarification may be submitted within week i.e. upto 01.09.2025 (17:00 Hrs.) to S.E. (NH) Circle, PWD B&R Branch, Jind office email ID sejindpwd@gmail.com and Member Secretary office email ID pwdeepd3nhrtk1@gmail.com in-compliance of RFP Section-3.

In response, 07 (seven) participant bidders have submitted their clarification except 01 (One) participant bidder i.e. MD Infra India Pvt. Limited, 1984, E, F-1, Karekar Sankul, Rajarampuri LN 10, Kolhapur (MH)-416008 in specified time. The same were discussed & deliberated in the meeting is as follows :-

Sr. No.	Name of agency	Observations	Clarification submitted by the bidder	Remarks
1.	Krishan Kumar Contractor, H.No.336, DC Colony Bhiwani-127021 (Haryana)	Non-Responsive due to following shortcomings as per RFP documents:- (i) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1.	Clarification submitted by the bidder vide his office Ref. No.KC/25-26/01 dated 01.09.2025 is reproduced as under :- (i) Proof of Category-III Digital Signature Certificate (DSC) is enclosed in the Bidder Details which is also submitted in the Bid as well. Now again we are attaching the same for your ready reference. (Technical Bid Page No.23) (Annexure-I).	The clarification has been considered as per Section - 3 of RFP. (i) Found in order.



	(ii) The Structure length of ROB is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP(Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.	(ii) In compliance with the letter No. RW/NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.2025 of the Ministry, New Delhi Office and the corrigendum of this office dated 09.05.2025, the length of the ROB structure is not mentioned in the attached completion certificate of similar work. Because the format of the Department completion certificate was given like this, but now we have requested the department to get the length of the structure of ROB mentioned in the completion certificate, which we have done in this project. Amended completion certificate, we are attaching the same for ready reference. Kindly consider us as technically responsive for the above said project. (Annexure-II).	(ii) Found in order.
	(iii) Considered as non-local supplier as the certificate of local content requirement for 'Class-I Local Supplier'/ 'Class-II Local Supplier' duly certified by the Chartered Accountant is not attached in-compliance of RFP clause No.2.11.1 (o) and MoRT&H New Delhi office letter No.RW/NH-33044/88/2021-S&R(P&B)/DNT (215840) dated 17.01.2022. Hence, the clarification is required.	(iii) In the above tender, the cost of purchasing local material is going to be less than Rs.10 Cr. and we have submit, along with its technical BID, a self-certification that the item offered meets the local content for 'Class-1 local Supplier'/ 'Class-II local Supplier'. The self certification also have details of the location(s) at which the local value addition is made. (Technical Bid Page No. 323 to 325) (Enclosed Annexure-III). We hereby submit that it was a clerical mistake, while compressing the file for uploading on the portal, 'Class-1 Local Supplier'/'Class-II Local Supplier' duly certified by Chartered Accountant was	(iii) Found in order.

			omitted by mistake, we are submitting 'Class-I Local Supplier'/ 'Class-II Local Supplier' duly certified by Chartered Accountant for your further perusal. And our Head office is also in Bhiwani and this project is also in Bhiwani (Annexure-IV).	
2.	Silica Infra Private Limited, Plot No.32, Second Floor Community Centre, Basantlok, Vasant Vihar, New Delhi-110057	Non-Responsive due to following shortcomings as per RFP documents :- (i) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1. (ii) The Structure length of Flyover is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.	Clarification submitted by the bidder vide his office Ref. No.SIPL/MoRT&H/ HR/2025-26/09-01 dated 01.09.2025 is reproduced as under :- (i) This is to clarify that the document was inadvertently missed during file merging. We are enclosing the Proof of Class-III Digital Signature Certificate (DSC) confirming the same and attached herewith as Annexure-A. (ii) This is to certify that the structure length of Flyover is clearly mentioned in the client completion certificate attached on page no.62 of file namely "techbid_bhiwani_flyover" which clearly shows the structure length of flyover i.e. 36 Mtr. Hence the same is attached herewith again as Annexure-B.	The clarification has been considered as per Section - 3 of RFP. (i) Found in order (ii) Not found in order as the span length of flyover i.e. <u>36m</u> is mentioned in the attached completion certificate of similar nature work but the structure length of flyover is not mentioned.
3.	Tripatra India Private Ltd., House No.1551, Sector-15, Faridabad, Haryana, India-121007	Non-Responsive due to following shortcomings as per RFP documents :- (i) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1.	Clarification submitted by the bidder vide his office Ref. No.TIPL-B&R/HR-PWD/2025-26/01 dated 01.09.2025 is reproduced as under :- (i) Proof of Class-III DSC attached. (Pg. No.01)	The clarification has been considered as per Section - 3 of RFP. (i) Found in order.

		(ii) The Structure length of Major Bridge is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (Computer No. 248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025. (iii) The undertaking given by the bidder is not as per requirement of RFP Clause No.2.11.2 (h).	(ii) Structure length of Major Bridge mentioned in the attached completion certificate of similar nature work is attached herewith. (Pg. No.02) (iii) We clarify that the undertaking submitted by us was as per clause 2.11.2 (h) at the time of bidding, we agree and abide by the documents uploaded by MoRT&H and amendments uploaded. However, we hereby attached a new undertaking as per the RFP Clause No.2.11.2 (h). (Pg. No.3)	(ii) Found in order. (iii) Found in order.
4.	Tomar Construction Company, 301, 3rd Floor Aggarwal Complex, Plot No.C1, A-1B-Block Janakpuri, New Delhi - 110058	Non-Responsive due to following shortcomings as per RFP documents :- (i) The undertaking regarding details of updated on-going process of blacklisting under any contract with Authority/ Government is not attached in-compliance of RFP clause No.2.1.14.	Clarification submitted by the bidder vide his office Ref. No.TCC/Tender/BhiwaniBypass/2025-26/10 dated 29.08.2025 is reproduced as under :- (i) Regarding Undertaking for Details of updated on-going process of blacklisting under any contract with Authority/Government it is clarified that we have attached an Undertaking on Page No.92 & 93. It can be seen from the para 3 of the undertaking that <i>"The Company has never been blacklisted/ barred by Central/ State Government, or any entity controlled by it, from participating as on the date of application or at any</i>	The clarification has been considered as per Section - 3 of RFP. (i) Found in order.

[Handwritten signature]

[Handwritten signature]
26/09

[Handwritten signature]

		(ii) The Structure length of ROB is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/ 2025-BP&SP (Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025	time in the past. That in past, the company has never failed to perform any contract, nor has it expelled from any project or contract by any public authority and nor has any contract been terminated by any entity". It is again confirmed that there is no ongoing process of blacklisting under any contract. (ii) Regarding Length of the Structure of ROB, it is submitted that we have attached Experience Certificate at Page No.62 & 64. It can be seen from the certificate that the Length of the Structure of ROB is 25+30+25 Mtr. The length of the Structure such as VUP/LVUP is also mentioned in the certificate. The Length of the Approaches including structure is 6289 mtr.	(ii) Not found in order as the Structure length of ROB (similar nature of work) has not been clarified by the bidder in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (ComputerNo.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.25
5.	MD Infra India Pvt. Limited, 1984, E, F-1, Karekar Sankul, Rajarampu ri LN 10, Kolhapur (MH)-416008.	Non-Responsive due to following shortcomings as per RFP documents :- (i) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1. (ii) The Span length, Structure length and Separate amount of VUP is not mentioned in the attached	(i) No clarification received from the bidder. (ii) No clarification received from the bidder.	Previous decision taken by TEC in the 1st meeting was held on 25.08.2025 is retained same and reproduced as under:- (i) Not found in order as the Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1. (ii) Not found in order as the Span length, Structure length and Separate

		completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.		amount of VUP is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/ NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.25 & this office Corrigendum dated 09.05.25 as the bidder has not submitted any clarification.
6.	Sh. Mahender Singh Contractor, 2918, Sector-9-11, Hisar-125001 (Haryana)	Non-Responsive due to following shortcomings as per RFP documents :- (i) The tender document fees of Rs.10000/- has not been received in this office in-compliance of RFP clause No.1.2.4 & receipt of Bharatkosh is not attached in-compliance of RFP clause No.2.11.2(e) also. (ii) The undertaking regarding details of all bidder on-going projects along with updated stage of litigation against the Authority/ Governments is not attached in-compliance of RFP clause No.2.1.14.	Clarification submitted by the bidder vide his office Ref. No.MSC/25-26/212 dated 29.08.2025 is reproduced as under :- (i) The snapshot of the online transaction for depositing Tender Document Fee was attached in our submitted bid on Page No. 1. However, copy of challan and receipt of Bharatkosh is attached herewith for your ready reference and consideration please. (ii) Details of ongoing projects was already supplied in Annexure-Vill. at Page No. 24 of submitted bid. Also, no litigation is there with any Authority/Government currently or in past regarding on-going works or otherwise. However, undertaking in this regard is attached for your consideration please.	The clarification has been considered as per Section - 3 of RFP. (i) Found in order. (ii) Not found in order as the bidder has submitted clarification by attaching new undertaking regarding details of all bidder on-going projects along with updated stage of litigation against the Authority/

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]
08/09


[Handwritten signature]

		(iii) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1. (iv) The Span length of similar nature work of ROB is less than in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.	(iii) We have already submitted in Annexure-III at Page No. 35 that all the bid documents have been uploaded using digital signatures of Proprietor. However, the documents regarding DSC showing details are submitted for your consideration please. (iv) As the condition in original RFP was that executed project should be with atleast 50% span length of the longest span of the proposed work, we had attached the work fulfilling the requirements. Inadvertently, the corrigendum issued on 09.05.2025 was missed by us However, we have also executed the Bridge in JV work satisfying all the conditions in the corrigendum and details are given below:- (i) Name of the Project: Construction of ROB & RUB at LC No. 89 on Rewari Bhatinda Rly Line at Km. 139/7-8 and LC No. 60 on Hisai Jakhal Section at Km. 78/10-11 (78/15-16) at Jindal Chowk to Surya Nagar, Hisar. (ii) Our share in JV : 29%	Governments in-compliance of RFP clause No.2.1.14. Hence, no new documents are acceptable at this stage except clarification of already uploaded documents. (iii) Found in order. (iv) Not found in order as the bidder has attached new certificate of similar nature of ROB work instead of clarification of similar nature of ROB work which were uploaded alongwith the technical bid. Hence, no new documents are acceptable at this stage except clarification of already uploaded documents.
--	--	---	--	--



			(iii) Cost of completed work : Rs.48,00,91,112/- (Rs. Forty Eight Crore Ninety One Thousand One Hundred Twelve Only). (iv) Cost attributable to our firm : Rs.13,92,26,422/- (Rs. Thirteen Crore Ninety Two Lac Twenty Six Thousand Four Hundred Twenty Two Only) (v) Span arrangement of ROB : 6 Spans of 31 Mtr. each and 18 Spans of 20 Mtr. each.	
7.	Punia Construction Company, H.No.30, Sector-13, Part-2, Hisar-125001 (Haryana)	Non-Responsive due to following shortcomings as per RFP documents :- (i) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1. (ii) The Structure length of ROB is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.	Clarification submitted by the bidder vide his office Ref. No.PCC/HO/25-26/SPL-271 dated 01.09.2025 is reproduced as under :- (i) Submission of Class III Digital Signature Certificate (DSC): The details of our valid Class III DSC issued in the name of Banwari Lal (Punia Construction Company) are attached herewith. The DSC is valid up to 14.11.2027. (ii) Submission of Work Done Certificate: We have already submitted the Completion/Work Done Certificate in our bid (refer Page No. 20). For your ready reference, a copy is again attached herewith. The said certificate clearly mentions: - o Total bridge length : 3000 meters - o Including the following structures; ▪ 2 spans 36.00m = 72.00m (Steel Girders). ▪ 2 spans x 24.00m = 48.00m (Steel Girders). ▪ 1 span 26.00m = 26.00m (Steel Girders). ▪ 1 span 20.00m 20.00m (Steel Girders). ▪ 26 spans x 25.00m =	The clarification has been considered as per Section - 3 of RFP. (i) Found in order. (ii) Found in order.



			650.00m (104 PSC Girders; 4 nos. per span). ▪ Total length = 816.00 m	
8.	Maanbuilders Private Limited, SCO-44, Sector-12, Panchkula-134112 (Haryana)	Non-Responsive due to following shortcomings as per RFP documents :- (i) The undertaking regarding details of all bidder on-going projects along with updated stage of litigation against the Authority/ Governments is not attached in-compliance of RFP clause No.2.1.14. (ii) The undertaking regarding details of updated on-going process of blacklisting under any contract with Authority/ Government is not attached in-compliance of RFP clause No.2.1.14. (iii) The Span length of ROB not clearly mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/ 2025-BP&SP (Computer No.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.	Clarification submitted by the bidder vide his office Ref. No.MBPL/AUG-25/2198 dated 28.08.2025 is reproduced as under :- (i) We have already uploaded the litigation undertaking on page no.47 at the time of bid submission. We are again attaching the litigation undertaking for your necessary action. We have already uploaded the Annex-I of Appendix-IA on page no. 29-31 as per clause 2.1.14. We already uploaded all RFP duly signed by authorized signatory. (ii) We have already uploaded the blacklisting undertaking on page no.48 at the time of bid submission. We are again attaching the blacklisting undertaking for your necessary action. We have already uploaded the Annex-I of Appendix-IA on page no. 29-31 as per clause 2.1.14. We already uploaded all RFP duly signed by authorized signatory. (iii) We have already uploaded the completion certificate page no.141 (Sirhind Canal), 144-145 (Ravi Bridge), 146 (Salabatpura), 147 (Pali Rewari LC-13) at the time of bid submission. The span length clearly mention on all certificates (it is wrong statement from your end that the span not clearly mention). We are again attaching the certificate for your necessary action.	The clarification has been considered as per Section - 3 of RFP. (i) Found in order. (ii) Found in order. (iii) Found in order.



	(iv) The Member Secretary has written a letter to all Executive Engineer, Haryana PWD B&R Branch vide this office letter No.1923-2000 dated 08.08.2025. In response of this office letter, the E.E. NH Division Bhiwani has submitted the details of on-going work i.e. Periodic Maintenance, Routine Maintenance & Incident Management on 4-laning of Rai Malik Pur (Rajasthan Border)-Narnaul-Mohindergarh-Dadri-Bhiwani section from Km.94.600 to 125.920 of NH-148B in the State of Haryana] of Maanbuilders Private Limited, Panchkula in which it has been mentioned that the value of work remaining to be completed by the bidder is Rs.24.50 Crore but the contractor has deducted the remaining amount of on-going work is Rs.17.39 Crore instead of Rs.24.50 Crore during calculation of Bid Capacity. Hence, the information of on-going work submitted by the bidder is false.	(iv) Our statement of on-going works is not false. We have already uploaded the passed bill for the subjected project duly signed by JE, SDE, EE (NH) Bhiwani and SE Jind along with CE (PWD B&R, HR) page no. 114, 205-207 uploaded at the time of bid submission. We are again attaching the complete bill for your necessary action. Please not the uploaded bill signed by RO MORT&H and other staff of MORT&H along with SDE and EE Bhiwani (NH). That it is not possible the verification of paid/ passed bill can be wrongly verified and changed by any officer. However we are ready initiate legal action against responsible officer if verification copy provided by your office. It is pertinent to mention here that subjected bill also signed by your own office so there is no question of verification arises this time. Kindly verify again the uploaded data given by your agency. It seems that there is any mistake by EE NH Bhiwani or the bill verified by another person (except EE NH Bhiwani).	(iv) Found in Order.
--	--	--	-----------------------------

-1/-

After detailed deliberation by the Technical Evaluation Committee, the report of discussion in the meeting on 08.09.2025 is as follow :

Sr. No.	Name of agency	Observations
1.	Krishan Kumar Contractor, H.No.336, DC Colony Bhiwani-127021 (Haryana)	Responsive
2.	Silica Infra Private Limited, Plot No.32, Second Floor Community Centre, Basantlok, Vasant Vihar, New Delhi-110057	Non-Responsive as the span length of Flyover i.e. 36m (1 x 36m PSC Girder & Pile Foundation) is mentioned in the attached completion certificate of similar nature work but the structure length of flyover is not mentioned. Hence, the bidder does not fulfil the criteria of Ministry, New Delhi office letter No.RW/NH-24036/28/ 2025-BP&SP (Computer No.248457) dated 29.04.2025 & Member Secretary Corrigendum dated 09.05.2025).
3.	Tripatra India Private Ltd., House No.1551, Sector-15, Faridabad, Haryana, India-121007	Responsive
4.	Tomar Construction Company, 301, 3 rd Floor Aggarwal Complex, Plot No.C1, A-1B-Block Janakpuri, New Delhi - 110058	Non-Responsive as the Structure length of ROB (similar nature of work) has not been clarified by the bidder in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (ComputerNo.248457) dated 29.04.2025 & this office Corrigendum dated 09.05.2025.
5.	MD Infra India Pvt. Limited, 1984, E, F-1, Karekar Sankul, Rajarampuri LN 10, Kolhapur (MH)-416008.	Non-Responsive due to following shortcomings :- (i) Proof of Class-III Digital Signature Certificate (DSC) is not attached in-compliance of RFP clause No.2.14.1.1. (ii) The Span length, Structure length and Separate amount of VUP is not mentioned in the attached completion certificate of similar nature work in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/ 2025-BP&SP(Computer No.248457) dated 29.04.2025 & Member Secretary Corrigendum dated 09.05.2025.
6.	Sh. Mahender Singh Contractor, 2918, Sector-9-11, Hisar-125001 (Haryana)	Non-Responsive due to following shortcomings :- (i) The bidder has submitted clarification by attaching new undertaking regarding details of all bidder on-going projects along with updated stage of litigation against the Authority/Governments in-compliance of RFP clause No.2.1.14. Hence, no new documents are acceptable

at this stage except clarification in respect of already uploaded documents.


- (ii) The span length of similar nature work of 2- Lane ROB at L/C No.100 at Km.151/8-9 on Rewari-Hisar Bathinda Railway Line on Hisar Ghursal Road in Hisar District for work done amount of Rs.26,07,07,204/- is less than in-compliance of Ministry, New Delhi office letter No.RW/NH-24036/28/2025-BP&SP (Computer No.248457) dated 29.04.2025 & Member Secretary Corrigendum dated 09.05.2025.


7.	Punia Construction Company, H.No.30, Sector-13, Part-2, Hisar-125001 (Haryana)	Responsive
8.	Maanbuilders Private Limited, SCO-44, Sector-12, Panchkula-134112 (Haryana)	Responsive


In view of the above, it was decided by Technical Evaluation Committee that the list of technical responsive bidders whose financial bids are to be opened shall be published on <https://eprocure.gov.in> in compliance of Cl. 3.1.9 of RFP. However, they will be asked to submit their updated bid capacity as on 14.09.2025 in-compliance of Clause 2.2.2.1 of RFP. Updated bid capacity to be informed to S.E. (NH) Circle, PWD B&R Br., Jind email ID sejindpwd@gmail.com and E.E. PD-3 (NH), PWD B&R Br., Rohtak email ID pwdeepd3nhrtk1@gmail.com : on 14.09.2025 (17:00 Hrs.).


Financial bids of technical responsive bidders will be opened on 15.09.2025 in the office of Superintending Engineer, N.H. Circle, PWD B&R Br., Jind.


The meeting ended with vote of thanks to the chair.


Chief Accounts Officer
Hr. PWD B&R Branch,
Chandigarh


Executive Engineer,
Provl. Division No.3 (NH), O/o
PWD B&R Br., Rohtak


Executive Engineer,
R.O. (MoRT&H)
Chandigarh


Superintending Engineer,
National Highway Circle,
PWD B&R Br., Jind


Chief Engineer (NH),
Hr. PWD (B&R) Department,
Chandigarh