


**MINUTES OF THE MEETING OF THE TENDER COMMITTEE HELD ON 08/09/2025 FOR
FINANCIAL EVALUATION IN THE OFFICE CHAMBER OF THE CHIEF ENGINEER, PWD,
MANIPUR FOR CONSIDERATION OF THE BID UNDER IFB No. CE/NH/Bid/2025-26/01 Dated.
20th August, 2025**

1. The work "Strengthening of existing pavement from Km 15.35 to km 30.00 of NH-137A, Imphal-Kakching Lamkhai Section in the State of Manipur under EPC mode-Contingency proposal reg. under consideration was sanctioned for Rs. 35.38 Lakh vide Sanction No. RW/GHT/DP/MN/137(O)/2018-19/29/323 dt. 07/08/2025. The estimated civil construction cost of the instant work proposed under Item Rate Tender mode by PWD, Manipur as per Ministry's extant guidelines, is Rs. 29.98 Lakh.
2. The State PWD is permitted to invite Tender online using requisite bidding document and procedure as per the SBD (Standard Bidding Document) issued by Ministry Of Road Transport and Highways. The composition of the Tender Evaluation Committee vide OM No. 18/1/PW-BIDS/2022-23/540 dt 03/09/2025 is as under:

Sl.	Composition of the Committee	Role
i	Chief Engineer, PWD, Manipur.	Chairman
ii	Additional Chief Engineer-III, PWD, Manipur.	Member
iii	Chief Finance Officer, PWD, Manipur.	Member
iv	Superintending Engineer, NH Circle, PWD Manipur.	Member
v	Executive Engineer, NH Division No-I, PWD, Manipur.	Member Secretary

3. The Bid for the above-mentioned work amounting to Rs. 29.98 lakh (amount put to tender) was invited by Chief Engineer, PWD, Manipur vide Bid ICB No. CE/NH/Bid/2025-26/01 dated 20th August 2025. The technical bids submitted by the bidders were opened on 28/09/2025 at 14.30 hours in the Office Chamber of Additional Chief Engineer-III, PWD, Manipur in the presence of the bidders/representatives of respective bidders. A total of 2 (Two) Bids were received online. Details of the 2(Two) Bidders are shown in table placed below:




Sl	Particulars of Bidder(s)
i	K. Devchandra Singh, Tabungkhok, Imphal West District. Manipur
ii	K. Santabiren Singh, Tabungkhok, Imphal West District. Manipur

4. The Technical Evaluation Committee examined the Technical Bids of the 2 (Two) bidders on its meeting held on 03/09/2025 at 2.00 P.M in the office Chamber of Chief Engineer, PWD, Manipur. The 2 (Two) bidders out of 2 (Two) bidders were found technically qualified. The minutes of the technical evaluation was uploaded on CPPP, <https://eprocure.gov.in/eprocure/app>. Further no complaint has been received from any of the bidders till the opening of the financial bid.

5. The Financial bid was opened on 08/09/2025 at 2.00 P.M in the office Chamber of Chief Engineer, PWD, Manipur in the presence of the bidders/bidder representatives and members of the committee who choose to attend. The 2 (two) technically qualified bidders had submitted their financial bids. The financial bids quoted by two bidders are as below: -

Sl	Name of Bidder(s)	Tender Cost	Quoted price	Percentage	Remarks
i	K. Devchandra Singh, Tabungkhok, Imphal West District. Manipur	Rs. 29,98,521.00	Rs. 29,52,753.23	1.53 % below	L-2
ii	K. Santabiren Singh, Tabungkhok, Imphal West District. Manipur.		Rs. 29,23,708.56	2.50 % below	L-1

6. In view of the above, the Committee recommends to award to the L-1 bidder, K. Santabiren Singh, Tabungkhok, Imphal West District. Manipur at their quoted financial bid price of Rs. 29,23,708.56 (*Rupees Twenty Nine Lakh Twenty Three Thousand Seven hundred Eight and five Six paise*) only which is 2.50% below the tender cost of



Rs 29,98,521.00 only subject to the contractor furnishing the stipulated Performance Security of 5% of its Bid Price amounting to Rs. 1,47,000.00 (Rupees One Lakh Forty Seven Thousand) only as per ministry circular no. RW/NH-33044/34/2024-S&R (P&B) Computer No. 246283) dated 30th April, 2025. Further, as per clause 52.1 the performance security shall be valid until a date of 28 days from the date of expiry of Defects Liability Period.



Member Secretary
Executive Engineer, NH Division No-I,
PWD, Manipur.



Member
Superintending Engineer, NH Circle
PWD, Manipur.



Member
Chief Finance Officer,
PWD, Manipur.





Member
Addl. Chief Engineer-III,
PWD, Manipur


8/9/25

Chairman
Chief Engineer,
PWD, Manipur.

BOQ Summary Details
Tender Title: Strengthening of Existing Pavement from km 15.35 to km 30.00 of NH137A
Tender ID: 2025_MORTH_873849_1

Sheet Name	Sl.No	Bidder Name	Amount	Bid Rank
BoQ1	1	K. Santabiren Singh (BID ID -3273021)	2923708.56	L1
	2	KANGHUJAM DEVCHANDRA SINGH (BID ID -3272990)	2952753.23	L2



eProcurement System Government of India
Created By: Yumnam Robin
Created Date/Time: 08-Sep-2025 02:28 PM
Tender Title: Sternghening of Existing Pavement from km 15.35 to km 30.00 of NH137A
Tender ID: 2025_MoRTH_873849_1

Tender Inviting Authority: The Chief Engineer, Public Works Department, Manipur
Name of Work: Strengthening of existing pavement from Km 15.35 to Km 30.00 of NH-137A, Imphal-Kakching Lamkhai Section in the State
Contract No: CE/NH/Bid/2025-26/

SCHEDULE OF WORK / ITEM(S)						
Sl.No	Description of Work / Item(s)	No. of Qty	Units	Estimated Rate	KANGHUJAM DEVCHANDRA SINGH (GSTN-NA) BID ID - 3272990	K. Santabiren Singh (GSTN-NA) BID ID - 3273021
					Rate	Amount
1.00	SH-I:- Repairing/reconstruction of Sekmajjin Bridge Railing					
1.01	Dismantling upto 1.5m. in foundation &/or 1.5m. Above ground level i/c T&P & scaffolding wherever necessary, sorting the dismantled material, disposal of un-service able material & staking the serviceable material within a lead of 100mm. I.c) Prestressed/reinforced cement concrete grade M-20 & above.	23.53	cum	2376.53	2340.00	55060.20
1.02	Supplying, fitting and placing HYSD bars reinforcement in super structure complete as per drawing and technical specifications	3.63	MT	102516.01	100978.00	366550.14
1.03	Furnishing and placing Reinforced/Prestressed cement concrete in superstructure as per drawing and technical specification. C) RCC Grade M30	23.53	cum	15759.03	15522.00	365232.66
1.04	Painting two coat after filling the surface with synthetic enamel paint in all shades on new plastered concrete surfaces	591.40	sqm	128.27	126.00	74516.40
2.00	SH-II:- Reconstruction of RCC Slab at Wangoi Bazar					
2.01	Demolishing R.C.C work manually/by mechanical means including Stacking of steel bars and disposal of serviceable material within 50 metres lead as per direction of Engineer-in-charge.	22.50	cum	2348.50	2313.00	52042.50

L1 Amount	L1 Vendor
-----------	-----------

54589.60 K.	Santabiren Singh
362829.39 K.	Santabiren Singh
361538.45 K.	Santabiren Singh
73925.00 K.	Santabiren Singh

51502.50 K.	Santabiren Singh
-------------	------------------





2.02	Demolishing lime concrete manually/by mechanical means and disposal of material within 50 metres lead as per direction of Engineer in charge. (i) Nominal concrete 1:3:6 or richer mix (i/c equivalent: design mix)	34.08 cum	1596.52	1572.00	53573.76	1656.00	53028.48
2.03	Cement concrete 1:4:8 mix with stone aggregate 40 mm nominal size in foundation upto a depth of 1.5 metres below ground level and upto height of 1.5 m above ground/bed level.	10.34 cum	7919.66	7800.00	80652.00	7721.00	79835.14
2.04	Plain cement concrete M-15 mix with stone aggregates 20mm, nominal size mechanically mixed and vibrated in foundation upto depth of 1.5m. below ground / bed level and or 1.5m. above ground/bed level i/c formwork.	34.08 cum	10815.42	10653.00	363054.24	10545.00	359373.60
2.05	Reinforced cement concrete M 20 mix with stone aggregate 20 mm nominal size mechanically mixed and vibrated for reinforced concrete work in slab excluding steel reinforcement, but including centering and shuttering laid in position.	12.50 cum	14526.48	14308.00	178850.00	14163.00	177037.50
2.06	Reinforced cement concrete M 20 mix with stone aggregate 20 mm nominal size mechanically mixed and vibrated for bed plates excluding steel reinforcement, but including centering and shuttering laid in position.	10.00 cum	13928.67	13719.00	137190.00	13580.00	135800.00
2.07	Supplying, fitting and placing HYSD bar reinforcement in super-structure complete as per drawing and technical specifications.	2.74 MT	102516.01	100978.00	276679.72	99953.00	273871.22
2.08	Providing weep holes in Brick masonry/Plain/Reinforced concrete abutment, with g wall/return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V :20H towards drawing face. Complete as per drawing and Technical specifications.	12.00 Rm	481.77	474.00	5688.00	469.00	5628.00
2.09	Providing & fixing 20 mm thick compressible fibre board in expansion joint complete as per drawing & Technical Specification.	40.00 Rm	475.71	468.00	18720.00	464.00	18560.00
2.10	Providing and laying Cement concrete wearing coat M-30 grade including reinforcement complete as per drawing and Technical Specifications.	3.75 cum	20935.28	20621.00	77328.75	20412.00	76545.00
2.11	Providing laying and compacting Granular Base/Sub base with naturally occurring Sand Gravel Material free from organic or other deleterious constituent spreading with Motor Grader and compacted by rolling with power roller of 8-10 capacity in layers not exceeding 150mm (spread thickness)	38.40 cum	1896.78	1868.00	71731.20	1849.00	71001.60

53028.48	K. Santabiren Singh
79835.14	K. Santabiren Singh
359373.60	K. Santabiren Singh
177037.50	K. Santabiren Singh
135800.00	K. Santabiren Singh
273871.22	K. Santabiren Singh
5628.00	K. Santabiren Singh
18560.00	K. Santabiren Singh
76545.00	K. Santabiren Singh
71001.60	K. Santabiren Singh

[Handwritten signatures and initials]

73492.12	K.	Santabiren Singh
10971.00	M	KANGHUJA DEVCHAND RA SINGH
252231.11	K.	Santabiren Singh
3100.50	M	KANGHUJA DEVCHAND RA SINGH
151771.86	K.	Santabiren Singh

2.12	Providing laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mix plant carriage of mixed Material by tripper to site, laying uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density.	17.89 cum	4213.72	4150.00	74243.50	4108.00	73492.12
2.13	Providing and applying primer coat with bitumen emulsion on prepared surface of granular Base including clearing of road surface and spraying primer at the rate of 0.60 Kg/sqm using mechanical means. A. Prime Coat on WMM	238.50 sqm	47.47	46.00	10971.00	47.00	11209.50
2.14	Providing and laying dense graded bituminous macadam with higher capacity batch type HMP using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 percent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 505 complete in all respects B. Grading-II i) VG-40	17.89 cum	14461.18	14244.00	254825.16	14099.00	252231.11
2.15	Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.20 kg per sqm on the prepared granular/bituminous surface cleaned with mechanical broom.	238.50 sqm	14.14	13.00	3100.50	14.00	3339.00
2.16	Bituminous Concrete (Providing and laying bituminous concrete with higher capacity batch type hot mix plant using crushed aggregates of specified grading, premixed with bituminous binder @ 5.2 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 507 complete in all respects i) Grading II (b) VG-40	9.54 cum	16317.56	16072.00	153326.88	15909.00	151771.86
3.00	SH-III- Laying of Pipe Culvert						

3.01	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and backfilling the withb approved material B) Mechanical means (i) Depth upto 3 m.	50.40 cum	194.93	192.00	9676.80	190.00	9576.00	9576.00 K. Santabiren Singh
3.02	Plain cement concrete in Open foundation complete as per drawing and technical specification. A) PCC Grade M 15	8.04 cum	10063.86	9912.00	79692.48	9812.00	78888.48	78888.48 K. Santabiren Singh
3.03	Laying Reinforced Cement Concrete Pipe NP4/prestressed concrete pipe on first class bedding in single row . (Laying Reinforced cement concrete pipe NP4/prestressed concrete pipe for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets .) a) 1000 mm dia	12.00 Rm	10061.62	9910.00	118920.00	9810.00	117720.00	117720.00 K. Santabiren Singh
3.04	Stone masonry work in cement mortar 1:3 for substructure complete as per drawing and Technical Specifications A) Random Rubble Masonry	4.03 cum	9074.85	8938.00	36020.14	8847.00	35653.41	35653.41 K. Santabiren Singh
3.05	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical specification i). Granular Material	14.40 cum	2475.51	2438.00	35107.20	2414.00	34761.60	34761.60 K. Santabiren Singh

Total in Figures

2952753.23

2923708.56

Lowest Amount Quoted BY: K. Santabiren Singh(2923708.56)






GOVERNMENT OF MANIPUR
PUBLIC WORKS DEPARTMENT

No. CE/NH/Bid/2025-26/ 599

Dated Imphal, the 11th Sept., 2025

To,

K. Santabiren Singh
Special Class Contractor
Tabungkhok Awang Leikai,
Imphal, Manipur


Subject: - Strengthening of existing pavement from Km 15.35 to Km 30.00 of NH-137A, Imphal-Kakching Lamkhai Section in the State of Manipur under EPC mode - Contingency Proposal reg- Letter of Acceptance

Dear Sir,

This is to notify you that your bid dated 20/08/2025 for execution of the work "Strengthening of existing pavement from Km 15.35 to Km 30.00 of NH-137A, Imphal-Kakching Lamkhai Section in the State of Manipur under EPC mode - Contingency Proposal reg." (NIT No. CE/NH/Bid/2025-26/01 dt. 20/08/2025) for the contract price of Rs. 29,23,708.56/- (Rupees Twenty-Nine Lakh Twenty-Three Thousand Seven Hundred Eight and Five Six paise only), as corrected and modified in accordance with the instructions to Bidders is hereby accepted.

2. You are hereby requested to furnish Performance Security, in the form detailed in para 34.1 of ITB for an amount equivalent to Rs. 1,47,000/- (Rupees One Lakh Forty-Seven Thousand only) within 21 days of the receipt of this Letter of Acceptance valid upto 28 days from the date of expiry of Defects Liability Period i.e., upto 10/02/2027. And sign the contract, failing which action as stated in para 34.3 of ITB will be taken.

Yours faithfully,



(N. Subhas)
Chief Engineer
PWD, Manipur

Copy to:

1. The Additional Chief Engineer- III, PWD, Manipur.
2. The Superintending Engineer, NHC, PWD, Manipur.
3. The Executive Engineer, NH-I, PWD Manipur
4. File Concerned.

Signature Not Verified

Digitally signed by YUN NAM ROBIN
Date: 2025.09.15 11:10:23 IST
Location: eProcure-EPROC