

**GOVERNMENT OF TELANGANA
ROADS AND BUILDINGS DEPARTMENT**

**Office of the Chief Engineer (R&B)
CRIF, Errummanzil,
Hyderabad.**

Memo No.474/CRIF25-26/Y-B/DCE(NH&CRIF)/EEI/DEE5/AEE/2025-26 dt:12.01.2026.


Sub: CRIF 2025-26 - (R&B) Yadadri Bhongir Circle – “Widening and strengthening of PWD road to Kolkonda (via) Chinnamudur, Appireddypally Km 0/0-10/2 in Jangoan District” (Job No.CRF-TS-2025-26-248) - Technical Evaluation- Reg.

Ref:

1. MoRTH Lr.No RW/HYD/Misc-11(A)/ Newproposals/Telangana - Part(1)
(Comp.No.:234604) dt.17.09.2025.
2. Govt. T (R&B) G.O.Rt.No.477 dt:18.10.2025
3. SE (R&B), Yadadri Bhuvanagiri, Lr.No.SE/DEE/T1/CRIF/PWD raod -
Kolkonda/2025-26 dt:27.11.2025
4. T/o Memo No.474/CRIF25-26/Y-B/ DCE (NH&CRIF) /EEI /DEE5/ AEE/2025-26
dt:03.12.2025.
5. SE (R&B), Yadadri Bhuvanagiri, Lr.No.SE/DEE/T1/CRIF/PWD raod -
Kolkonda/2025-26/ 948 dt:27.11.2025

With reference to the SE (R&B), Yadadri Bhuvanagiri Circle letter 5th cited where in the Technical Bid evaluation for the subject work was submitted, it is informed that the only single bidder **M/s EDR Constructions** is found to be technically qualified.

Hence, the SE(R&B)/ Yadadri Bhuvanagiri Circle is requested to open the financial bid/price bid and submit the same to this office along with his recommendations in C.O.T format.


For Chief Engineer (R&B),
CRIF

To
The Superintending Engineer(R&B),
Yadadri Bhuvanagiri Circle.

➤ **M/s EDR Constructions**

	Requirements as per CTN	Furnished by the Tenderer	Certificate issued by	Remarks
1	Class of Registration G.O.M.S.No.66, I&CAD (REFORMS) department, dated 20.04.2015 Class-I (Civil) & above	P. No. 1 to 3 Special Class (Civil) Regn No. COT /TG /SP /1882/2025	Engineer-in-Chief, Panchyat Raj, SRTGN Bhavan, Hyderabad. Vide Proc.No . 647/AEE@/DEE@/EDR Constructions/ Spl.Class Regn/2025, Dt:22.08.2025 to Dt:21.08.2030	Satisfied +
2	EMD: DD/BG for Rs.14,34,200/- to be paid by way of unconditional and irrevocable Bank Guarantee issued by any Nationalised Bank/Scheduled Commercial bank in the standard format as shown in the Tender Schedule in favour of SE (R&B) Yadadri Bhuvanagiri Circle for Rs.14,34,200/- i.e., 1% of ECV drawn along with bids	P. No. 4-5 Rs.14,34,200/- BG No. 026111GL0000523/1, Dt:26.12.2025, valid up to 26.06.2026 for Rs.14,34,200/-	Union Bank of India, Jangoan Branch, Jangoan District.	Satisfied +
3	Bid Document fee including GST (Rs.11,800/-)	Furnished (P.No.79) Bharatkosh Transaction Ref no. 0201260088697, dt:1.02.2026. for Rs.11,800/-	Online	Satisfied +
4	Details of Latest Income Tax Returns (copy of PAN card and copy of Income Tax returns submitted along with proof of receipt)	P. No.6,7-10 PAN No: AAEFE6405F Latest IT returns submitted for the Assessment year 2025-26	Income tax return Acknowledgement No. 200772891025 Dt.18.10.2025 (P-7-10)	Satisfied +
5	GST registration	P. No. 11 Furnished GSTIN Reg No. 36AAEFE6405F1ZQ	GOI & GST issued Dt.19.07.2018.	Satisfied +
6	Requirements of Machinery for Road work	P. No. 24-32		
	Each bidder should demonstrate availability of the following key and critical equipment (either owned or leased) for this work	Pg.No.24-32 As per self-declaration by the bidder (on Rs 100 Bond Paper)- Pg. No. 26	As per the Machinery Certificate issued by the Executive Engineer, (R&B) Division, JangoanDt.07.01.2026	

	Requirements as per CTN	Furnished by the Tenderer	Certificate issued by	Remarks
6	As per G.O.Rt.No.77, T.R&B.Dept. dated: 27.02.2023, the bidder shall exhibit the proof of owning/ leasing the "Batch type HMP of capacity 100-120 TPH within a distance of 100kms from the last point of working reach, for which bids are invited" for all the road works costing from Rs 5.00 Crores to Rs. 30.00 Crores involving Bituminous items of work and for the bituminous works costing more than Rs.30.00 Crores Batch mix plant either owned/leased or to be procured. The bidder should upload a declaration regarding the distance of HMP from the work site. The Superintending Engineers of R&B concerned shall ensure the veracity of such certificate/documents uploaded by the bidders in support of the eligibility criteria on machinery before finalizing the technical evaluation of the bids. The tenderer has to submit either a certificate issued by the Executive Engineer or a Declaration on Non-judicial stamp paper worth Rs. 100/- as prescribed in Statement-V given above with sufficient proof of document in support of owning such as Invoice / certificate of registration by competent authority in support of the critical equipment.	<u>P. No. 28-30</u> (1) The bidder has uploaded the invoice supported with Machinery Certificate issued by the District R&B Officer, Executive Engineer, Jangoan stating that the Asphalt Batch Type Hot Mix Plant is situated at a distance of less than 100 km from the work site i.e., "Widening and strengthening of PWD road to Kolkonda (via) Chinnamudur, Appireddypally Km 0/0-10/2 in Jangoan District" - <u>24</u> (P.No :28-30) (2) The plant is located at Jangoan - Duddeda Road at km 8/500, Champak Hills, Peddapahad (Village), Jangoan Mandal and Jangoan District. (3) Uploaded the Google map for proof. (P32)	The Distance Certificate showing that the distance of Asphalt Batch Type Hot Mix Plant is less than 100 km is Signed by District R&B Officer, Executive Engineer, Jangoan and verified by the SE(R&B),Yadadri Bhuvanagiri circle. (Pg.No:31) Sir, As per bid document conditions, the distance from the plant to last reaches of the work shall be verified by SE(R&B) and now SE(R&B) has signed the same. Hence may be considered. 12/11/26	<u>Satisfied</u> Sir, The SE, R&B, Bhuvanagiri in his ls has stated that the bidder has submitted latest machinery certificate and 4(b) (copy) supporting documents and requested to consider the same. vide their lt. dt. 6.1.26. The bidder in his lt dt 6.1.26 (last date for bid submission) is 5.1.26 and tech bid opening dt is 6.1.26. He stated that they are submitting latest machinery certificate in lieu of the earlier certificate (copy) inadvertently submitted along with tender document and requested to consider the same. Further, the bidder 4(b) Statement (Bidding) was duly uploaded at the work bidding and the corresponding work bid submission documents related to statement 4(b) are now submitted and requested to take them on record. The SE has considered the latest machinery certificate submitted by the bidder along with his lt dt 6.1.26.
	Own/lease Batch type HMP 100-120 TPH within the 100 Km distance from last point of working reach - 1 No	<u>Pg.No -24-32</u> As per self-declaration by the bidder (on Rs 100 Bond Paper)- <u>Pg. No. 26</u> (4) 1 No. Asphalt Batch type HMP 100-120 TPH the bidder declared the plant is located at Jangoan-Duddeda Raod at km 8/500, Champak Hills, Peddapahad (Village), Jangoan Mandal and Jangoan District. (P. No. 24, 28-30)	Owning or leasing 100-120 TPH Batch type HMP within 100 km distance from the work spot As per the Machinery Certificate issued District R&B Officer, Executive Engineer, Jangoan Dt.07.01.2026	Satisfied Satisfied
		(P. No.24-32)		Satisfied
a)	Vibratory Roller 8 to 10 tonnes - 2 nos	2 nos (S.No.6 of pg.No.24)		Satisfied
b)	Paver finisher with Hydro	1 No (S.No. 4 of pg.No.24)		Satisfied

	Requirements as per CTN	Furnished by the Tenderer	Certificate issued by	Remark
	static sensor control - 1 no			
c)	Wet mix Plant - 1 no	1 no (S.No.03 of pg.No.24)	As per the Machinery Certificate issued by the Executive Engineer, (R&B) Division, Jangoan Dt.07.01.2026	Satisfied
d)	Tipplers 5.50 cum capacity - 5Nos	5 nos (9 cum) (S.No. 11 of pg.No.24)		Satisfied
e)	Concrete Batch Mixing Plant/CC Mixers with weigh Batcher - 1 No	Concrete Batching Plant 1 no (S.No.23 of pg.No.24)		Satisfied
f)	Q.C.Lab- 1set	1 no (S.No. 33 pg.No.24, 25)		Satisfied
g)	Front end Loader - 1 No	2 nos (S.No. 32 of pg.No.24)		Satisfied
h)	Pneumatic road roller - 1 No	1 No (S.No. 08 of pg.No.24)		Satisfied
i)	Dozer - 1 No	2 nos (S.No. 18 of pg.No.24)		Satisfied
j)	Static/Power road roller - 1 No	2 no (S.No. 5 of pg.No.24)		Satisfied
k)	Motor grader - 1 No	2 nos (225 HP) (S.No. 36 of pg.No.24)		Satisfied
l)	Mechanical paver finisher - 1No	1 no (S.No.22 of pg.No.24)		Satisfied
m)	Water Tanker 6L - 2Nos	5 nos (5KL) (S.No. 35 of pg.No.24)		Satisfied
n)	Earth compactor - 1 No	1 no (S.No.09 of pg.No.24)		Satisfied
o)	Smooth Wheeled Tandem Roller -1 No	2 nos (S.No. 07 of pg.No.24)		Satisfied
p)	Transit Mixer 4 cum capacity - 1 No	4 nos (TMT Concrete Mixer 7 cum capacity) (S.No. 25 of pg.No.24)		Satisfied
		Pg. Nos. 33-35		
7	Technical Personnel a) Graduate Engg - 1 No b) Diploma Engg - 1 No	a) Avula Sagar Reddy , B.Tech, civil b) G.Balaraju, DCE	B.Tech from JNTUH * Diploma from State Board of Technical Education and Training, A.P., Hyderabad	Satisfied
8	Liquid assets/ credit facilities of not less than Rs.3,58,54,824.30/- (Rs.358.54 lakhs)	P.No.38 Solvency certificate for Rs.1000 Lakhs Rs.358.54 lakhs	issued by Union Bank, Jangoan Branch Dt:20.08.2025.	Satisfied.
9	To qualify for award of the contract each bidder in its name should have during the last five years i.e; 2015-16 to 2024-2025 (updated to 2025-26) a) Satisfactorily completed as PRIME CONTRACTOR similar works of value not less than Rs.7,17,09,649/- /-(Rs.717.09 Lakhs)	P.No.15-21 (2020-21) (pg-21) Rs.12,84,81,816 /- Updated value = 12,84,81,816 X 1.5 = Rs.19,27,22,724 > Rs. 7,17,09,649/-	Experience Certificate issued by District R&B Officer, Executive Engineer Jangoan and counter signed by the SE, R&B, Region Office Warangal Dt. 19.07.2021.	Satisfied
10	Execution of minimum of Physical quantities stated below in any one year in the preceding Ten years 2015-16 to 2024-2025 (updated to 2025-26)			
	i) Forming Embankment or Construction of Subgrade earthen shoulder or combined quantity - 19567 Cum	P.No.18 2020-21 75897 cum > 19567 cum	Certificate issued by District R&B Officer, Executive Engineer Jangoan and counter signed by the SE, R&B, Region Office Warangal Dt. 19.07.2021.	Satisfied
	ii) GSB - 6467 Cum	P.No.18 2020-21 11255.92 cum > 6467		Satisfied

	Requirements as per CTN	Furnished by the Tenderer	Certificate issued by	Remarks
		cum		
	iii) WMM or CRB or CRM or combined quantity - 5810 Cum	P.No.18-19 2020-21 13229 cum > 5810 cum		Satisfied ✓
	iv) BM or DBM or SDBC or BC or combined quantity - 1138 Cum	P.No.19 2020-21 2750.27 cum > 1138 cum		Satisfied ✓
	v) Cement concrete including RCC or PCC or PSC or combined quantity(Cum) - 2919 Cum	P.No.20 2020-21 4304.031 > 2919 cum		Satisfied ✓
11	Undertaking in accordance with clause No:22.3 of conditions of contract (Road safety items)	Furnished (P.No.76)		Satisfied ✓
12	Undertaking in accordance with clause No:22.4 of conditions of contract (NSV)	Furnished (P.No.75)		Satisfied ✓
13	Declaration on Litigation history	Furnished Pg.No 74		Satisfied ✓

Bid Capacity of M/s EDR Constructions

Maximum value of Civil Engineering work executed in any one year (A):	-	The bidder has enclosed turn over certificate issued by BBK & Associates CA, Hyderabad Dt. 31.10.2025 (Pg No.39) Rs.25,68,36,877 during the year 2023-24 Updated value of "A" to the year 2025-26 = Rs.25,68,36,877 * 1.2 = Rs.30,82,04,252/-
Number of years prescribed for completion (N)	12 months	1
Value of existing commitments on ongoing works (B):	-	(Page No. 47-73) Rs. 27,87,68,749/ (Say Rs.2787.68 Lakhs) /- (on hand works- As per statement IV A) Pg.no. 47 Total Rs.2787.68/- Lakhs

Bid capacity = $(2 \times A \times N - B)$ shall be greater than the Estimate Contract Value (ECV) of **Rs.14,34,19,297/-**

$2 \times 30,82,04,252 \times 12/12 - 27,87,68,749 = \text{Rs. } 33,76,39,755/- > \text{Rs. } 14,34,19,297/-$
 $2 \times A \times N - B = \text{Rs. } 33,76,39,755/- \text{ (Rs.33.76 Cr/-) which is greater than ECV of Rs.14,34,19,297/- (Rs.11.19 cr)}$

Hence the Bid capacity is satisfied.

Signature Not Verified

Digitally signed by V RAM BABU
Date: 2026.01.13 16:08:07 IST
Location: eProcure-EPROC

