



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India



(Ministry of Road Transport and Highways, Government of India)
 क्षेत्रीय कार्यालय : 41-29-45A, सर्वे नं : 373/2A, कोदंडरामालयम्, चलासानी नगर,
 रानीगारीतोटा, कृष्णलंका, विजयवाड़ा - 520 013, आन्ध्र प्रदेश
 Regional Office : D.No. 41-29-45A, RS No. : 373/2A, Kodandaramalayam, Chalasani Nagar,
 Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.
 दूरभाष/Tel : 0866-2483910, ई-मेल/e-mail : rovijayawada@nhai.org, nhairovja@gmail.com
 वेब/web : www.nhai.gov.in

Opening of Financial Bids

[(Tender ID: 2025_NHAI_255297_1)]

Ref: NHAI/RO-VJA/Solar Highway Lighting - 20 Nos/2026-27/2150

June 24, 2026

Name of work: Providing Solar Highway Lighting at 20 nos. of locations in the stretch from Km.901+500 to Km.1022+494 on Diwancheruvu - Siddhantham - Gundugolanu section of NH-216A in the State of Andhra Pradesh, as part of rectification of Accident spots on item rate (percentage) basis -
Opening of Financial Bids - Reg.

Sl. No	Name of the bidder / firm	Result of Final Technical Evaluation
(i)	M/s. Bondada Engineering Limited	Technically Responsive
(ii)	M/s. Ecosi Energy Pvt. Ltd	Technically Responsive
(iii)	M/s. Jai Ambey Suppliers	Technically Responsive
(iv)	M/s. Lord's Mark Industries Limited	Technically Responsive
(v)	M/s. Shri Sai Industries	Technically Responsive

2. In this regard, it is to inform that the opening of Financial Bids is scheduled on 24.06.2026 at 17:30 Hrs at RO - Vijayawada.

3. It is therefore requested to depute your authorized representative to attend RO - Vijayawada for Opening of Financial Bids.

Encl: MOMs dated 23.02.2026, 04.06.2026, 17.06.2026 & 24.06.2026

(R.K. Singh, IES)
 CGM (Tech) & Regional Officer

Minutes of Meeting of Tender Evaluation Committee (Updated Bid Capacity & Intimation of Opening of Financial Bids) dated 24.06.2026 for "Providing Solar Highway Lighting at 20 nos. of locations in the stretch from Km.901+500 to Km.1022+494 on Diwancheruvu - Siddhantham - Gundugolanu section of NH-216A in the State of Andhra Pradesh, as part of rectification of Accident spots on item rate (percentage) basis" (Tender Ref. No. 2025_NHAI_255297_1)

The Evaluation Committee met on 17.06.2026 and recommended the following for approval of the Competent Authority.


- (iii) To obtain clarification from the bidders M/s. Lord's Mark Industries Limited & M/s. Jai Ambey Suppliers w.r.t the Annual Turnover Data submitted along with updated Bid Capacity.
- (iv) Thereafter, to open the financial bids of the technically responsive bidders mentioned above.

2. Accordingly, RO, Vijayawada vide letter no.2087 dated 17.06.2026 requested the bidders M/s. Lord's Mark Industries Limited & M/s. Jai Ambey Suppliers to submit the clarifications as sought along with supporting documents.

3. In this connection, the bidders M/s. Lord's Mark Industries Limited vide E-mail dated 18.06.2026 & M/s. Jai Ambey Suppliers vide E-mail dated 19.06.2026 & 20.06.2026 has submitted clarification w.r.t the Annual Turnover Data. However, the bidder M/s. Jai Ambey Suppliers even after obtaining clarification on annual turnover has submitted the annual turnover pertaining to all sources as against solar lighting works. In this regard, the evaluation committee opined to consider the turnover as submitted during the bid and consider the B value (Ongoing works) as per submission made in the updated bid capacity.


4. The details for calculation of the updated bid capacity of all the technically responsive bidders submitted have been verified and found in order. The updated bid capacities are calculated as below:

Sr. No.	Name of the Applicant	Calculated / Assessed								Have required Bid Capacity or not
		Financial / Calendar Year for which "A" has been claimed	Updation factor	Annual Turnover	A (Annual Turnover x Updation factor) Rs. Cr.	N	B (Rs. Cr.)	C (Rs. Cr.)	A x N x 2.5 - B+C (Rs. Cr.)	
1	M/s. Ecosi Energy Pvt. Ltd	2024-25	1.00	81.00	81.00	0.25	17.84	0.00	32.79	Yes
2	M/s. Jai Ambey Suppliers	2024-25	1.00	40.90	40.90	0.25	6.89	0.00	18.67	Yes
3	M/s. Lord's Mark Industries Limited	2024-25	1.05	301.32	316.386	0.25	45.08	0.00	152.66	Yes
4	M/s. Bondada Engineering Limited	2024-25	1.00	1407.50	1407.50	0.25	9.08	0.00	870.61	Yes





Sr. No.	Name of the Applicant	Financial / Calendar Year for which "A" has been claimed	Updation factor	Annual Turnover	Calculated / Assessed					Have required Bid Capacity or not
					A (Annual Turnover x Updation factor) Rs. Cr.	N	B (Rs. Cr.)	C (Rs. Cr.)	A x N x 2.5 - B+C (Rs. Cr.)	
5	M/s. Shri Sai Industries	2022-23	1.10	25.39	27.93	0.25	0.97	0.00	16.49	Yes


5. In view of the above, the Evaluation Committee recommends to open the Financial Bids of the above technically responsive bidders on 24.06.2026 @ 17:30 Hrs.


24/6/2026
G. Majhi
DM (F&A)
RO, Vijayawada
Member


Rohit Kumar
PD, PIU
Vizianagaram
Member


K V Krishna Reddy
DM (Tech)
RO, Vijayawada
Member


24/6/26
B. Krishna Murthy
PD, PIU
Rajamahendravaram
Member Secretary


24/6/26
Vakula Jaladanki,
DGM (Tech.),
RO, Vijayawada
Convener

Minutes of Meeting of Tender Evaluation Committee (Updated Bid Capacity & Intimation of Opening of Financial Bids) dated 17.06.2026 for "Providing Solar Highway Lighting at 20 nos. of locations in the stretch from Km.901+500 to Km.1022+494 on Diwancheruvu - Siddhantham - Gundugolanu section of NH-216A in the State of Andhra Pradesh, as part of rectification of Accident spots on item rate (percentage) basis" (Tender Ref. No. 2025_NHAI_255297_1)


The Evaluation Committee met on 04.06.2026 and recommended the following for approval of the Competent Authority.

- (i) To give a suitable reply to the bidders M/s. Lord's Mark Industries Limited & M/s. Shri Sai Industries.
- (ii) To consider the bids submitted by the followings bidders as Technically Responsive.
 - (a) M/s. Ecosi Energy Pvt. Ltd
 - (b) M/s. Jai Ambey Suppliers
 - (c) M/s. Lord's Mark Industries Limited
 - (d) M/s. Bondada Engineering Limited
 - (e) M/s. Shri Sai Industries
- (iii) To consider the bids submitted by the followings bidders as Technically Non - Responsive.
 - (a) M/s. Bajaj Electricals Limited
 - (b) M/s. Landsky Engineers Pvt. Ltd
 - (c) M/s. Perfect Allied Safety & Security Services Pvt. Ltd
 - (d) M/s. R.K. Constructions
 - (e) M/s. SunShell Power Ventures Private Limited
- (iv) Further, as per Clause 1.11 of Section - IX. Form for Qualification Information, "The Bid Capacity status of the bidder to be updated as on the day before opening of financial bids". Hence, all the technically responsive bids may be requested to submit latest Bid Capacity by 11.06.2026 @ 12:00 Hrs.
- (v) Thereafter, to open the financial bids of the technically responsive bidders mentioned above.

2. Accordingly, the technically responsive bidders M/s. Lord's Mark Industries Limited vide E-mail dated 10.06.2026, M/s. Shri Sai Industries vide E-mail dated 10.06.2026, M/s. Ecosi Energy Pvt Ltd vide E-mail dated 11.06.2026, M/s. Jai Ambey Industries Limited vide E-mail dated 11.06.2026 & M/s. Bondada Engineering Limited vide E-mail dated 11.06.2026 have submitted updated bid capacity which have been verified and observed the following:

- (i) M/s. Lord's Mark Industries Limited:

While submitting updated Bid Capacity it is observed that the bidder has submitted different Maximum value of Solar Highway / Solar Street / Solar High Mast Lighting / Solar Home Energy System / Solar Home Lighting System works excluding the amount of bonus received, if any, in respect of EPC Projects



executed in any one year during the last five years (updated to the current price level of the year as per Clause 1.2) as against the value submitted at the time of bidding.

Hence, the Evaluation Committee opined to obtain clarification from the bidder on which value the updated Bid Capacity is to be calculated.

(ii) M/s. Jai Ambey Suppliers:

While submitting updated Bid Capacity it is observed that the bidder has submitted Annual Turnover Data (From all Sources) as against Maximum value of Solar Highway / Solar Street / Solar High Mast Lighting / Solar Home Energy System / Solar Home Lighting System works excluding the amount of bonus received, if any, in respect of EPC Projects executed in any one year during the last five years (updated to the current price level of the year as per Clause 1.2) submitted at the time of bidding.


Hence, the Evaluation Committee opined to obtain clarification from the bidder on which value the updated Bid Capacity is to be calculated.

3. The updated Bid Capacity of other bidders is found to be in order.
4. In view of the above, the Evaluation Committee recommends the following for approval of the Competent Authority.
 - (i) To obtain clarification from the bidders M/s. Lord's Mark Industries Limited & M/s. Jai Ambey Suppliers w.r.t the Annual Turnover Data submitted along with updated Bid Capacity.
 - (ii) Thereafter, to open the financial bids of the technically responsive bidders mentioned above.


17/06/2026
G. Malhi
DM (F&A)
RO, Vijayawada
Member


Rohit Kumar
PD, PIU
Vizianagaram
Member


K V Krishna Reddy
DM (Tech)
RO, Vijayawada
Member


17/06/26
B. Krishna Murthy
PD, PIU
Rajamahendravaram
Member Secretary


17/06/2026
Vakula Jaladanki,
DGM (Tech.),
RO, Vijayawada
Convener

Minutes of Meeting of Tender Evaluation Committee (Final Technical Evaluation & Opening of Financial Bids) dated 04.06.2026 for "Providing Solar Highway Lighting at 20 nos. of locations in the stretch from Km.901+500 to Km.1022+494 on Diwancheruvu - Siddhantham - Gundugolanu section of NH-216A in the State of Andhra Pradesh, as part of rectification of Accident spots on item rate (percentage) basis" (Tender Ref. No. 2025_NHAI_255297_1)

The Evaluation Committee met on 23.02.2026 and recommended the following for approval of the Competent Authority:

- (i) To consider the bids submitted by the followings bidders as Technically Responsive.
 - (a) M/s. Ecosi Energy Pvt. Ltd
 - (b) M/s. Jai Ambey Suppliers
 - (c) M/s. Lord's Mark Industries Limited
 - (d) M/s. Bondada Engineering Limited
 - (e) M/s. Shri Sai Industries
- (ii) To consider the bids submitted by the followings bidders as Technically Non - Responsive.
 - (a) M/s. Bajaj Electricals Limited
 - (b) M/s. Landsky Engineers Pvt. Ltd
 - (c) M/s. Perfect Allied Safety & Security Services Pvt. Ltd
 - (d) M/s. R.K. Constructions
 - (e) M/s. SunShell Power Ventures Private Limited
- (iii) To open the financial bids of the technically responsive bidders mentioned above at 16:00 Hrs on 26.02.2026.

2. As the bidder M/s. Shri Sai Industries has forwarded his objection on the Technical Evaluation to the Chairman, NHAI HQ & Central Vigilance Office (CVO), the clarification as submitted by the Evaluation Committee has been referred to NHAI HQ by RO - Vijayawada vide E-File no.296353 so that it may be seen by higher officers at HQ (in order to avoid any issue at later stage) before giving suitable reply to the bidders i.e., M/s. Lord's Mark Industries Limited & M/s. Shri Sai Industries.


3. Accordingly, NHAI HQ has referred the matter to Advisor (SRD&Q) wherein the Advisor (SRD&Q) has informed that to avoid delay in finalization of tender as the work is of important from safety point of view for removal of blackspots it is requested to proceed with the tender subject to the following:


"If any successful vendor has no relevant test reports at the time of LOI / Agreement / before start of execution as per Tender / RFP / Corrigendum then successful bidder may be treated as a defaulter. In future tendering advise may please considered as a technical qualifications to ensure quality controls & monitoring".


4. In view of the above, the Evaluation Committee recommends the following for approval of the Competent Authority.

- (i) To give a suitable reply to the bidders M/s. Lord's Mark Industries Limited & M/s. Shri Sai Industries.

 24/04/2024

 24/6/26

 4/6/26

 4/6/26

(ii) To consider the bids submitted by the followings bidders as Technically Responsive.

- (a) M/s. Ecosi Energy Pvt. Ltd
- (b) M/s. Jai Ambey Suppliers
- (c) M/s. Lord's Mark Industries Limited
- (d) M/s. Bondada Engineering Limited
- (e) M/s. Shri Sai Industries

(iii) To consider the bids submitted by the followings bidders as Technically Non - Responsive.


- (a) M/s. Bajaj Electricals Limited
- (b) M/s. Landsky Engineers Pvt. Ltd
- (c) M/s. Perfect Allied Safety & Security Services Pvt. Ltd
- (d) M/s. R.K. Constructions
- (e) M/s. SunShell Power Ventures Private Limited


(iv) Further, as per Clause 1.11 of Section - IX. Form for Qualification Information, "The Bid Capacity status of the bidder to be updated as on the day before opening of financial bids". Hence, all the technically responsive bids may be requested to submit latest Bid Capacity by 08.06.2026 @ 15:00 Hrs.


(v) Thereafter, to open the financial bids of the technically responsive bidders mentioned above at 11:00 Hrs on 09.06.2026.


G. Majhi
DM (F&A)
RO, Vijayawada
Member


Rohit Kumar
PD, PIU
Vizianagaram
Member


K V Krishna Reddy
DM (Tech)
RO, Vijayawada
Member


B. Krishna Murthy
PD, PIU
Rajamahendravaram
Member Secretary


Vakula Jaladariki,
DGM (Tech.),
RO, Vijayawada
Convener

Minutes of Meeting of Tender Evaluation Committee (Final Technical Evaluation & Opening of Financial Bids) dated 23.02.2026 for "Providing Solar Highway Lighting at 20 nos. of locations in the stretch from Km.901+500 to Km.1022+494 on Diwancheruvu - Siddhantham - Gundugolanu section of NH-216A in the State of Andhra Pradesh, as part of rectification of Accident spots on item rate (percentage) basis" (Tender Ref. No. 2025_NHAI_255297_1)

The Evaluation Committee met on 04.02.2026 and recommended the following for approval of the Competent Authority:

- (i) To consider the bids submitted by the followings bidders as Technically Responsive.
 - (a) M/s. Ecosi Energy Pvt. Ltd
 - (b) M/s. Jai Ambey Suppliers
 - (c) M/s. Lord's Mark Industries Limited
 - (d) M/s. Bondada Engineering Limited
- (ii) To consider the bids submitted by the followings bidders as Technically Non - Responsive.
 - (a) M/s. Bajaj Electricals Limited
 - (b) M/s. Shri Sai Industries
 - (c) M/s. Landsky Engineers Pvt. Ltd
 - (d) M/s. Perfect Allied Safety & Security Services Pvt. Ltd
 - (e) M/s. R.K. Constructions
 - (f) M/s. SunShell Power Ventures Private Limited
- (iii) To upload the result of Technical Evaluation as mentioned at Para 5 above on E-tender portal giving 7 working days' time for receiving comments or objections, if any.

2.1 Accordingly, after approval by RO, the result of technical evaluation was displayed on the web portal for 7 days including reasons for non- responsiveness, vide letter no.317 dated 04.02.2026, with a request to non-responsive bidders to submit their representation within 7 days of publishing of this result of technical evaluation, i.e., by 12.02.2026.

2.2 In response, objections have been received from 3 (three) bidders M/s. Shri Sai Industries vide letter dated 07.02.2026, M/s. Lords Mark Industries Limited vide letter no. LMIL/597/2025-2026 dt.07.02.2026 and M/s. Landsky Engineers Pvt. Ltd vide letter no. LEPAL/NHAI-SHL/25-26/260209 dt.09.02.2026 & as detailed below:

(a) M/s. Shri Sai Industries:

Sl. No	Objections of the Bidder	Comments of Committee
(i)	Local Content Documents: The bidder informed that the Local Content Certificate has already been uploaded on the Chartered Accountant's letterhead (In Bid-Technical No.5 - Authorization and Reports - Page No.2)	The Evaluation Committee has re-verified and observed that from the local content certificate issued by the Chartered Accountant M/s. N Poddar & Associates the local content in goods and services offered by the bidder is more than 95%. Relevant document was included as a part of bid in Page No. 2 of Bid-Technical No.5 - Authorization and Reports and found to be in order.

[Handwritten signatures and initials at the bottom of the page]

Sl. No	Objections of the Bidder	Comments of Committee
(ii)	Power of Attorney (POA): The bidder has attached the Power of Attorney, duly notarized.	On verification it is observed that the bidder has uploaded Power of Attorney without notary which was now submitted duly notarized. As per the Ministry guidelines dated 16.01.2017 issued for evaluation of bids, the variations / clarifications which do not affect the basic character / profile of the offer may be sought from the bidder and acceptable under the following conditions. (a) Non-affixation of stamp / common seal on the Power of Attorney. (b) Extension of Validity or Bid Security (c) Minor deficiency in Power of Attorney & Bank Guarantee (d) Minor deficiency in certificate submitted against claims for Technical or Financial capacity. Technical deficiency like specification of bridges not mentioned in the certificate, share of JV partner not mentioned, category of work claimed by the bidder etc., and financial deficiency, like Turnover against Consultancy Services not mentioned etc. In view of the above guidelines, the Committee decided to accept the Power of Attorney uploaded without Notary which was subsequently Notarized and submitted by the bidder.
(iii)	Form 7A: The bidder has attached the Form 7A issued by the Chartered Accountant M/s. N. Poddar & Associates.	On verification it is observed that the bidder has not uploaded Form 7A – Financial Capability duly filled in. However, entire RFP has been signed by the bidder on each page and uploaded. It is also observed that the information submitted now by the bidder in Form 7A is tallying with that of the Balance Sheet as on 31.03.2024 uploaded at the time of bid. Hence, the Committee deliberated in detail and recommended to consider the bidder as Technically Responsive.

(b) M/s. Landsky Engineers Pvt. Ltd:

Sl. No	Objections of the Bidder	Comments of Committee
(i)	Similar Work Experience Criteria: As per Clause 1.3.1 (b) under Section – IX – Form for Qualification Information, similar work experience is defined as experience in providing Solar Highway / Solar Street / Solar High Mast Lighting / Solar Home Energy System / Solar Home Lighting System works.	The Committee has re-verified the experience certificates along with supporting documents uploaded at the time of bidding and observed the following: (i) The bidder has claimed the experience of 7 works. However, experience certificates enclosed only in respect of following three works. (a) Design, Supply, installation, testing, Commissioning with Comprehensive Maintenance Contract (CMC

[Handwritten signatures and initials]

Sl. No

Objections of the Bidder

Comments of Committee

In this regard, the bidder submit that the experience certificates along with the supporting documents (Forms - 1 to 6, Page No. 45 & 53) were already submitted and are re-attached herewith for ready reference.

for 5 years) including Remote Monitoring System (RMS) of Smart Solar Street Light System on the identified existing electric pole under 'Mukhyamantri Gramin Solar Street Light Yojana'(Madhubani) Qty - 376 nos. - Value of Contract - Rs.1,14,68,000/-

(b) Design, Supply, installation, testing, Commissioning with Comprehensive Maintenance Contract (CMC for 5 years) including Remote Monitoring System (RMS) of Smart Solar Street Light System on the identified existing electric pole under 'Mukhyamantri Gramin Solar Street Light Yojana'(Madhubani) Qty - 612 nos. - Value of Contract - Rs.1,86,66,000/-.

(c) Design, Supply, installation, testing, Commissioning with Comprehensive Maintenance Contract (CMC for 5 years) including Remote Monitoring System (RMS) of Smart Solar Street Light System on the identified existing electric pole under 'Mukhyamantri Gramin Solar Street Light Yojana'(Bhagalpur) Qty - 3880 nos. - Value of Contract - Rs.11,83,40,000/-.

As per Clause 1.3.1 (b) under Section - IX. Form for Qualification Information, "The Bidder shall provide evidence that it has successfully completed or substantially completed within the last five years (commencing from the year [2020-21]), either of the following;

Sl. No	Similar Work during last five years	Acceptance of Similar Work
i.	one similar completed work costing not less than amount equals to 80% each of estimated cost (i.e., Rs.3,12,26,576/-) or	The Similar Work constitutes experience of Providing of Solar Highway / Solar Street / Solar High Mast lighting / Solar Home Energy System / Solar Home Lighting System works.
ii.	two similar completed works costing not less than amount equals to 50% each of estimated cost (i.e., Rs.1,95,16,610/-) or	The Similar Work constitutes experience of Providing of Solar Highway / Solar Street / Solar High Mast lighting / Solar Home Energy System / Solar Home Lighting System works.
iii.	three similar completed works costing not less than	The Similar Work constitutes experience of Providing of Solar

[Handwritten signatures and initials]

Sl. No

Objections of the Bidder

Comments of Committee

amount equals to 40% Highway / Solar Street /
each of estimated cost Solar High Mast lighting
(i.e., Rs.1,56,13,288/-) / Solar Home Energy
System / Solar Home
Lighting System works.

On verification of experience certificates it is observed that the works at (i) (a) & (i) (b) are not qualifying for Similar Work Experience w.r.t value of work i.e.,

Single work value – Rs.3,12,26,576/-

Two works value – Rs.1,95,16,610/- each

Three work value – Rs.1,56,13,288/- each

The work at (i) (c) though it is qualifying for similar work experience both w.r.t nature & value, it is not meeting the requirement of experience as it is not substantially completed (83% progress being less than 90%).

As per Clause 1.3.1 (b). Particular Construction Experience,

"The bidder shall provide evidence that it has successfully completed or substantially completed within the last five years (commencing from the year 2020-21).....,

Substantially completed works means those works which are at least 90% completed as on the date of submission (i.e., gross value of work done up to the last date of submission is 90% or more of the original contract price) and continuing satisfactorily".

The Committee observed from the experience certificate of the work at (i) (c) that progress of work is 83% only (Rs.9,78,74,500 / Rs.11,83,40,000).

In view of the above, the bidder is not meeting the qualification criteria w.r.t experience, hence the Committee recommended this bidder as Technically Non - responsive.

(ii) Submission of Civil Works Experience:

(i) Project No.1 - Supply and Installation of Portable Static Compactor station including construction of shed for the collection of Municipal at selected location in Karimnagar with total value of work done as Rs.1,09,50,124/-


As per Clause 1.3.1 (b) under Section – IX. Form for Qualification Information, "The Similar Work constitutes experience of Providing of Solar Highway / Solar Street / Solar High Mast lighting / Solar Home Energy System / Solar Home Lighting System works".

Hence, the Civil Work experience does not meet the required qualification criteria as mentioned above.

[Handwritten signatures and initials]

Sl. No	Objections of the Bidder	Comments of Committee
	(ii) Project No.2 - Survey, Design, Supply, Installation & Commissioning of closed compaction system including Civil Works at Mudasarlova, Transfer Station location in Greater Visakhapatnam Municipal Corporation with total value of work done as Rs.8,49,00,000/- The bidder informed that they have substantial experience in civil works, which forms an integral part of infrastructure development projects.	
(iii)	Clarification on Nature of Similar Work: The bidder submit that the experience certificates along with the supporting documents (Forms - 1 to 6, Page No. 45 & 53) were already submitted and are re-attached herewith for ready reference.	Same as at Sl. No. (i)
(iv)	Discrepancy in 'A' value for Bid Capacity: The bidder requested to consider Form-2. Accordingly, CA-certified copies of the turnover and net worth documents were attached for ready reference.	As confirmed by the bidder that the Value of A to be considered from Form - 2, the bid capacity is worked out as follows: $= 2.5 \times A \times N - B + C$ $= 2.5 \times 17,00,00,000 \times 0.25 - 31,90,60,500 + 0$ $= (-) 21,28,10,500/-$ Hence, the bidder is not meeting the eligibility criteria w.r.t Bid Capacity.
(v)	Submission of Form of Bid & Appendix to Bid: The bidder informed that they have submitted the Form of Bid & Appendix to Bid in Page No. 1 to 5 of bidformandintegritypact.pdf	The Evaluation Committee has re-verified and observed that the bidder has submitted Form of Bid & Appendix to Bid as specified in Section - V in the bid document at the time of bid only in Page No. 1 to 5 of bid form and integrity pact.pdf which is found to be in order.
(vi)	Self-Certification for Local Content: The bidder informed that they have submitted the certificate of local content in Page No. 100 of Form7toform13pages1to100.pdf	The Evaluation Committee has re-verified and observed that from the local content certificate submitted by the bidder the local content in goods and services offered by the bidder is 80%. Relevant document was uploaded as a part of bid in Page No. 100 of Form7toform13pages1to100 and found to be in order.
		The Evaluation Committee has observed that the bidder is not meeting the Qualification Criteria w.r.t Experience & Bid Capacity and hence recommended as Technically Non - Responsive. Thus, there is no change in the evaluation result declared earlier.



(c) M/s. Lords Mark Industries Limited:

Sl. No	Objections of the Bidder	Comments of Committee
(i)	The bidder informed that the tender documents clearly and unequivocally stipulate, as a mandatory eligibility requirement, the submission of component-wise technical test reports confirming compliance with prescribed technical specifications, IEC standards and quality requirements duly certified by approved and reputed testing laboratories as specified in the RFP. The tender explicitly mandates submission of technical test reports for all major components including but not limited to solar panels, batteries, luminaires and the charge controllers at the time of bid submission itself. There is no provision in the RFP for post bid submission, clarification or supplementation of these mandatory test reports. It is well settled principle governing public procurement in India that all mandatory technical documents forming part of eligibility criteria must be submitted along with the bid, failing which the bid becomes non-responsive and liable for outright rejection. Any relaxation or acceptance of post-bid submission of such mandatory documents would amount to a material deviation from tender conditions and would be contrary to established procurement norms, Central Vigilance Commission (CVC) guidelines and consistent judicial precedents. The bidder respectfully but firmly submit that the RFP and the tender documents must be enforced uniformly, strictly and without exception across all bidders. Any deviation, dilution or selective relaxation of mandatory technical requirements would undermine the sanctity of the tender process and defeat the core objectives of quality assurance, public safety, operational reliability and long term performance of the solar highway lighting systems.	As per Clause 3.1 of Section – I. Instructions to Bidders (ITB), Eligibility of bidders is based on bidder meeting the pass/fail criteria regarding their general and particular experience, financial position, personnel and equipment capabilities and other relevant information as demonstrated by the applicant's responses on the forms attached in Section - IX (Volume 3). As per Clause 5.1 of Section – I. Instructions to Bidders (ITB), The Evaluation and Qualification criteria shall be as set out in Section – IX. Clause 5.2 of Section – I. Instructions to Bidders (ITB): To establish its qualifications to perform the contract in accordance with the evaluation and qualification criteria (Section IX) the Bidder shall provide the following information requested in the corresponding information sheets included in Section IX (Qualification Information Forms). (i) Bidder's Information (ii) Deleted. (iii) Financial Capabilities (iv) Annual Construction Turnover duly audited and similar construction experience. (v) Value of all existing commitments of all business activities of the bidder with project-wise break-up. (vi) Evidence of availability of key equipment. (vii) Evidence of availability of required key personnel in site organization proposed for the administration and execution of the contract. (viii) Proposals of the bidders to sub-contract works. (ix) Deleted. (x) Work programme-supported with details. (xi) Project specific credit line. (xii) Affidavit As per Section – IX the qualification information forms are as follows: - FORM- 1: General Information - FORM-2: General Construction Experience Record - FORM- 3: Particular Construction Experience Record - FORM –3A: Details of Contracts of Similar Nature and Complexity - FORM- 4: Current Contract Commitments/works in progress - FORM – 4A: Summary Sheet for works of Similar Nature - FORM- 5: Personnel Capabilities - FORM- 6: Equipment Capabilities



Sl.
No

Objections of the Bidder

Comments of Committee

FORM- 7: Financial Capabilities
FORM -7A: Financial Capabilities
FORM -7B: Bank Certificate
FORM- 8: Litigation/Arbitration History
FORM- 9: Information Regarding Current Litigation etc.
FORM -10: Affidavit
FORM -11: Information required to evaluate the BID
Capacity under Clause 1.11
FORM -12: Format for Power of Attorney for signing of BID
FORM-13: Certificate regarding Compliance with
Restrictions under Rule 144 (xi) of the General Financial
Rules (GFRs), 2017

The subject bidding is International Competitive Bidding and the RFP is based on Standard Document approved by Ministry of Road Transport & Highways, Govt. of India.

It may be seen from the above that as per RFP document, submission of component wise technical test reports are not mandatory pre - qualification requirement.

It is not out of place to mention that all Test Reports must be submitted by Approved NABL Lab as per para 4.5 (Tests) of Section - IV (Technical Specifications). In this regard para 4.2 (General Requirements) may also be referred which stipulates that "The Technical Specifications in accordance with which the entire work described hereinafter shall be executed and completed by the Contractor shall comprise of the following". Therefore, all Test Reports shall be submitted at the time of execution only.

Hence, the bidder contention that it is mandatory eligibility requirement to submit component-wise technical test reports confirming compliance with prescribed technical specifications, IEC standards and quality requirements duly certified by approved and reputed testing laboratories as specified in the RFP is not correct.

- (ii) The bidder has enclosed for ready reference a recently issued tender by "Varanasi Nagar Nigam" for solar street lighting systems in the city of Varanasi which similarly mandates submission of component wise technical test reports as a pre - qualification requirement.

No comment as it is not NHA's document.

2.3 Further, the bidder M/s. Shri Sai Industries vide letter no. SSI/253/2025-2026 dated 18.02.2026 has also submitted representation regarding mandatory submission of competent - wise technical test reports under RFP for which Committee has submitted their comments as detailed below.




Sl. No	Objections of the Bidder	Comments of Committee
(i)	The bidder informed that the tender documents clearly and unequivocally stipulate, as a mandatory eligibility requirement, the submission of component-wise technical test reports confirming compliance with prescribed technical specifications, IEC standards and quality requirements duly certified by approved and reputed testing laboratories as specified in the RFP. The tender explicitly mandates submission of technical test reports for all major components including but not limited to solar panels, batteries, luminaires and the charge controllers at the time of bid submission itself. There is no provision in the RFP for post bid submission, clarification or supplementation of there mandatory test reports. It is well settled principle governing public procurement in India that all mandatory technical documents forming part of eligibility criteria must be submitted along with the bid, failing which the bid becomes non – responsive and liable for outright rejection. Any relaxation or acceptance of post – bid submission of such mandatory documents would amount to a material deviation from tender conditions and would be contrary to established procurement norms, Central Vigilance Commission (CVC) guidelines and consistent judicial precedents. The bidder respectfully but firmly submit that the RFP and the tender documents must be enforced uniformly, strictly and without exception across all bidders. Any deviation, dilution or selective relaxation of mandatory technical requirements would undermine the sanctity of the tender process and defeat the core objectives of quality assurance, public safety, operational reliability and long term performance of the solar highway lighting systems.	As per Clause 3.1 of Section – I. Instructions to Bidders (ITB), Eligibility of bidders is based on bidder meeting the pass/fail criteria regarding their general and particular experience, financial position, personnel and equipment capabilities and other relevant information as demonstrated by the applicant's responses on the forms attached in Section - IX (Volume 3). As per Clause 5.1 of Section – I. Instructions to Bidders (ITB), The Evaluation and Qualification criteria shall be as set out in Section – IX. Clause 5.2 of Section – I. Instructions to Bidders (ITB): To establish its qualifications to perform the contract in accordance with the evaluation and qualification criteria (Section IX) the Bidder shall provide the following information requested in the corresponding information sheets included in Section IX (Qualification Information Forms). (i) Bidder's Information (ii) Deleted. (iii) Financial Capabilities (iv) Annual Construction Turnover duly audited and similar construction experience. (v) Value of all existing commitments of all business activities of the bidder with project-wise break-up. (vi) Evidence of availability of key equipment. (vii) Evidence of availability of required key personnel in site organization proposed for the administration and execution of the contract. (viii) Proposals of the bidders to sub-contract works. (ix) Deleted. (x) Work programme-supported with details. (xi) Project specific credit line. (xii) Affidavit As per Section – IX the qualification information forms are as follows: FORM- 1: General Information FORM-2: General Construction Experience Record FORM- 3: Particular Construction Experience Record FORM –3A: Details of Contracts of Similar Nature and Complexity FORM- 4: Current Contract Commitments/works in progress FORM – 4A: Summary Sheet for works of Similar Nature FORM- 5: Personnel Capabilities FORM- 6: Equipment Capabilities

Sl. No	Objections of the Bidder	Comments of Committee
		FORM- 7: Financial Capabilities FORM -7A: Financial Capabilities FORM -7B: Bank Certificate FORM- 8: Litigation/Arbitration History FORM- 9: Information Regarding Current Litigation etc. FORM -10: Affidavit FORM -11: Information required to evaluate the BID Capacity under Clause 1.11 FORM -12: Format for Power of Attorney for signing of BID FORM-13: Certificate regarding Compliance with Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 The subject bidding is International Competitive Bidding and the RFP is based on Standard Document approved by Ministry of Road Transport & Highways, Govt. of India. It may be seen from the above that as per RFP document, submission of component wise technical test reports are not mandatory pre-qualification requirement. It is not out of place to mention that all Test Reports must be submitted by Approved NABL Lab as per para 4.5 (Tests) of Section - IV (Technical Specifications). In this regard para 4.2 (General Requirements) may also be referred which stipulates that "The Technical Specifications in accordance with which the entire work described hereinafter shall be executed and completed by the Contractor shall comprise of the following". Therefore, all Test Reports shall be submitted at the time of execution only. Hence, the bidder contention that it is mandatory eligibility requirement to submit component-wise technical test reports confirming compliance with prescribed technical specifications, IEC standards and quality requirements duly certified by approved and reputed testing laboratories as specified in the RFP is not correct.
(ii)	The bidder has enclosed for ready reference a recently issued tender by "Varanasi Nagar Nigam" for solar street lighting systems in the city of Varanasi which similarly mandates submission of component wise technical test reports as a pre - qualification requirement.	No comment as it is not NHAI's document.
(iii)	As per original RFP, it was mentioned that only the successful bidder would be required to submit Test Reports. However, subsequently, Corrigendum No. 06 was issued, wherein it was clearly specified that all bidders must submit the mandatory test	The Corrigendum No.06 referred pertains to "Providing Solar Highway Lighting at 104 nos. of locations in the stretch from Km 741.255 to Km 1022.494 on Anakapalli - Annaram - Diwancheruvu section of NH-16, Diwancheruvu - Siddhantham - Gundugolanu section of NH-216A, Gundugolanu - Devaramalli - Kovvuru from km







Sl. No	Objections of the Bidder	Comments of Committee
	reports, and several additional test reports were also made compulsory.	15.320 to Km 85.204 section of NH-16 and Kathipudi - Start of Kakinada Bypass from Km. 0.000 to Km. 27.500 section of NH 216 in the State of Andhra Pradesh, as part of rectification of MoRT&H identified Blackspots & Accident spots on item rate (percentage) basis". Moreover, Corrigendum was issued w.r.t Section-IV. Technical Specifications according to which all Test Reports must be submitted by Approved NABL Lab at the time of Execution.

3. In view of the above, the Evaluation Committee recommends the following for approval of the Competent Authority.

(i) To consider the bids submitted by the followings bidders as Technically Responsive.


- (a) M/s. Ecosi Energy Pvt. Ltd
- (b) M/s. Jai Ambey Suppliers
- (c) M/s. Lord's Mark Industries Limited
- (d) M/s. Bondada Engineering Limited
- (e) M/s. Shri Sai Industries


(ii) To consider the bids submitted by the followings bidders as Technically Non - Responsive.


- (a) M/s. Bajaj Electricals Limited
- (b) M/s. Landsky Engineers Pvt. Ltd
- (c) M/s. Perfect Allied Safety & Security Services Pvt. Ltd
- (d) M/s. R.K. Constructions
- (e) M/s. SunShell Power Ventures Private Limited


(iii) To open the financial bids of the technically responsive bidders mentioned at (i) above at 16:00 Hrs on 26.02.2026.


G. Majhi
 DM (F&A)
 RO, Vijayawada
 Member


B. Krishna Murthy
 PD, PIU
 Rajamahendravaram
 Member Secretary


Rohit Kumar
 PD, PIU
 Vizianagaram
 Member


K V Krishna Reddy
 DM (Tech)
 RO, Vijayawada
 Member


K.V.D. Ranjani
 DGM (Tech.),
 RO, Vijayawada
 Convener