

Q. Why

NPCIL plant & machineries, property, persons etc., Policies submitted, should bear the Work Order (WO) number except Group Insurance for which WO number is not mandatory. You have to submit the copies of Insurance policies along with the original policy document to the Engineer-in-charge before the commencement of work.

7.1 Contractor's All Risk(CAR) Policy

You shall take Contractor's All Risk(CAR) Policy for the whole contract value i.e, **₹ 1,59,67,700.00** (including GST) including Insurance for Third Party Liability for 10% of the work order value i.e, **₹ 15,96,770.00**

7.2 Employees Compensation Policy:

You shall take the Employees Compensation Policy for employees who are engaged in this work.

7.3 Group Insurance Policy:

In case the employees engaged on this work are already covered under the Group Insurance policy of the Contractor, same shall be acceptable in lieu of employee compensation policy. In such case the proof of employment shall be submitted.

8. TAXES

8.1 Income tax and statutory levy etc. if any, on this contract, as notified by Central/State Govt. from time to time shall be recovered from your running bills as well as final bill for this work in the prescribed manner. You are requested to submit copy of your GST No. & Permanent Account Number to Engineer-in-charge.

8.2 For GST related compliance (including TDS) refer Special Conditions of Contract (SCC) is attached in Section-IV of tender and clause no 11 of Section-I / NIT.

9. ENGINEER-IN-CHARGE:

Shri.G.Madasamy,, Scientific Officer-F(Civil) will be the Engineer-in-charge for this work. You may make necessary arrangements for commencing the work immediately in consultation with Engineer-in-charge.

10. SECURITY DEPOSIT:

You may please note that security deposit will be **₹ 15,96,770.00.** (@ 10% of the contract value). Initially you will have to submit a performance guarantee for **₹ 7,98,385.00** (50% of security deposit) within 30 days after issue of work order. The remaining amount of security deposit of **₹ 7,98,385.00** will be recovered from the RA bill/ final bill at the rate of 6% of each bill amount. Security deposit amount will not bear any interest. Refer clause No.2, page-3 & 4 of Section – II for full details of Security deposit and its release. Defect liability period is **12 months** from the certified date of completion of the contract as per Schedule: A Clause No.9.1.1 of General Conditions of Contract. Failure of furnishing the performance guarantee

G. Madasamy

within 30 days as stated above shall constitute sufficient grounds for cancellation of the award of work.

11. APPLICABLE LAWS & ACTS:

You shall comply with various provisions of Contract Labour (Regulation & Abolition) Act 1970, and Rules framed there under from time to time. In case the Contract Labour Act does not apply to your organization the Contractor should intimate the Engineer-in-charge of this work accordingly before commencing the work. Further you shall also comply with the provisions of other laws such as Workmen's Compensation Act 1923, Minimum Wages Act 1948, E.P.F. Act, Bonus Act, Gratuity Act and other Labour Laws as applicable to your organisation. In case NPCIL is required to incur any expenses as Principal Employer under the provisions of the various laws, NPCIL shall be entitled to recover the same from you from your bills.

12. LABOUR LICENSE :

If labour license is required to be obtained for the work as per the existing labour laws then the Principal Employer's Certificate required for obtaining Labour License for specified number of workmen proposed to be employed for the work and shall be issued on the request of the Contractor. A request for issue of Principal Employer's Certificate (Form – III) shall be submitted to the Engineer in charge of the work immediately after receipt of work order. You shall ensure the submission of labour license application within 07 days of issue of Form-III.

13. PAYMENT TERMS:

13.1 In respect of all items in the schedule of quantities and rates of Work order, the payments shall be made on submission of bills for the work along with the joint measurements, through monthly RA bills, as per General Conditions of Contract of tender & against submission of Tax invoice as applicable to you.

13.2 The first running account bill will be paid only after submission of the documents as mentioned in Clause No.15 (A) and 15 (B) of Special instructions in Section-III (Part-I) of tender.

13.3 Final bill will be paid only after submission of the documents as mentioned in clause No.15 (C) and 15 (D) of special instructions in Section-III (Part-I) of tender.

14. PENALTIES:

Penalties imposed by Engineer-in-charge for non-compliance of work will be recovered from bills of the contractor before release of payment as per clause No.19 of Section-III (Part-I) of tender.

15. All other terms and conditions not specifically brought out in this work order shall be governed as per Special Conditions of Contract, special instructions and General Conditions of Contract.

16. AGREEMENT:

You shall enter into contract and shall execute and sign the Contract agreement in accordance with the Articles of Agreement. You shall bring appropriate value Bond paper/ Stamp paper (top page)(as per applicable stamp duty Act at work location) at your own cost in the joint name of NPCIL and the contractor, as mentioned in clause No.10, Part-I of Section-III of tender.


You are requested to attend the office for signing the agreement within 60 days from the date of issue of Work order. Till then a formal agreement document is executed, the original tender together with letters under reference and this Work order shall form the binding contract between us.

17. ACCEPTANCE OF WORK ORDER:

Please acknowledge by a letter, the receipt of this work order and the acceptance of the terms and conditions indicated in this contract immediately on issue of work order. Also as a token of acceptance, the Contractor is requested to sign the copy of this work order and send it along with the acceptance letter, to Engineer In-charge (C&MM-Works Group), C-Block, Ground Floor, Kudankulam Nuclear Power Project, Kudankulam P.O, Radhapuram Taluk, Tirunelveli District, Tamil Nadu and a copy to Engineer In-charge of this work.

Thanking you,

Yours faithfully,


13/8/25
(V.P.Wilson)

Chief Engineer (E&US)

for For and on behalf of
Nuclear Power Corporation of India Ltd

Encl: Schedule of Quantities and Rates – 'I'

Annexure - I

Print Date: 28-Jul-2025

Name of Work: Construction of balance Patrolling Road along Main Plant Boundary (MPB) at KKNPP Site
WO / SOQR Number : 201054 **Tender No.:** NPCIL/KKNPP/CONST/CIVIL-INFRA/PT/2025/17

Agency Name : A.SARATHA

Item No	Item Description	Unit	Quantity	Rate in ₹	Rebate In %	Amount in ₹
		Rate in Words				
Schedule : Civil-Infra:NA						
1	Clearing jungle including uprooting of rank vegetation, grass bush wood trees and saplings up to 30 cm girth and removal of rubbish up to a lead of 2 km outside the periphery of area cleared as per drawings and specifications	Sq.m	18750	20	0.00	375,000.00
				Rupees Twenty Only		
2	Earth work excavation by mechanical means (hydraulic excavator/manual means for foundation, trenches etc., in all types of soils below ground level including shoring, strutting, bailing / pumping of water, leveling, ramming the bottom of excavation, refilling with selected excavated materials in the sides of the foundation in layers, consolidating and disposing off the surplus earth at places as directed within a lead of 2 Km all as per drawings and specifications. - up to 1.5m ht	Cum	7000	180	0.00	1,260,000.00
				Rupees One Hundred Eighty Only		
3	Filling with selected earth in layers of not more than 150 mm thick compacted layer, each layer well rammed, watered and consolidated as per drawings and specifications				0.00	
3.1	Selected earth brought from 50 m lead	Cum	4200	116	0.00	487,200.00
				Rupees One Hundred Sixteen Only		
3.2	Selected earth shall be brought from within a lead of 2 Km	Cum	3150	120	0.00	378,000.00
				Rupees One Hundred Twenty Only		
4	Providing and laying M20/M25 Design mix concrete with cement content up to 350kg/Cum using 20mm and down graded stone aggregates including Mixing, Ramming, Compaction, leveling, curing, placing at all lifts, including scaffolding and Finishing smooth all exposed faces complete as per specification.	Cum	50	8500	0.00	425,000.00
				Rupees Eight Thousand Five Hundreds Only		
5	Providing, placing in position and removing Form work for all insitu concrete works including scaffolding etc., complete at all elevations as per drawing and specification (measurement for form work shall be the area of forms in contact with concrete surfaces)	Sqm	150	500	0.00	75,000.00
				Rupees Five Hundreds Only		

Tina G.

Name of Work: Construction of balance Patrolling Road along Main Plant Boundary (MPB) at KKNPP Site
WO / SOQR Number : 201054 Tender No.:NPCIL/KKNPP/CONST/CIVIL-INFRA/PT/2025/17

Agency Name : A.SARATHA

Item No	Item Description	Unit	Quantity	Rate in ₹	Rebate in %	Amount in ₹
				Rate in Words		
6	Providing cutting, bending placing and tying mild steel, high yield steel reinforcement in RCC works including providing spacer blocks in CM 1:2, binding wires etc. complete at all elevations as per drawings and specifications including dewatering wherever necessary etc complete as per drawings and specifications	MT	3.5	96000	0.00	336,000.00
				Rupees Ninety Six Thousand Only		
7	Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge. With material conforming to Grade-I (size range 75 mm to 0.075 mm) having CBR Value-30, as per Clause 401 of MORT & H specifications complete in all respects.	Cum	2100	1400	0.00	2,940,000.00
				Rupees One Thousand Four Hundreds Only		
8	Providing & laying & spreading and compacting graded stone aggregate (size range 53 mm to 0.075mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in mechanical mix plant, carriage of mixed material by tipper to site, for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge as per clause 406 of MORT & H specifications complete in all respects.	Cum	2100	1300	0.00	2,730,000.00
				Rupees One Thousand Three Hundreds Only		
9	Providing and applying tack coat using bitumen emulsion conforming to IS:8E87 using emulsion Pressure distributor including preparing the surface & cleaning with mechanical broom with rapid settling emulsion on bitumen surface @ 0.25kg/sqm. as per clause 503 of MORT & H Specifications complete in all respects.	Sqm	10500	16	0.00	168,000.00
				Rupees Sixteen Only		
10	Providing and applying prime coat using slow setting bitumen emulsion conforming to IS:8887 on prepared surface of granular base including clearing the road surface and spraying primer at the rate of 6kg/10sqm, as per clause 502 of MORT & H specifications complete in all respects	Sqm	10500	40	0.00	420,000.00
				Rupees Forty Only		
11	Providing and laying Dense graded bituminous macadam 40 mm thick with 100 - 120 THP hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading premixed with bituminous binder at 4.0 to 4.5% by weight of total mix and filler, transporting the hot mix to site, laid over a previously prepared surface with a hydrostatic paver finisher with sensor control to the required grade level and alignment and rolled with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per clause 507 of MORT & H specifications complete in all respects.	Cum	420	7400	0.00	3,108,000.00
				Rupees Seven Thousand Four Hundreds Only		

G. mmm

Item No	Item Description	Unit	Quantity	Rate in ₹	Rebate in %	Amount in ₹
		Rate in Words				
12	Providing and laying bituminous concrete 30 mm thick with 100 - 120 T/H P hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading premixed with bituminous binder at 5.4 to 5.6% by weight of total mix and filler, transporting the hot mix to site, laid over a previously prepared surface with a hydrostatic paver finisher with sensor control to the required grade level and alignment and rolled with smooth wheeled, vibratory and tandem roller to achieve the desired compaction as per clause 509 of MORT & H specifications complete in all respects.	Cum	315	8500	0.00	2,677,500.00
		Rupees Eight Thousand Five Hundreds Only				
13	Providing and applying 2.5mm thick road marking trips (retro-reflective) of specified shade/color using hot thermoplastic material by fully/ semi automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt seals, oil, grease and foreign material etc. complete as per drawings and specifications	Sqm	700	740	0.00	518,000.00
		Rupees Seven Hundreds Forty Only				
14	Providing and laying non-pressure RCC pipes with collars of dia & classes mentioned below, joined with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing the joints etc complete.				0.00	
14.1	RCC Pipes with Collars - 450mm dia - NP2	Meter	40	1750	0.00	70,000.00
		Rupees One Thousand Seven Hundreds Fifty Only				

Trina

Note:: All Item Rates are considered to be in Indian Rupees unless otherwise explicitly specified and in which case shall be always converted appropriately to arrive at the amount in Indian Rupees.

Work Order Total	₹15967700
Overall Rebate (%)	0
Work Order Value After Overall Rebate (in Figure)	₹15967700
Final Work Order Value (in Figure)	₹15967700
Final Work Order Value (in words)	Rupees One Crore Fifty Nine Lakh Sixty Seven Thousand Seven Hundreds Only

g.m.m.f

Cc: **Distribution:** (Through E-mail)

- | | | |
|-----|------------------------------|--|
| 1. | Site Director | - For kind information |
| 2. | Station Director (1&2) | - -do- |
| 3. | CE(E&US) | - With Schedule of Quantities & Rates |
| 4. | Shri.G.Madasamy, SO/F(Civil) | With Schedule of Quantities & Rates |
| 5. | Head(C&MM) | With Schedule of Quantities & Rates |
| 6. | Head(C&MM-Works Group) | With Schedule of Quantities & Rates |
| 7. | AGM(F&A) | - With Schedule of Quantities & Rates, Approval for Award of work, copy of vetted work order, CST, Admin approval & Technical Sanction |
| 8. | Engineer-in-charge | - With Schedule of Quantities & Rates, Approval for Award of work & CST |
| 9. | Head (HR) | - |
| 10. | Head (IS&F -1&2) | - with Schedule-A |
| 11. | Commandant, CISF | |
| 12. | Tender File | |
| 13. | Work order File | |