

Dealing Officer to upload MOM here by copy and paste alternatively they can make a MOM and upload in the document list.

Subject: Minutes of PEC meeting held on 28.03.2025 after price bid opening against Tender no DQ4SL25001 for hiring of TPI Agency for inspection of EOR Surfactant and Alkali Soda Ash procured for ASP Jhalora Project.

1. Constitution of PEC:

1.1 Shri V V Pandey, Manager (F&A)

1.2 Shri Surajit Bairy, Sr. Chemist

2. Brief of the case:

Tender no	DQ4SL25001
Description	For hiring the TPI Agency for inspection of EOR Surfactant and Alkali Soda Ash procured for ASP Jhalora Project
PR No	2010163065
Estimate value	INR 13,44,992/-
BEC approval date	27.03.2025
NIT date	21.03.2025
TBO date	27.03.2025
Bid offer validity	30 days from the bid opening date (i.e. 26.04.2025)
Splitting applied	No
MII Purchase Preference	Not applicable since case value is less than INR 1 crore
MSE Purchase Preference	Yes

No. of offers received for bid opening	Two (02) bids received						
	<table> <tr> <th>SI no</th><th>Bidder Name</th></tr> <tr> <td>1</td><td>M/s DNV MES India Private Limited, Pune</td></tr> <tr> <td>2</td><td>M/s TCRC Quality Controls LLP, Chennai</td></tr> </table>	SI no	Bidder Name	1	M/s DNV MES India Private Limited, Pune	2	M/s TCRC Quality Controls LLP, Chennai
SI no	Bidder Name						
1	M/s DNV MES India Private Limited, Pune						
2	M/s TCRC Quality Controls LLP, Chennai						
Technical comments sought on	27.03.2025						
PBO	27.03.2025						
CS Vetting	28.03.2025						
Bid validity	26.04.2025						

2.1. The techno-commercial status of the bidders after techno-commercial evaluation was as under:

S. No.	Bidder Name	Quoted as	Technical Status	Commercial Status	PP-MSE eligibility
1	M/s DNV MES India Private Limited, Pune	TPI Service provider	Technically acceptable	Commercially acceptable	Not applied for MSE purchase preference
2	M/s TCRC Quality Controls LLP, Chennai	TPI Service provider	Technically acceptable	Commercially acceptable	Not applied for MSE purchase preference

2.1. Price bids of 02 no of bidders were opened on 27.03.2025. The prices, received on GePNIC portal are as under (Annexure-13 & 14):

S. No.	Bidder Name	MSE Status	Total Quoted Price (INR)	Ranking
1	M/s DNV MES India Private Limited, Pune	N/A	24,18,646.00	L2

2	M/s TCRC Quality Controls LLP, Chennai	N/A	1,57,048.56	L1
---	--	-----	-------------	----

2.2. The inputs on ROR were proposed from indenter on 28.03.2025 (annex-16) as mentioned below:-

Quote:

“With ref to the L-1 rates of above referred tender against Estimated rates for Hiring of TPI service along with inputs for reasonability of rates is given below:-

<i>L-1 Rate (Rs.)</i>	<i>Estimated rate as per PR# 2010163065 (Rs.)</i>	<i>Variation of L-1 rate from estimated rate</i>
1,57,048.56	13,44,992.00	(-) 88.3 %

It is seen that L-1 rate is 88.3% lower than the estimated rate vide PR 2010163065.

Estimation was done on basis of 1% of Sanction value of respective chemicals (vide PR 1030112996 & 1030112997) for hiring of TPI service for source inspection of Alkali Soda Ash & EOR Surfactant.

Total 02 TA/CA bids are available against the mentioned tender.

In view above, L-1 quoted rate may be considered as reasonable for order placement."

Unquote

3. PEC Deliberations:-

3.1 PEC noted that the instant case pertains for hiring the TPI Agency for inspection of EOR Surfactant and Alkali Soda Ash procured for ASP Jhalora Project. Technical bids were opened on GePNIC portal on 27.03.2025. Total 02 offers were received and both of the bidders were techno-commercially acceptable. Price bids of the 02 bidders were opened on 27.03.2025 as the tender was invited under Single Bid System. The L-1 rate obtained is INR 1,57,048.56 from M/s TCRC Quality Controls LLP, Chennai against the PR 2010163065 estimates of INR 13,44,992/-.

3.2 From ROR inputs at para 2.2 above, it is noted that the quoted L-1 rate is 88.3% lower than the estimate. The Estimation was done on basis of 1% of Sanction value of respective chemicals (vide PR 1030112996 & 1030112997) for hiring of TPI service for source inspection of Alkali Soda Ash & EOR Surfactant.

3.3 It was also noted that total 02 bidders were shortlisted in the instant tender.

3.4 From the above, PEC noted that in the instant tender, the L-1 rates received is 88.3% lower than estimate. Hence, PEC opined that L-1 quoted rate may be considered as reasonable for order placement.

4. PEC Recommendations:

In view of above, TC recommends as under:

3.1] To award the order for hiring TPI Agency for inspection of EOR Surfactant and Alkali Soda Ash procured for ASP Jhalora Project To M/s TCRC Quality Controls LLP, Chennai at the total cost of Rs. 1,57,048.56

Case Value	INR 13,44,992/- (PR no. 2010163065)
L-1 value	INR 1,57,048.56
Bid Validity	26.04.2025
CPA	L-IV from Indenting section as per BDP clause no. 24.1(a)

Submitted for approval please.

SURAJIT BAIRY
(Sr.Chemist)

Recommended & Electronically Signed by:
SURAJIT BAIRY - 131558 (Sr.Chemist)
Ahmedabad Surface Chemistry Lab - ABAD
On : 28/03/2025(15:56:17)

VINOD KUMAR VIDYA SAGAR PANDEY
(Manager (F & A))

Recommended & Electronically Signed by:
VINOD KUMAR VIDYA SAGAR PANDEY - 67159 (Manager (F & A))
AHMEDABAD FINANCE - ABAD
On : 28/03/2025(17:12:53)

Electronically Signed & Submitted by:
SURAJIT BAIRY - 131558 (Sr.Chemist)
Ahmedabad Surface Chemistry Lab - ABAD
On: 28/03/2025(17:15:45)

Approved & Electronically Signed by:
KESHAV DIXIT - 105973 (Chief Chemist)
Ahmedabad Surface Chemistry Lab - ABAD
On: 28/03/2025(17:37:30)

Electronically Signed & Submitted by :
SURAJIT BAIRY - 131558 (Sr.Chemist)
Ahmedabad Surface Chemistry Lab - ABAD
On:02/04/2025(10:34:40)

Rich text editor toolbar

Rich text editor, use the toolbar to format text