

Subject : MOM of TC for Non-comprehensive AMC of GC-2010 Plus (2DGC) Gas Chromatograph Unit

PEC comprising of below members met on 15.06.2026

1. Mr.. Kehar Singh, CM (Finance); CPF No. 68861
2. Ms. Jyoti Dwivedi, CM (Chemistry); CPF No. 125530

1.0 Background of the case:

Tender no. ZM3RS26003 was invited through GePNIC Portal for four-year Non-Comprehensive AMC of GC-2010 Plus (2DGC) under single tender (OEM/OES case). With the approval of CPA dated 12.05.2026, M/s Toshvin Analytical Private Limited (OES) is techno-commercially acceptable.

The price comparison list of the quoted price vis-a-vis estimated price is detailed below:

Sl. No.	Description	Last year NC AMC charges inclusive of GST (LPR)	Estimated Price (including GST) (Rs.)	Price quoted by M/s Toshvin Analytical Pvt Ltd. (including GST) (Rs.)	Quoted price v/s estimated price
1	NC-AMC charges for 1st year (22.09.2026-21.09.2027)	87,320.00	89,503.00	96,760.00	8.11
2	NC-AMC charges for 2nd year (22.09.2027-21.09.2028)	OLA No. 9030010405 (Rate of fifth year service contract is considered for period (22.09.2025-21.09.2026))	91,740.58	1,08,560.00	18.33
3	NC-AMC charges for 3rd year (22.09.2028-21.09.2029)		94,034.09	1,20,360.00	28.00
4	NC-AMC charges for 4th year (22.09.2029-21.09.2030)		96,384.94	1,34,520.00	39.57
Total Charges inclusive of GST			3,71,662.61	4,60,200.00	23.82

The quoted rates for first year are 8.11% higher than the estimated price and 10.81% higher than the LPR. Subsequently, quoted price for 2nd, 3rd and 4th year are 18.33%, 28% and 39.57% higher than the estimated cost respectively. Overall, the quoted value of Rs. 4,60,200.00 is 23.82% higher than the sanctioned estimate of Rs. 3,71,662.61.

2.0 Observation and Deliberations: The PEC observed that the quoted price is 23.82% higher than the sanctioned estimated price and recommended to carry out price negotiation with the M/s Toshvin Analytical Private Limited. Price negotiation is carried with the M/s Toshvin Analytical Private Limited on 19.05.2026 and 20.05.2026. **Final price quoted by the bidder is Rs. 3,89,990.00 which is 4.93% higher than the sanctioned estimated price (Annexure-14).**

3.0 Recommendation: In the view of above deliberations, PEC recommends as under:

To award contract for Non-Comprehensive AMC of GC-2010 Plus (2DGC) for four years to M/s Toshvin Analytical Private Limited (OES) for Rs. 3,89,990.00 as per Scope of Work placed at Annexure-2. Submitted for approval please.

CPA: L-1 Level Executive as per clause 13.2.9 (ix) of SCM Manual.

JYOTI DWIVEDI
(Suptdg. Chemist)

Recommended & Electronically Signed by:
JYOTI DWIVEDI - 125530 (Suptdg. Chemist)
KDMIPE GEOCHEMISTRY DIVISION - IPE
On : 15/06/2026(16:25:43)

KEHAR SINGH
(Ch.Manager (F & A))

Recommended & Electronically Signed by:
KEHAR SINGH - 68861 (Ch.Manager (F & A))
KDMIPE FINANCE - IPE
On : 15/06/2026(16:32:58)

PEC recommendation at para 3.0 above may be submitted to ED-CoI, KDMIPE (L1) for approval as per clause 13.2.9 (ix) of SCM Manual.

Electronically Signed & Submitted by:
RAHUL BAMNIA - 136088 (Sr.Chemist)
KDMIPE GEOCHEMISTRY DIVISION - IPE
On: 15/06/2026(16:41:00)

ED-CoI, KDMIPE (L-I) is requested to kindly accord approval for PEC recommendation at para 3.0 to award contract for Non-Comprehensive AMC of 2D GC for 04 years to M/s Toshvin Analytical Private Limited (OES) for INR 3,89,990.00 as per clause 13.2.9(ix) of SCM Manual.

Forwarded & Electronically Signed & Submitted by :

JYOTI DWIVEDI - 125530 (Suptdg.Chemist)

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:15/06/2026(16:46:56)

Instant proposal is forwarded to seek approval of ED-CoI, KDMIPE (L-I) to the PEC recommendation (Para 3 in the above note) to award contract for Non-Comprehensive AMC of 2D GC for 04 years to M/s Toshvin Analytical Private Limited (OES) for INR 3,89,990.00 as per clause 13.2.9(ix) of SCM Manual.

Forwarded & Electronically Signed & Submitted by :

ANUJA DUBEY SINHA - 76453 (Ch.General Manager (Chem))

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:15/06/2026(16:59:55)

As discussed.

Forwarded & Electronically Signed & Submitted by :

KUSUM LATA PANGTEY - 78249 (Ch.General Manager (Chem))

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:15/06/2026(17:40:36)

Forwarded & Electronically Signed & Submitted by :

ANUJA DUBEY SINHA - 76453 (Ch.General Manager (Chem))

KDMIPE GEOCHEMISTRY DIVISION - IPE

On: 15/06/2026(17:46:39)

While preparing the file for committee approval, the CPF number of the CPA was inadvertently entered incorrectly, which has now been rectified.

Head Geochemistry (L-II) is requested to kindly approve PEC recommendation at para 3.0 above to award contract for Non-comprehensive AMC of 2DGC for four years to M/s Toshvin Analytical Private Limited (OES) for Rs. 3,89,990.00 as per clause 13.2.10 of SCM Manual.

CPA: L-II Level Executive as per clause 24.1 (b) of BDP-2015.

I/c Oil Lab pl. (125530)

I/c Labs Geochemistry Group pl. (76453)

Head Geochemistry Group pl. (78249)

Electronically Signed & Submitted by:

RAHUL BAMNIA - 136088 (Sr.Chemist)

KDMIPE GEOCHEMISTRY DIVISION - IPE

On: 15/06/2026(18:56:35)

Head Geochemistry (L-II) is requested to accord approval for PEC recommendation, mentioned above at para 3.0 to award NC-AMC contract for 04 years to M/s Toshvin Analytical Private Limited (OES) with total financial implication of INR 3,89,990.00 as per clause 13.2.10 of SCM Manual.

Forwarded & Electronically Signed & Submitted by :

JYOTI DWIVEDI - 125530 (Suptdg.Chemist)

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:16/06/2026(09:57:04)

Head Geochemistry (L-II) is requested to kindly approve to the PEC recommendation (Para 3 in the above note) to award contract for Non-Comprehensive AMC of 2D GC for 04 years to M/s Toshvin Analytical Private Limited (OES) for INR 3,89,990.00 as per clause 13.2.10 of SCM Manual

Forwarded & Electronically Signed & Submitted by :

ANUJA DUBEY SINHA - 76453 (Ch.General Manager (Chem))

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:16/06/2026(10:17:59)

Approved as proposed.

Forwarded & Electronically Signed & Submitted by :

KUSUM LATA PANGTEY - 78249 (Ch.General Manager (Chem))

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:16/06/2026(13:01:29)

Forwarded & Electronically Signed & Submitted by :

ANUJA DUBEY SINHA - 76453 (Ch.General Manager (Chem))

KDMIPE GEOCHEMISTRY DIVISION - IPE

On:16/06/2026(13:37:35)

Ref: DEL/SC/438-5/25-26

Date: 15-06-2026

To,
OIL AND NATURAL GAS CORPORATION LIMITED
KESHAHA DEVA MALAVIYA INSTITUTE OF PETROLEUM EXPLORATION
MM Expl Group-GEOPIC, KAULAGARH ROAD, DEHRADUN 248001 INDIA

Kind Attn: - Mr. Rahul Bamnia

Sub: **Annual Maintenance Contract proposal for your Shimadzu Instrument 2DGC GC-2010 Plus**

Dear Sir/Madam,

Please find enclose herewith annual maintenance contract proposal for your Shimadzu instrument.


We request you to enroll your instrument in the service contract and enable us to provide you our timely after sale services. This is required for efficient working of your instrument.

Please send us duplicate copy of proposal duly signed along with payment in advance in favour of "Toshvin Analytical Pvt. Ltd.".

For any clarification / information, please feel free to contact us.

Thanking you and assuring you of our best services always.

**Yours truly,
For Toshvin Analytical Pvt. Limited**



**Saurabh Chaubey
Asst. Manager - Customer Support
Mobile# 9310689996
E-mail: schaubey@toshvin.com**

Encls.: ANNEXURE-I & ANNEXURE A

Toshvin Analytical Pvt. Ltd.

103, S.J. House, Sitaram Mills Compound
N. M. Joshi Marg, Lower Parel,
Mumbai – 400 011. India.

Phone : (022) 23015096 / 6450 7215
Fax : (022) 2301 3592
E-mail : mumbai@toshvin.com

ANNEXURE-I

Ref: DEL/SC/438-5/25-26

Date: 15-06-2026

SERVICE CONTRACT DETAILS: (In Duplicate)

1. Customer Name : To,
OIL AND NATURAL GAS CORPORATION LIMITED
2. Address : KESHAVA DEVA MALAVIYA INSTITUTE OF PETROLEUM EXPLORATION
MM Expl Group-GEOPIC, KAULAGARH ROAD, DEHRADUN 248001 INDIA
- Kind Attn: - Mr. Rahul Bamnia**

3. Details of Instrument:

Sno.	Instrument/s	Model Nos.	Sr. Nos.	Qty	Unit Rates (Rs.)
1	Shimadzu	GC-2010 Plus	C12095604363	1	76,500.00
2	Shimadzu	GC-2010 Plus	C12095604363	1	80,500.00
3	Shimadzu	GC-2010 Plus	C12095604363	1	84,500.00
4	Shimadzu	GC-2010 Plus	C12095604363	1	89,000.00
				Total :	3,30,500.00
				* GST @ 18%	59,490.00
				Total :	3,89,990.00

4. Proposal:

Period (4 Years)	No. of visits (Per Instrument Per Year)
<u>22-Sep-2026 To 21-Sep-2030</u>	2 Preventive visits & 2 Emergency visit

*Note :

- GST 18% (or current prevailing tax at the time of billing) will be charged extra on AMC amount.**
- Payment Terms will be 100% in advance in favour of "Toshvin Analytical Pvt. Ltd."
- Please provide us your GST number while placing your order.**
- We are a registered under MSME**

PO to be raised on :	PO to be sent to :-
Toshvin Analytical Pvt. Ltd., 103, S.J.House, Sitaram Mills Compound, N.M.Joshi Marg, Lower Parel, Mumbai - 400 011. <u>GST No. 27AABCT4482D1ZE</u> <u>SAC No.998719</u>	Toshvin Analytical Pvt Ltd, 202, 2 nd Floor, DLF Tower-A, District Centre, Jasola, New Delhi-110025, Email - del.service@toshvin.com

We agree to the contract details above along with the terms & condition as per ANNEXURE A

Signature : _____

Name & Designation : _____

Date : _____

Seal of the Company / Institution : _____

ANNEXURE A


ANNUAL MAINTENANCE CONTRACT: TERMS & CONDITIONS

1. We shall endeavor to depute our service engineer in time. However, we shall not be held responsible for any loss due to delay in attending your call under circumstances beyond our control.
2. This Annual Maintenance Contract ("AMC") covers routine Preventive Maintenance of your instrument(s) and / or repair of your instrument(s) in the case of Breakdown due to wear and tear of the instrument(s) during the normal course of usage. The total number of Preventive Maintenance and / or Breakdown visits to be made by our engineer is as per the terms of this Contract. Any additional visits made by our engineer will be billed at our standard daily visit charges after we receive approval of these charges from you in writing.
3. a. This AMC does not include repairs of any instrument(s) found defective due to misuse, accident, fire, power fluctuations, and damage by rodents or any other unforeseen causes. We shall charge for repairs of such instrument(s), the charges for which will depend upon the extent of damages.
b. Customer will be responsible for rectifying damages external to the system such as defective stabilizer, dehumidifier etc. and maintain environmental conditions before Engineer takes up the job. We will not be responsible for any loss due to non-maintenance of these.
c. Should there be a major break down in the instrument(s), needing repairs at our service center, you will be required to send it to our service center at your cost. Charges for such repairs will be extra.
d. This AMC does not cover the following:
 - i) Calibration of the instrument(s) with Standard Reference Materials
 - ii) Method Development
 - iii) Demonstration of the Instrument(s), Accessories and/or Software
 - iv) Dismantling and Reinstallation of the instrument(s)
 - v) Operational Qualification (OQ) and Performance Qualification (PQ)

Toshvin Analytical can provide all of the above services at our standard charges.
- e. We will exercise utmost care when handling the instrument(s) included in this AMC. However, we will not be held liable for breakage of fragile glass parts, or any part(s) that are (i) damaged / stop functioning due to aging (ii) have already been damaged (iii) are malfunctioning and/or (iv) are not functioning, and which have been removed during routine servicing of the instrument. The cost of repair or replacement of any damaged, malfunctioning or non-functioning part(s) will be borne by the customer.
4. We maintain an adequate stock of spares at our Mumbai office. Spares used from our stock will be charged separately. However, we will recommend a list of spares to be kept in your stock.
5. We will try to repair the Boards on Components level. If the components level repair is not possible, you will have to buy the boards/ other parts required at an additional price. We will not be responsible for the loss occurred due to such delayed repairs
6. We shall not be held liable for delay in repair of your instrument(s) due to non availability or delay in receipt of imported spare parts.
7. We shall not be held liable for delay in repair of your instrument(s) due to non-availability or delay in receipt of imported spare parts.
8. All required spare parts should be purchased either from Toshvin Analytical, directly from the manufacturer, or as recommended/specified by the manufacturer or Toshvin Analytical. If substitute/equivalent parts are used, we cannot guarantee the performance of your instrument(s), and we will not be held liable for any damage caused by usage of these substitutes parts. Decision on installation of such parts, will be solely at the discretion of Toshvin.

9. Any spare parts replaced by our engineer during an AMC visit will be billed to the customer at the full GST as applicable (or maximum rate applicable at that time).
10. For any other special call, we shall bill you separately as per our standard rates.
11. This AMC is renewable every year, but it will be treated in continuance unless cancelled in writing.
12. We shall submit our bill in advance on a yearly basis. After receipt of the payment we shall arrange the visit of our service engineer to your location.
13. * GST as applicable (or current prevailing rate) will be applicable, and will be charged in addition to the contract charges.
14. This AMC proposal is valid for 60 (Sixty) days.
15. “Any spare parts replaced during AMC visits will be charged extra to the customer as per the spares price list effective at the time of replacement plus the applicable sales tax at the time of replacement. However, Toshvin can help in getting PCBs (failed during AMC period) repaired from third party on chargeable basis, since AMC charges quoted does not include these repair charges. Such Repair Charges will include repair cost plus service tax as applicable & spares required, if any will be charged extra. Quotes for such repairs can be given on request of the customer. Repairs in such cases will be taken up only on receiving written approval on the same from the customer.
16. For GCMS & TQMS instrument, Overhauling of rotary pump(RP) is not covered under AMC & will be charged extra at the prevailing rate applicable at the time of overhauling. Based on the running hours of RP our Service Engineer visiting for Preventive Maintenance or Breakdown visits will recommend to get the RP overhauled. Overhauling needs expertise in doing this. This overhauling also need some spare kit to be replaced during overhauling which are also chargeable as the contract is non-comprehensive type. We will not be responsible for the loss occurred due to delay in overhauling. This term applicable even in case of failure/breakdown of pump during AMC period even though recommended working hours of RP are not over.

For Toshvin Analytical Pvt. Limited



Saurabh Chaubey
Asst. Manager - Customer Support
Mobile# 9310689996
E-mail: schaubey@toshvin.com

Signature Not Verified

Digitally signed by RAHUL BAMNIA
Date: 2026.07.01 16:05:35 IST
Location: eProcurement System for
Central PSUs